41858

Narrow Cleaning Brush with Long Handle, 420 mm, Hard, Purple







Easily clean small spaces with this 46 mm wide narrow-headed brush. The bristles are angled to facilitate easy cleaning of corners, the grip is designed for extra stability and the entire brush is color-coded to support HACCP principles.

Technical Data

Bristle stiffness Hard Visible bristle length 36 mm Material Polypropylene Polyester Stainless Steel (AISI 304) Complies with (EC) 1935/2004 on food contact materials' Yes Complies with FDA Regulation 2023/2006/EC of Good Manufacturing Practice Yes Complies with FDA Regulation 1CFR 21' Yes Complies with FDA Regulation (EC) No. 1907/2006 Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Hall and Kosher Yes PFAS, Phthalates and BPA intentionally added No Design Registration No. EU 008554125-0003, UK 6139373 Box Quantity 10 Pes. Quantity per Pallet (80 x 120 x 180-200 cm) 480 Pcs Quantity Per Layer (Pallet) 70 Pcs. Box Length 530 mm Box Kight 150 mm Box Keight 0.23 kg Weight 0.23 kg Weight cardboard (Recycling symbol "4" Low Density Polyethylene (LOPE) 0.0025 kg Cubic metre 0.002125 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperatur	Item Number	41858
Material Polypropylene Polyester Stainless Steel (AISI 304) Complies with (EC) 1935/2004 on food contact materials' Yes Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes Complies with FDA Regulation 1 CFR 21' Yes Complies with WE ACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Design Registration No. EU 008554125-0003, UK 6139373 Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 480 Pcs Quantity Per Layer (Pallet) 70 Pcs. Box Length 530 mm Box Width 230 mm Box Kight 0.23 kg Weight 0.23 kg Weight cardboard (Recycling symbol "20" PAP) 0.025 kg Care total 0.0335 kg Gross Weight 0.26 kg Cubic metre 0.002125 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (food contact) 80 °C Macting temperature (on food contact) 80 °C	Bristle stiffness	Hard
Stamless Steel (AÍSI 304) Complies with (EC) 1935/2004 on food contact materials' Yes Complies with EU Regulation 2023/2006/EC of Good Yes Manufacturing Practice Yes Complies with FDA Regulation 1CFR 21' Yes Complies with California Proposition 65 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Design Registration No. EU 008554125-0003, UK 6139373 Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 480 Pcs Quantity Per Layer (Pallet) 70 Pcs. Box Length 530 mm Box Width 230 mm Box Width 230 mm Box Height 110 mm Length 500 mm Box Kight bag (Recycling Symbol "4" Low Density Polyethylene (.0.0085 kg .0.025 kg Weight cardboard (Recycling symbol "20" PAP) .0.025 kg Gross Weight .0.26 kg .0.002125 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (food contact) 80 °C	Visible bristle length	36 mm
Complies with EU Regulation 2023/2006/EC of Good Manufacturing PracticeYesComplies with FDA RegulationI CFR 21'YesComplies with UK 2019 No. 704 on food contact materialsYesComplies with REACH Regulation (EC) No. 1907/2006YesComplies with California Proposition 65YesComplies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoDesign Registration No.EU 008554125-0003, UK 6139373Box Quantity10 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)480 PcsQuantity Per Layer (Pallet)70 Pcs.Box Length530 mmBox Kleight150 mmLength420 mmWidth46 mmHeight110 mmNet Weight0.23 kgWeight cardboard (Recycling Symbol "20" PAP)0.025 kgTare total0.0335 kgGross Weight0.26 kgCubic metre0.002125 M3Recommended sterilisation temperature (Autoclave)121 "CMax usage temperature (food contact)80 °CMax usage temperature (no food contact)100 °CMin. usage temperature-20 °C	Material	Stainless Steel (AISI
Manufacturing Practice Complies with FDA RegulationI CFR 21' Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Design Registration No. EU 008554125-0003, UK 6139373 Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 480 Pcs Quantity Per Layer (Pallet) 70 Pcs. Box Length 530 mm Box Width 230 mm Box Width 230 mm Box Height 110 mm Net Weight 0.23 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (D0085 kg 0.005 kg Gross Weight 0.26 kg Cubic metre 0.002125 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (Doid contact) 60 °C Max usage temperature (non food contact) 60 °C	Complies with (EC) 1935/2004 on food contact materials ¹	Yes
Complies with UK 2019 No. 704 on food contact materialsYesComplies with REACH Regulation (EC) No. 1907/2006YesComplies with California Proposition 65YesComplies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoDesign Registration No.EU 008554125-0003, UK 6139373Box Quantity10 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)480 PcsQuantity Per Layer (Pallet)70 Pcs.Box Length530 mmBox Width230 mmBox Width230 mmBox Height150 mmLength420 mmWidth46 mmHeight110 mmNet Weight0.23 kgWeight cardboard (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0085 kgWeight cardboard (Recycling symbol "20" PAP)0.025 kgTare total0.0335 kgGross Weight0.26 kgCubic metre0.002125 M3Recommended sterillisation temperature (Autoclave)121 "CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature ⁶ -20 °C		Yes
Complies with REACH Regulation (EC) No. 1907/2006YesComplies with California Proposition 65YesComplies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoDesign Registration No.EU 008554125-0003, UK 6139373Box Quantity10 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)480 PcsQuantity Per Layer (Pallet)70 Pcs.Box Length530 mmBox Height150 mmLength420 mmWidth420 mmWidth0.0085 kg (LDPE)Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0025 kgWeight der Colourd (Recycling symbol "20" PAP)0.025 kgTare total0.0335 kgGuss Weight0.226 kgCubic metre0.002125 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature ³ -20 °C	Complies with FDA RegulationI CFR 21 ¹	Yes
Complies with California Proposition 65YesComplies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoDesign Registration No.EU 008554125-0003, UK 6139373Box Quantity10 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)480 PcsQuantity Per Layer (Pallet)70 Pcs.Box Length530 mmBox Width230 mmBox Width150 mmLength420 mmWidth420 mmWidth0.23 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0025 kgWeight bag (Recycling symbol "20" PAP)0.025 kgGross Weight0.26 kgCubic metre0.002125 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature ³ -20 °C	Complies with UK 2019 No. 704 on food contact materials	Yes
Complies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoDesign Registration No.EU 008554125-0003, UK 6139373Box Quantity10 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)480 PcsQuantity Per Layer (Pallet)70 Pcs.Box Length530 mmBox Width230 mmBox Height150 mmLength420 mmWidth46 mmHeight110 mmNet Weight0.23 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0085 kgGross Weight0.26 kgCubic metre0.002125 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Complies with REACH Regulation (EC) No. 1907/2006	Yes
PFAS, Phthalates and BPA intentionally addedNoDesign Registration No.EU 008554125-0003, UK 6139373Box Quantity10 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)480 PcsQuantity Per Layer (Pallet)70 Pcs.Box Length530 mmBox Width230 mmBox Height150 mmLength420 mmWidth46 mmHeight110 mmNet Weight0.23 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0085 kgGross Weight0.26 kgCubic metre0.002125 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (food contact)80 °CMax usage temperature3-20 °C	Complies with California Proposition 65	Yes
Design Registration No.EU 008554125-0003, UK 6139373Box Quantity10 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)480 PcsQuantity Per Layer (Pallet)70 Pcs.Box Length530 mmBox Width230 mmBox Height150 mmLength420 mmWidth46 mmHeight110 mmNet Weight0.23 kgWeight cardboard (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0085 kgCubic metre0.0035 kgGross Weight0.26 kgCubic metre0.002125 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °C	Complies with Halal and Kosher	Yes
UK 6139973Box Quantity10 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)480 PcsQuantity Per Layer (Pallet)70 Pcs.Box Length530 mmBox Width230 mmBox Height150 mmLength420 mmWidth46 mmHeight110 mmNet Weight0.23 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0025 kgGross Weight0.26 kgCubic metre0.002125 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °C	PFAS, Phthalates and BPA intentionally added	No
Quantity per Pallet (80 x 120 x 180-200 cm)480 PcsQuantity Per Layer (Pallet)70 Pcs.Box Length530 mmBox Width230 mmBox Height150 mmLength420 mmWidth46 mmHeight110 mmNet Weight0.23 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0085 kgWeight cardboard (Recycling symbol "20" PAP)0.025 kgTare total0.0335 kgGross Weight0.226 kgCubic metre0.002125 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature 3-20 °C	Design Registration No.	
Quantity Per Layer (Pallet)70 Pcs.Box Length530 mmBox Width230 mmBox Width230 mmBox Height150 mmLength420 mmWidth46 mmHeight110 mmNet Weight0.23 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0085 kgWeight cardboard (Recycling symbol "20" PAP)0.025 kgTare total0.0335 kgGross Weight0.26 kgCubic metre0.002125 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)80 °CMin. usage temperature 3-20 °C	Box Quantity	10 Pcs.
Box Length530 mmBox Width230 mmBox Height150 mmLength420 mmWidth46 mmHeight110 mmNet Weight0.23 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0085 kgWeight cardboard (Recycling symbol "20" PAP)0.025 kgTare total0.0335 kgGross Weight0.26 kgCubic metre0.002125 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)80 °CMin. usage temperature3-20 °C	Quantity per Pallet (80 x 120 x 180-200 cm)	480 Pcs
Box Width230 mmBox Height150 mmLength420 mmWidth46 mmHeight110 mmNet Weight0.23 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0085 kgWeight cardboard (Recycling symbol "20" PAP)0.025 kgTare total0.0335 kgGross Weight0.26 kgCubic metre0.002125 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °C	Quantity Per Layer (Pallet)	70 Pcs.
Box Height150 mmLength420 mmWidth46 mmHeight110 mmNet Weight0.23 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0085 kgWeight cardboard (Recycling symbol "20" PAP)0.025 kgTare total0.0335 kgGross Weight0.26 kgCubic metre0.002125 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °C	Box Length	530 mm
Length420 mmWidth46 mmHeight110 mmNet Weight0.23 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0085 kgWeight cardboard (Recycling symbol "20" PAP)0.025 kgTare total0.0335 kgGross Weight0.26 kgCubic metre0.002125 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °C	Box Width	230 mm
Width46 mmHeight110 mmNet Weight0.23 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0085 kgWeight cardboard (Recycling symbol "20" PAP)0.025 kgTare total0.0335 kgGross Weight0.26 kgCubic metre0.002125 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °C	Box Height	150 mm
Height110 mmNet Weight0.23 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0085 kgWeight cardboard (Recycling symbol "20" PAP)0.025 kgTare total0.0335 kgGross Weight0.26 kgCubic metre0.002125 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °C	Length	420 mm
Net Weight0.23 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0085 kgWeight cardboard (Recycling symbol "20" PAP)0.025 kgTare total0.0335 kgGross Weight0.26 kgCubic metre0.002125 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °C	Width	46 mm
Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0085 kgWeight cardboard (Recycling symbol "20" PAP)0.025 kgTare total0.0335 kgGross Weight0.26 kgCubic metre0.002125 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)80 °CMin. usage temperature a-20 °C	Height	110 mm
(LDPE)0.025 kgWeight cardboard (Recycling symbol "20" PAP)0.025 kgTare total0.0335 kgGross Weight0.26 kgCubic metre0.002125 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Net Weight	0.23 kg
Tare total0.0335 kgGross Weight0.26 kgCubic metre0.002125 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C		0.0085 kg
Gross Weight0.26 kgCubic metre0.002125 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °C	Weight cardboard (Recycling symbol "20" PAP)	0.025 kg
Cubic metre0.002125 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °C	Tare total	0.0335 kg
Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Gross Weight	0.26 kg
Max. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Cubic metre	0.002125 M3
Max usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Recommended sterilisation temperature (Autoclave)	121 °C
Max usage temperature (non food contact)100 °CMin. usage temperature3-20 °C	Max. cleaning temperature (Dishwasher)	93 °C
Min. usage temperature ³ -20 °C	Max usage temperature (food contact)	3° 08
	Max usage temperature (non food contact)	100 °C
Max. drying temperature100 °C	Min. usage temperature ³	-20 °C
	Max. drying temperature	100 °C

Min. pH-value in usage concentration	2 pH
Max. pH-value in Usage Concentration	10.5 pH
Gtin-13 Number	5705022022737
GTIN-14 Number (Box quantity)	15705028022745
Customs Tariff No.	96039099
Country of origin	Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

1. See Declaration of Compliance for further details on food contact

3. Do not store the product below 0° Celsius.