Washing Brush w/long handle, 415 mm, Hard, Yellow







This Washing Brush is ideal for cleaning hard-to-reach surfaces on machines and equipment such as deep buckets, containers and tubs. It has a long handle and angled bristles that enhance cleaning efficacy.

Technical Data

Bristle stiffness Hard Visible bristle length 36 mm Material Polypropylene Polyester Stainless Steel (AISI 304) Complies with (EC) 1935/2004 on food contact materials¹ Yes Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes Complies with FDA Regulation (ER 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with California Proposition 65 Yes Complies with Halai and Kosher Yes PFAS, Phthalates and BPA intentionally added No Design Registration No. EU 002025700-0001-3, GB 20257000001-3, GB 20257000001-3 Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 700 Pcs Quantity Per Layer (Pallet) 700 Pcs. Box Length 435 mm Box Length 435 mm Box Height 180 mm Length 180 mm Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0255 kg Weight cardboard (Recycling symbol "2" PAP) 0.0255 kg Tare total 0.034 kg Gross Weight 0.27 kg Cubic metre 0.00221 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C <th>Item Number</th> <th>41866</th>	Item Number	41866
Material Polypropylene Polyester Stainless Steel (AISI 304) Complies with (EC) 1935/2004 on food contact materials¹ Yes Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Complies with FDA Regulation ICFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with California Proposition 65 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Design Registration No. EU 002025700-0001-3, GB 20257000001-3 Box Quantity 10 Pcs. Quantity Per Layer (Pallet) 70 Pcs. Quantity Per Layer (Pallet) 70 Pcs. Box Length 435 mm Box Height 180 mm Box Height 180 mm Length 415 mm Width 71 mm Height 75 mm Net Weight 0.24 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight cardboard (Recycling symbol "20" PAP) 0.0255 kg Gross Weight 0.27 kg Cubic metre 0.00221 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Min. usage temperature (food contact) 100 °C Min. usage temperature (food contact) 100 °C Min. usage temperature² -20 °C Min. unique temperature (Dishwasher) -20 °C Min. unique temperature (Dishwasher) -20 °C Min. unique temperature (Dishwasher) -20 °C Min. unique	Bristle stiffness	Hard
Complies with (EC) 1935/2004 on food contact materials¹ Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Complies with FDA Regulation CFR 21¹ Yes Complies with FDA Regulation (EC) No. 1907/2006 Complies with REACH Regulation (EC) No. 1907/2006 Complies with California Proposition 65 Complies with California Proposition 65 Complies with Halal and Kosher FAS, Phthalates and BPA Intentionally added No Design Registration No. EU 002025700-0001-3 Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) To Pcs. Box Length Box Width 205 mm Box Width 205 mm Box Width 180 mm Length Width 110 mm Height 75 mm Net Weight Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight cardboard (Recycling symbol "20" PAP) Cubic metre 0.00221 M3 Recommended sterilisation temperature (Autoclave) Max usage temperature (Dishwasher) Max usage temperature (non food contact) Min. usage temperature? Scan Successible A conductives Yes Complies with EU Regulation 2023/2006/EC of Good Aves Asimilars Steal (AiSi Yes Asimilars Steal (AiSi Aves Aves Aves Complies with EU Regulation (FC) No. 1907/2006 Yes Complies with EU Regulation (FC) No. 1907/2006 Yes Complies with EU Regulation (EC) No. 1907/2006 Yes Complies with EU Regulation (FC) No. 1907/2006 Yes Complies with EL Regulation (FC) No. 1907/2006 Yes Complies with Eu Regulation (FC) No. 1907/2006 Yes Complies with Eu Regulation (FC) No. 1907/2006 Yes Complies with Eu Regulation (FC) No. 1907/2006 Yes Complies with	Visible bristle length	36 mm
Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Complies with FDA Regulation CFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Complies with California Proposition 65 Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added No Design Registration No. EU 002025700-0001-3, GB 20257000001-3 Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 700 Pcs Box Length Box Height 180 mm Box Width 205 mm Box Height 180 mm Length Width 171 mm Height 75 mm Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight cardboard (Recycling symbol "20" PAP) 0.0255 kg Tare total 0.034 kg Gross Weight 0.27 kg Cubic metre 0.00221 M3 Recommended sterilisation temperature (Autoclave) Max usage temperature (Dishwasher) 80 °C Max usage temperature (non food contact) Min. usage temperature (non food contact) Min. usage temperature? - 20 °C Min. usage temperature?	Material	Stainless Steel (AISI
Manufacturing Practice Yes Complies with FDA RegulationI CFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Design Registration No. EU 002025700-0001-3, GB 20257000001-3 Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 700 Pcs. Box Length 435 mm Box Width 205 mm Box Width 205 mm Box Height 180 mm Length 415 mm Width 75 mm Net Weight 0.24 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0035 kg Weight cardboard (Recycling symbol "20" PAP) 0.0255 kg Tare total 0.034 kg Gross Weight 0.27 kg Cubic metre 0.0021 M3 Recommended sterilisation temperature (Autoclave) 121 °C	Complies with (EC) 1935/2004 on food contact materials ¹	Yes
Complies with UK 2019 No. 704 on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Design Registration No. EU 002025700-0001-3, GB 20257000001-3 Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 700 Pcs. Box Length 435 mm Box Width 205 mm Box Height 180 mm Length 415 mm Width 71 mm Height 75 mm Net Weight 0.24 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0085 kg Weight cardboard (Recycling symbol "20" PAP) 0.0255 kg Tare total 0.034 kg Gross Weight 0.27 kg Cubic metre 0.0021 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 100 °C	·	Yes
Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Design Registration No. EU 002025700-0001-3, GB 20257000001-3, GB 20257000001-3 Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 700 Pcs. Quantity Per Layer (Pallet) 70 Pcs. Box Length 435 mm Box Width 205 mm Box Height 180 mm Length 415 mm Width 71 mm Height 75 mm Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.024 kg Weight cardboard (Recycling symbol "20" PAP) 0.0255 kg Tare total 0.034 kg Gross Weight 0.27 kg Cubic metre 0.00221 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 80 °C Min. usage temperature (non food contact)	Complies with FDA RegulationI CFR 21 ¹	Yes
Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Design Registration No. EU 002025700-0001-3, GB 20257000001-3, GB 2025700001-3, GB 2025700001-3, GB 2025700001-3, GB 2025700001-3, GB 2025700001-3, GB 2025700001-3, GB 20257000001-3, GB 2025700001-3,	Complies with UK 2019 No. 704 on food contact materials	Yes
Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added No Design Registration No. BU 002025700-0001-3, GB 20257000001-3 GB 2025700001-3 GB 202570001-3 GB 2025700001-3 GB 2025700001-3 GB 2025700001-3 GB 2025700001-3 GB 202570001-3	Complies with REACH Regulation (EC) No. 1907/2006	Yes
PFAS, Phthalates and BPA intentionally added Design Registration No. EU 002025700-0001-3, GB 20257000001-3, GB 20257000001-3, GB 20257000001-3 Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 700 Pcs. Box Length 435 mm Box Width 205 mm Box Height 180 mm Length Width 71 mm Height 75 mm Net Weight Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight cardboard (Recycling symbol "20" PAP) Quibic metre 0.0025 kg Cubic metre 0.00221 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (non food contact) Min. usage temperature³ -20 °C Min. usage temperature³ -20 °C Min. usage temperature³	Complies with California Proposition 65	Yes
Design Registration No. EU 002025700-0001-3, GB 20257000001-3 Box Quantity 10 Pcs. Quantity Per Layer (Pallet) 700 Pcs. Box Length 435 mm Box Width 205 mm Box Height 180 mm Length 415 mm Width 71 mm Height 75 mm Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0085 kg Weight cardboard (Recycling symbol "20" PAP) 0.0255 kg Tare total 0.034 kg Gross Weight 0.27 kg Cubic metre 0.00221 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature ³ -20 °C	Complies with Halal and Kosher	Yes
Box Quantity 10 Pcs.	PFAS, Phthalates and BPA intentionally added	No
Quantity per Pallet (80 x 120 x 180-200 cm)700 PcsQuantity Per Layer (Pallet)70 Pcs.Box Length435 mmBox Width205 mmBox Height180 mmLength415 mmWidth71 mmHeight75 mmNet Weight0.24 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0085 kgWeight cardboard (Recycling symbol "20" PAP)0.0255 kgTare total0.034 kgGross Weight0.27 kgCubic metre0.00221 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Design Registration No.	· · · · · · · · · · · · · · · · · · ·
Quantity Per Layer (Pallet) 70 Pcs. Box Length 435 mm Box Width 205 mm Box Height 180 mm Length 415 mm Width 71 mm Height 75 mm Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0085 kg Weight cardboard (Recycling symbol "20" PAP) 0.0255 kg Tare total 0.034 kg Gross Weight 0.27 kg Cubic metre 0.00221 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature³ -20 °C	Box Quantity	10 Pcs.
Box Length 435 mm Box Width 205 mm Box Height 180 mm Length 415 mm Width 71 mm Height 75 mm Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0085 kg Weight cardboard (Recycling symbol "20" PAP) 0.0255 kg Tare total 0.034 kg Gross Weight 0.27 kg Cubic metre 0.00221 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature³ -20 °C	Quantity per Pallet (80 x 120 x 180-200 cm)	700 Pcs
Box Width 205 mm Box Height 180 mm Length 415 mm Width 71 mm Height 75 mm Net Weight 0.24 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight cardboard (Recycling symbol "20" PAP) 0.0255 kg Tare total 0.034 kg Gross Weight 0.27 kg Cubic metre 0.00221 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Min. usage temperature³ -20 °C	Quantity Per Layer (Pallet)	70 Pcs.
Box Height180 mmLength415 mmWidth71 mmHeight75 mmNet Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.024 kgWeight cardboard (Recycling symbol "20" PAP)0.0255 kgTare total0.034 kgGross Weight0.27 kgCubic metre0.00221 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Box Length	435 mm
Length 415 mm Width 71 mm Height 75 mm Net Weight 0.24 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight cardboard (Recycling symbol "20" PAP) 0.0255 kg Tare total 0.034 kg Gross Weight 0.27 kg Cubic metre 0.00221 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Min. usage temperature (non food contact) 100 °C Min. usage temperature³ -20 °C	Box Width	205 mm
Width71 mmHeight75 mmNet Weight0.24 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0085 kgWeight cardboard (Recycling symbol "20" PAP)0.0255 kgTare total0.034 kgGross Weight0.27 kgCubic metre0.00221 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Box Height	180 mm
Height75 mmNet Weight0.24 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0085 kgWeight cardboard (Recycling symbol "20" PAP)0.0255 kgTare total0.034 kgGross Weight0.27 kgCubic metre0.00221 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Length	415 mm
Net Weight0.24 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0085 kgWeight cardboard (Recycling symbol "20" PAP)0.0255 kgTare total0.034 kgGross Weight0.27 kgCubic metre0.00221 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Width	71 mm
Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0085 kgWeight cardboard (Recycling symbol "20" PAP)0.0255 kgTare total0.034 kgGross Weight0.27 kgCubic metre0.00221 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Height	75 mm
Weight cardboard (Recycling symbol "20" PAP) Tare total Gross Weight Cubic metre Cubic metre Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Max usage temperature (non food contact) Min. usage temperature³ -20 °C	Net Weight	0.24 kg
Tare total 0.034 kg Gross Weight 0.27 kg Cubic metre 0.00221 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature³ -20 °C		0.0085 kg
Gross Weight Cubic metre 0.00221 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Max usage temperature (non food contact) Min. usage temperature³ -20 °C	Weight cardboard (Recycling symbol "20" PAP)	0.0255 kg
Cubic metre0.00221 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Tare total	0.034 kg
Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature³ -20 °C	Gross Weight	0.27 kg
Max. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Cubic metre	0.00221 M3
Max usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Recommended sterilisation temperature (Autoclave)	121 °C
Max usage temperature (non food contact) Min. usage temperature³ -20 °C	Max. cleaning temperature (Dishwasher)	93 °C
Min. usage temperature ³ -20 °C	Max usage temperature (food contact)	80 °C
	Max usage temperature (non food contact)	100 °C
Max. drying temperature 100 °C	Min. usage temperature ³	-20 °C
	Max. drying temperature	100 °C

Min. pH-value in usage concentration	2 pH
Max. pH-value in Usage Concentration	10.5 pH
Gtin-13 Number	5705020418662
GTIN-14 Number (Box quantity)	15705020418669
Customs Tariff No.	96039099
Country of origin	Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

- 1. See Declaration of Compliance for further details on food contact
- 3. Do not store the product below 0° Celsius.