41925

Washing Brush w/short Handle, 270 mm, Hard, White







Ideal for removing stubborn dirt from conveyor belts, production lines, machinery and food preparation surfaces, this Washing Brush features a short, ergonomic handle for easy and effective daily cleaning.

Technical Data

Bristle stiffness Hard Visible bristle length 36 mm Material Polypropylene Polyester Stainless Steel (AISI 304) Complies with (EC) 1935/2004 on food contact materials' Yes Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes Complies with FDA Regulation 1CFR 21' Yes Complies with California Proposition 65 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA Intentionally added No Design Registration No. EU 002025700-0001-3. GB 20257000001-3 Box Quantity 10 Pcs. Quantity Per Pallet (80 x 120 x 180-200 cm) 1040 Pcs. Quantity Per Layer (Pallet) 80 Pcs. Box Length 380 mm Box Klight 200 mm Box Klight 201 mm Length 380 mm Box Width 200 mm Box Klight 0.01607 km Weight 0.21 kg Weight cardboard (Recycling symbol "4" Low Density Polyethylene (LDPE) 0.0056 kg Gross Weight 0.28 kg Cubic metre 0.0	Item Number	41925
Material Polypropylene Polyester Stainless Steel (AISI 304) 304) Complies with (EC) 1935/2004 on food contact materials' Yes Complies with EU Regulation 2023/2006/EC of Good Yes Complies with FDA Regulation 1 CFR 21' Yes Complies with RED Regulation (EC) No. 1907/2006 Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Design Registration No. EU 002025700-0001-3 Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 1040 Pcs Quantity Per Layer (Pallet) 80 Pcs. Box Length 380 mm Box Width 290 mm Box Klight 0.21 kg Weight 0.21 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0056 kg Weight cardboard (Recycling symbol "20" PAP) 0.065 kg Tare total 0.00706 kg Gross Weight 0.28 kg Cubic metre 0.001607 M3 Recommended ste	Bristle stiffness	Hard
Stainless Steel (AÍSI 304) Complies with (EC) 1935/2004 on food contact materials' Yes Complies with EU Regulation 2023/2006/EC of Good Yes Manufacturing Practice Yes Complies with FDA Regulation 1CFR 21' Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Design Registration No. EU 002025700-0001-3, GB 20257000-001-3, GB 20257000-001-3, GB 20257000-001-3, GB 2025700-0001-3, GB 2025700-0001-3, GB 2025700-0001-3, GB 2025700-001-3, GB 2025700-000-14, GB 2025700-14, GB 2025700-14, GB 2025700-14, GB 20, C No	Visible bristle length	36 mm
Complies with EU Regulation 2023/2006/EC of Good Manufacturing PracticeYesComplies with FDA Regulation (FR 21'YesComplies with UK 2019 No. 704 on food contact materialsYesComplies with California Proposition 65YesComplies with California Proposition 65YesComplies with Halal and KosherYesPFAS, Phthalates and BPA Intentionally addedNoDesign Registration No.EU 002025700-0001-3, GB 20257000001-3Box Quantity10 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)1040 Pcs.Quantity Per Layer (Pallet)80 Pcs.Box Length380 mmBox Width290 mmBox Height140 mmLength0.21 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.065 kgWeight cardobard (Recycling symbol "20" PAP)0.065 kgTare total0.0706 kgGross Weight0.28 kgCubic metre0.001607 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (food contact)80 °CMax usage temperature (no food contact)00 °CMin. usage temperature*-20 °C	Material	Stainless Steel (AISI
Manufacturing Practice Complies with FDA RegulationI CFR 211 Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Design Registration No. EU 002055700-0001-3, GB 2025700001-3 Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 104 Dcs Quantity Per Layer (Pallet) 80 Pcs. Box Length 380 mm Box Kithh 290 mm Box Kithh 290 mm Box Height 140 mm Length 85 mm Net Weight 0.21 kg Weight cardboard (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.005 kg Veight cardboard (Recycling symbol "20" PAP) 0.05 kg Tare total 0.0770 kg Gross Weight 0.28 kg Cubic metre 0.001607 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (non food contact) 00 °C	Complies with (EC) 1935/2004 on food contact materials ¹	Yes
Complies with UK 2019 No. 704 on food contact materialsYesComplies with REACH Regulation (EC) No. 1907/2006YesComplies with California Proposition 65YesComplies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoDesign Registration No.EU 002025700-0001-3, GB 20257000001-3Box Quantity10 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)1040 PcsQuantity Per Layer (Pallet)80 Pcs.Box Length380 mmBox Width290 mmBox Height140 mmLength270 mmWidth0.0056 kg(LDPE)0.0056 kgWeight cardboard (Recycling symbol "20" PAP)0.0056 kgCubic metre0.001607 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)80 °CMin. usage temperature*-20 °C		Yes
Complies with REACH Regulation (EC) No. 1907/2006YesComplies with California Proposition 65YesComplies with California Proposition 65YesComplies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoDesign Registration No.EU 002025700-0001-3, GB 20257000001-3Box Quantity10 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)1040 Pcs.Quantity Per Layer (Pallet)80 Pcs.Box Length380 mmBox Width290 mmBox Height140 mmLength270 mmWidth0.005 kg(LDPE)0.0056 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0056 kgWeight cardboard (Recycling symbol "20" PAP)0.065 kgCusic metre0.001607 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMin. usage temperature (non food contact)100 °CMin. usage temperature ³ -20 °C	Complies with FDA RegulationI CFR 21 ¹	Yes
Complies with California Proposition 65YesComplies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoDesign Registration No.EU 002025700-0001-3, GB 20257000001-3Box Quantity10 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)1040 Pcs.Quantity Per Layer (Pallet)80 Pcs.Box Length380 mmBox Width290 mmBox Height140 mmLength270 mmWidth70 mmHeight0.0160 kgQuestify bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0056 kgWeight cardboard (Recycling symbol "20" PAP)0.065 kgCubic metre0.001607 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)80 °CMin. usage temperature ³ -20 °C	Complies with UK 2019 No. 704 on food contact materials	Yes
Complies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoDesign Registration No.EU 002025700-0001-3, GB 20257000001-3Box Quantity10 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)1040 PcsQuantity Per Layer (Pallet)80 Pcs.Box Length380 mmBox Width290 mmBox Height140 mmLength270 mmWidth0.0056 kgReight Bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0056 kgGross Weight0.21 kgWeight cardboard (Recycling symbol "20" PAP)0.065 kgCubic metre0.001607 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Complies with REACH Regulation (EC) No. 1907/2006	Yes
PFAS, Phthalates and BPA intentionally added No Design Registration No. EU 002025700-0001-3, GB 20257000001-3 Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 1040 Pcs Quantity Per Layer (Pallet) 80 Pcs. Box Length 380 mm Box Width 290 mm Box Height 140 mm Length 270 mm Width 0.21 kg Weight 0.21 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LOPE) 0.0056 kg Weight cardboard (Recycling symbol "20" PAP) 0.065 kg Tare total 0.0706 kg Gross Weight 0.28 kg Cubic metre 0.001607 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (food contact) 80 °C Max usage temperature (food contact) 80 °C Max usage temperature food contact) 100 °C Min. usage temperature ³ -20 °C	Complies with California Proposition 65	Yes
Design Registration No.EU 002025700-0001-3, GB 20257000001-3Box Quantity10 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)1040 PcsQuantity Per Layer (Pallet)80 Pcs.Box Length380 mmBox Width290 mmBox Height140 mmLength270 mmWidth70 mmHeight0.21 kgWidth0.0056 kg(LDPE)0.0056 kgWeight cardboard (Recycling Symbol "20" PAP)0.065 kgCubic metre0.001607 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °C	Complies with Halal and Kosher	Yes
GB 20257000001-3Box Quantity10 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)1040 PcsQuantity Per Layer (Pallet)80 Pcs.Box Length380 mmBox Width290 mmBox Height140 mmLength270 mmWidth70 mmHeight85 mmNet Weight0.21 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0056 kgWeight cardboard (Recycling symbol "20" PAP)0.065 kgCubic metre0.001607 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	PFAS, Phthalates and BPA intentionally added	No
Quantity per Pallet (80 x 120 x 180-200 cm)1040 PcsQuantity Per Layer (Pallet)80 Pcs.Box Length380 mmBox Width290 mmBox Height140 mmLength270 mmWidth70 mmHeight85 mmNet Weight0.21 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0056 kgGross Weight0.2070 kgGross Weight0.28 kgCubic metre0.001607 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (food contact)80 °CMax usage temperature (non food contact)80 °CMin. usage temperature3-20 °C	Design Registration No.	
Quantity Per Layer (Pallet)80 Pcs.Box Length380 mmBox Width290 mmBox Height140 mmLength270 mmWidth70 mmHeight85 mmNet Weight0.21 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0056 kgWeight cardboard (Recycling symbol "20" PAP)0.065 kgGross Weight0.28 kgCubic metre0.001607 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)80 °CMin. usage temperature (non food contact)100 °CMin. usage temperature 3-20 °C	Box Quantity	10 Pcs.
Box Length380 mmBox Width290 mmBox Height140 mmLength270 mmWidth70 mmHeight85 mmNet Weight0.21 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0056 kgWeight cardboard (Recycling symbol "20" PAP)0.065 kgGross Weight0.28 kgCubic metre0.001607 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °C	Quantity per Pallet (80 x 120 x 180-200 cm)	1040 Pcs
Box Width290 mmBox Height140 mmLength270 mmWidth70 mmHeight85 mmNet Weight0.21 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0056 kgWeight cardboard (Recycling symbol "20" PAP)0.065 kgTare total0.0706 kgGross Weight0.28 kgCubic metre0.001607 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °C	Quantity Per Layer (Pallet)	80 Pcs.
Box Height140 mmLength270 mmWidth70 mmHeight85 mmNet Weight0.21 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0056 kgWeight cardboard (Recycling symbol "20" PAP)0.065 kgTare total0.0706 kgGross Weight0.28 kgCubic metre0.001607 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °C	Box Length	380 mm
Length270 mmWidth70 mmHeight85 mmNet Weight0.21 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0056 kgWeight cardboard (Recycling symbol "20" PAP)0.065 kgTare total0.0706 kgGross Weight0.28 kgCubic metre0.001607 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °C	Box Width	290 mm
Width70 mmHeight85 mmNet Weight0.21 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0056 kgWeight cardboard (Recycling symbol "20" PAP)0.065 kgTare total0.0706 kgGross Weight0.28 kgCubic metre0.001607 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °C	Box Height	140 mm
Height85 mmNet Weight0.21 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0056 kgWeight cardboard (Recycling symbol "20" PAP)0.065 kgTare total0.0706 kgGross Weight0.28 kgCubic metre0.001607 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °C	Length	270 mm
Net Weight0.21 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0056 kgWeight cardboard (Recycling symbol "20" PAP)0.065 kgTare total0.0706 kgGross Weight0.28 kgCubic metre0.001607 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °C	Width	70 mm
Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0056 kgWeight cardboard (Recycling symbol "20" PAP)0.065 kgTare total0.0706 kgGross Weight0.28 kgCubic metre0.001607 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °C	Height	85 mm
(LDPE)0.065 kgWeight cardboard (Recycling symbol "20" PAP)0.065 kgTare total0.0706 kgGross Weight0.28 kgCubic metre0.001607 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °C	Net Weight	0.21 kg
Tare total0.0706 kgGross Weight0.28 kgCubic metre0.001607 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C		0.0056 kg
Gross Weight0.28 kgCubic metre0.001607 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Weight cardboard (Recycling symbol "20" PAP)	0.065 kg
Cubic metre0.001607 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Tare total	0.0706 kg
Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Gross Weight	0.28 kg
Max. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Cubic metre	0.001607 M3
Max usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Recommended sterilisation temperature (Autoclave)	121 °C
Max usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Max. cleaning temperature (Dishwasher)	93 °C
Min. usage temperature ³ -20 °C	Max usage temperature (food contact)	80 °C
	Max usage temperature (non food contact)	100 °C
Max. drying temperature100 °C	Min. usage temperature ³	-20 °C
	Max. drying temperature	100 °C

Min. pH-value in usage concentration	2 pH
Max. pH-value in Usage Concentration	10.5 pH
Gtin-13 Number	5705020419256
GTIN-14 Number (Box quantity)	15705020419253
Customs Tariff No.	96039099
Country of origin	Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

1. See Declaration of Compliance for further details on food contact

3. Do not store the product below 0° Celsius.