Dish Brush w/Scraping Edge, 280 mm, Medium, Green







Technical Data

Bristle stiffness Medium Visible bristle length 23 mm Material Polypropylene Polyvester Stainless Steel (AISI 304) Complies with (EC) 1935/2004 on food contact materials¹ Yes Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes Complies with FDA Regulation ICFR 21¹ Yes Complies with EACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Box Quantity 200 Pcs. Quantity per Layer (Pallet) 200 Pcs. Box Length 325 mm Box Width 235 mm Box Width 235 mm Box Height 170 mm Length 280 mm Width 60 mm Height 56 mm Weight bag (Recycling Symbol "4" Low Density Polyethylene 0.01 kg Cops Weight 0.08 kg Cubic metre 0.000924 Ms Cops Weight 0.00924 Ms Cops Weight 0	Item Number	42372
Material Polypropylene Polyester Stainless Steel (AISI 304) Complies with (EC) 1936/2004 on food contact materials* Yes Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes Complies with FDA Regulation I CFR 21* Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Box Quantity 200 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 2200 Pcs. Quantity Per Layer (Pallet) 200 Pcs. Box Length 325 mm Box Width 235 mm Box Weight 280 mm Width 60 mm Height 55 mm Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.01 kg Weight cardboard (Recycling symbol "20" PAP) 0.01 kg Tare total 0.037 kg Cubic metre 0.000924 M3 Recommended sterilisation temperature (Autoclave) <t< th=""><th>Bristle stiffness</th><th>Medium</th></t<>	Bristle stiffness	Medium
Complies with (EC) 1935/2004 on food contact materials¹ Yes Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes Complies with FDA Regulation I CFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Box Quantity 200 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 2200 Pcs. Quantity Per Layer (Pallet) 200 Pcs. Box Length 325 mm Box Width 235 mm Box Width 235 mm Box Height 170 mm Length 280 mm Width 60 mm Height 55 mm Net Weight cardboard (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.01 kg Weight cardboard (Recycling symbol "20" PAP) 0.01 kg Tare total 0.05 kg Weight cardboard (Recycling symbol "20" PAP) 0.01 kg Gross W	Visible bristle length	23 mm
Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes Complies with FDA Regulation CFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Box Quantity 20 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 2200 Pcs. Quantity Per Layer (Pallet) 200 Pcs. Box Length 325 mm Box Width 235 mm Box Height 170 mm Length 280 mm Width 60 mm Height 55 mm Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.05 kg Weight cardboard (Recycling symbol "20" PAP) 0.01 kg Tare total 0.037 kg Gross Weight 0.06 kg Cubic metre 0.000924 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max cleaning temperature (Dishwasher) 93 °C Max usage temperature (non foo	Material	Stainless Steel (AISI
Manufacturing Practice Complies with FDA RegulationI CFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Box Quantity 20 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 2200 Pcs. Quantity Per Layer (Pallet) 200 Pcs. Box Length 325 mm Box Width 235 mm Box Width 235 mm Box Height 170 mm Length 280 mm Width 60 mm Height 55 mm Net Weight QRecycling Symbol "4" Low Density Polyethylene (LDPE) Weight cardboard (Recycling symbol "20" PAP) 0.01 kg Gross Weight 0.06 kg Cubic metre 0.000924 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 100 °C Min. usage temperature Min. usage temperature Max. drying temperature Max. drying temperature Max. drying temperature	Complies with (EC) 1935/2004 on food contact materials ¹	Yes
Complies with UK 2019 No. 704 on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Box Quantity 20 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 2200 Pcs. Quantity Per Layer (Pallet) 200 Pcs. Box Length 325 mm Box Width 235 mm Box Height 170 mm Length 280 mm Width 60 mm Height 55 mm Net Weight 0.05 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.01 kg Weight cardboard (Recycling symbol "20" PAP) 0.01 kg Tare total 0.0137 kg Gross Weight 0.06 kg Cubic metre 0.000924 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 80 °C <th< th=""><th></th><th>Yes</th></th<>		Yes
Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Box Quantity 20 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 2200 Pcs Quantity Per Layer (Pallet) 200 Pcs. Box Length 325 mm Box Width 235 mm Box Height 170 mm Length 280 mm Width 60 mm Height 55 mm Net Weight 0.05 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.01 kg Weight cardboard (Recycling symbol "20" PAP) 0.01 kg Tare total 0.0137 kg Gross Weight 0.06 kg Cubic metre 0.000924 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 80 °C Min. usage temperature 100 °C Min. usage temperature	Complies with FDA RegulationI CFR 21 ¹	Yes
Complies with California Proposition 65YesComplies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoBox Quantity20 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)2200 PcsQuantity Per Layer (Pallet)200 Pcs.Box Length325 mmBox Width235 mmBox Height170 mmLength280 mmWidth60 mmHeight55 mmNet Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.05 kgWeight cardboard (Recycling symbol "20" PAP)0.01 kgTare total0.0137 kgGross Weight0.06 kgCubic metre0.000924 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature*-20 °CMin. usage temperature100 °C	Complies with UK 2019 No. 704 on food contact materials	Yes
Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Box Quantity 20 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 2200 Pcs. Quantity Per Layer (Pallet) 200 Pcs. Box Length 325 mm Box Width 235 mm Box Height 170 mm Length 280 mm Width 60 mm Height 55 mm Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.05 kg Weight cardboard (Recycling symbol "20" PAP) 0.01 kg Tare total 0.0137 kg Gross Weight 0.06 kg Cubic metre 0.000924 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 20 °C Max. drying temperature 100 °C	Complies with REACH Regulation (EC) No. 1907/2006	Yes
PFAS, Phthalates and BPA intentionally added Box Quantity 20 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 2200 Pcs. Quantity Per Layer (Pallet) 200 Pcs. Box Length 325 mm Box Width 235 mm Box Height 170 mm Length 280 mm Width 60 mm Height 55 mm Net Weight Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight cardboard (Recycling symbol "20" PAP) 7are total 7cre total	Complies with California Proposition 65	Yes
Box Quantity 20 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 2200 Pcs. Quantity Per Layer (Pallet) 200 Pcs. Box Length 325 mm Box Width 235 mm Box Height 170 mm Length 280 mm Width 60 mm Height 55 mm Net Weight 0.05 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0037 kg Weight cardboard (Recycling symbol "20" PAP) 0.01 kg Tare total 0.0137 kg Gross Weight 0.06 kg Cubic metre 0.000924 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature -20 °C Max. drying temperature 100 °C	Complies with Halal and Kosher	Yes
Quantity Per Pallet (80 x 120 x 180-200 cm)2200 PcsQuantity Per Layer (Pallet)200 PcsBox Length325 mmBox Width235 mmBox Height170 mmLength280 mmWidth60 mmHeight55 mmNet Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0037 kgWeight cardboard (Recycling symbol "20" PAP)0.01 kgTare total0.0137 kgGross Weight0.06 kgCubic metre0.000924 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)80 °CMin. usage temperature (non food contact)100 °CMin. usage temperature-20 °CMax. drying temperature100 °C	PFAS, Phthalates and BPA intentionally added	No
Quantity Per Layer (Pallet) 200 Pcs. Box Length 325 mm Box Width 235 mm Box Height 170 mm Length 280 mm Width 60 mm Height 55 mm Net Weight 0.05 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0037 kg Weight cardboard (Recycling symbol "20" PAP) 0.01 kg Tare total 0.0137 kg Gross Weight 0.06 kg Cubic metre 0.000924 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature -20 °C Max. drying temperature 100 °C	Box Quantity	20 Pcs.
Box Length325 mmBox Width235 mmBox Height170 mmLength280 mmWidth60 mmHeight55 mmNet Weight0.05 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0037 kgWeight cardboard (Recycling symbol "20" PAP)0.01 kgTare total0.0137 kgGross Weight0.06 kgCubic metre0.000924 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °C	Quantity per Pallet (80 x 120 x 180-200 cm)	2200 Pcs
Box Width 235 mm Box Height 170 mm Length 280 mm Width 60 mm Height 55 mm Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0037 kg Weight cardboard (Recycling symbol "20" PAP) 0.01 kg Tare total 0.0137 kg Gross Weight 0.06 kg Cubic metre 0.000924 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature³ -20 °C Max. drying temperature 100 °C	Quantity Per Layer (Pallet)	200 Pcs.
Box Height170 mmLength280 mmWidth60 mmHeight55 mmNet Weight0.05 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0037 kgWeight cardboard (Recycling symbol "20" PAP)0.01 kgTare total0.0137 kgGross Weight0.06 kgCubic metre0.000924 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °C	Box Length	325 mm
Length280 mmWidth60 mmHeight55 mmNet Weight0.05 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0037 kgWeight cardboard (Recycling symbol "20" PAP)0.01 kgTare total0.0137 kgGross Weight0.06 kgCubic metre0.000924 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °C	Box Width	235 mm
Width60 mmHeight55 mmNet Weight0.05 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0037 kgWeight cardboard (Recycling symbol "20" PAP)0.01 kgTare total0.0137 kgGross Weight0.06 kgCubic metre0.000924 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °C	Box Height	170 mm
Height55 mmNet Weight0.05 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0037 kgWeight cardboard (Recycling symbol "20" PAP)0.01 kgTare total0.0137 kgGross Weight0.06 kgCubic metre0.000924 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °C	Length	280 mm
Net Weight0.05 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0037 kgWeight cardboard (Recycling symbol "20" PAP)0.01 kgTare total0.0137 kgGross Weight0.06 kgCubic metre0.000924 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °C	Width	60 mm
Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight cardboard (Recycling symbol "20" PAP) Tare total Gross Weight Cubic metre 0.0037 kg Cubic metre 0.00137 kg Cubic metre 0.000924 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) Max usage temperature (non food contact) Min. usage temperature³ -20 °C Max. drying temperature 100 °C	Height	55 mm
Weight cardboard (Recycling symbol "20" PAP) Tare total Gross Weight Cubic metre 0.000924 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Max usage temperature (non food contact) Min. usage temperature 100 °C Max. drying temperature	Net Weight	0.05 kg
Tare total0.0137 kgGross Weight0.06 kgCubic metre0.000924 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °C		0.0037 kg
Gross Weight0.06 kgCubic metre0.000924 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °C	Weight cardboard (Recycling symbol "20" PAP)	0.01 kg
Cubic metre0.000924 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °C	Tare total	0.0137 kg
Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °C	Gross Weight	0.06 kg
Max. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °C	Cubic metre	0.000924 M3
Max usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °C	Recommended sterilisation temperature (Autoclave)	121 °C
Max usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °C	Max. cleaning temperature (Dishwasher)	93 °C
Min. usage temperature ³ -20 °C Max. drying temperature 100 °C	Max usage temperature (food contact)	80 °C
Max. drying temperature 100 °C	Max usage temperature (non food contact)	100 °C
	Min. usage temperature ³	-20 °C
Min. pH-value in usage concentration 2 pH	Max. drying temperature	100 °C
	Min. pH-value in usage concentration	2 pH

Max. pH-value in Usage Concentration	10.5 pH
Gtin-13 Number	5705020423727
GTIN-14 Number (Box quantity)	15705020423724
Customs Tariff No.	96039099
Country of origin	Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

- 1. See Declaration of Compliance for further details on food contact
- 3. Do not store the product below 0° Celsius.