42875 Dish Brush, 290 mm, Medium, White







This Utility Brush with is ideal for detail cleaning of machinery and equipment.

Technical Data

Bristie stiffness Medium Visible bristie length 24 mm Material Polypropylene Polyester Stainless Steel (AISI 304) Complies with (EC) 1935/2004 on food contact materials' Yes Complies with EU Regulation 2023/2006/EC of Good Yes Manufacturing Practice Yes Complies with FDA Regulation 1CFR 21' Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with California Proposition 65 Yes Complies with Quentity 20 Pcs. Quantity 20 Pcs. Quantity Per Layer (Pallet) 200 Pcs. Box Quantity Per Layer (Pallet) 200 Pcs. Box Height 160 mm Length 235 mm Box Height 65 mm Weight bag (Recycling Symbol "4" Low Density Polyethylene 0.0037 kg (LDPE') 0.01 kg Tare total 0.0137 kg Gross Weight 0.05 kg Cubic metre 0.000471 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (Iod contact) 80 °C </th <th>Item Number</th> <th>42875</th>	Item Number	42875
Material Polypropylene Polyester Stainless Steel (AISI 304) Complies with (EC) 1935/2004 on food contact materials' Yes Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes Complies with FDA Regulation 1CFR 21' Yes Complies with CAI for a Proposition 65 Yes Complies with CAIffornia Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA Intentionally added No Box Quantity 200 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 1400 Pcs Quantity Per Layer (Pallet) 200 Pcs. Box Length 320 mm Box Width 235 mm Box Kleight 160 mm Length 290 mm Width 25 mm Net Weight 0.04 kg Weight bag (Recycling symbol "20" PAP) 0.01 kg Tare total 0.0137 kg Cubic metre 0.000471 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Ios contact) 80 °C May 93 °C	Bristle stiffness	Medium
Stainless Steel (AlSI 304) Complies with (EC) 1935/2004 on food contact materials' Yes Complies with EU Regulation 2023/2006/EC of Good Yes Complies with FDA Regulation CFR 21' Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Box Quantity 20 Pcs. Quantity Per Layer (Pallet) 200 Pcs. Box Length 320 mm Box With 235 mm Box Klight 160 mm Length 290 mm Width 25 mm Height 65 mm Net Weight 0.04 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene 0.0037 kg (LDFE) 0.01 kg Gross Weight 0.05 kg Cubic metre 0.000471 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (non food contact)	Visible bristle length	24 mm
Complies with EU Regulation 2023/2006/EC of Good Manufacturing PracticeYesComplies with FDA Regulation I CFR 211YesComplies with UK 2019 No. 704 on food contact materialsYesComplies with REACH Regulation (EC) No. 1907/2006YesComplies with California Proposition 65YesComplies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoBox Quantity20 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)1400 PcsQuantity Per Layer (Pallet)200 Pcs.Box Length320 mmBox Width235 mmBox Height160 mmLength290 mmWidth25 mmHeight65 mmNet Weight0.04 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0037 kgCubic metre0.000471 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMax. drying temperature-20 °CMax. drying temperature<	Material	Stainless Steel (AISI
Manufacturing Practice Complies with FDA Regulation CFR 21' Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Box Quantity 20 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 1400 Pcs Quantity Per Layer (Pallet) 200 Pcs. Box Length 320 mm Box Kidth 235 mm Box Height 160 mm Length 290 mm Width 25 mm Height 65 mm Net Weight 0.04 kg Weight cardboard (Recycling Symbol "20" PAP) 0.0137 kg Gross Weight 0.05 kg Cubic metre 0.000471 M3 Recommended sterillisation temperature (Autoclave) 121 °C Max usage temperature (IOIshwasher) 33 °C Max usage temperature (non food contact) 00 °C Max usage temperature? -20 °C Max. drying temperature -20 °C	Complies with (EC) 1935/2004 on food contact materials ¹	Yes
Complies with UK 2019 No. 704 on food contact materialsYesComplies with REACH Regulation (EC) No. 1907/2006YesComplies with California Proposition 65YesComplies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoBox Quantity20 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)1400 PcsQuantity Per Layer (Pallet)200 Pcs.Box Length320 mmBox Width235 mmBox Height160 mmLength290 mmWidth25 mmHeight65 mmNet Weight0.04 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0137 kgGross Weight0.05 kgCubic metre0.000471 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Ios contact)80 °CMax usage temperature (non food contact)100 °CMax. drying temperature-20 °CMax. drying temperature100 °C		Yes
Complies with REACH Regulation (EC) No. 1907/2006YesComplies with California Proposition 65YesComplies with California Proposition 65YesComplies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoBox Quantity20 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)1400 PcsQuantity Per Layer (Pallet)200 Pcs.Box Length320 mmBox Width235 mmBox Height160 mmLength290 mmWidth25 mmHeight65 mmNet Weight0.04 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0037 kgWeight cardboard (Recycling symbol "20" PAP)0.01 kgTare total0.00471 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMax. drying temperature-20 °CMax. drying temperature-20 °CMax. drying temperature100 °C	Complies with FDA RegulationI CFR 21 ¹	Yes
Complies with California Proposition 65YesComplies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoBox Quantity20 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)1400 PcsQuantity Per Layer (Pallet)200 Pcs.Box Length320 mmBox Width235 mmBox Height160 mmLength290 mmWidth25 mmHeight65 mmNet Weight0.04 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0137 kgGross Weight0.05 kgCubic metre0.000471 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMax. drying temperature-20 °CMax. drying temperature100 °C	Complies with UK 2019 No. 704 on food contact materials	Yes
Complies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoBox Quantity20 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)1400 PcsQuantity Per Layer (Pallet)200 Pcs.Box Length320 mmBox Width235 mmBox Height160 mmLength290 mmWidth25 mmHeight65 mmNet Weight0.04 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0137 kgGross Weight0.05 kgCubic metre0.000471 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (Ioishwasher)93 °CMax usage temperature (non food contact)100 °CMax. drying temperature-20 °CMax. drying temperature100 °C	Complies with REACH Regulation (EC) No. 1907/2006	Yes
PFAS, Phthalates and BPA intentionally addedNoBox Quantity20 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)1400 PcsQuantity Per Layer (Pallet)200 Pcs.Box Length320 mmBox Width235 mmBox Height160 mmLength290 mmWidth25 mmHeight65 mmNet Weight0.04 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0137 kgGross Weight0.05 kgCubic metre0.000471 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMax. drying temperature100 °CMax. drying temperature100 °C	Complies with California Proposition 65	Yes
Box Quantity20 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)1400 PcsQuantity Per Layer (Pallet)200 Pcs.Box Length320 mmBox Width235 mmBox Height160 mmLength290 mmWidth25 mmHeight65 mmNet Weight0.04 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0037 kgWeight cardboard (Recycling symbol "20" PAP)0.01 kgTare total0.0137 kgGross Weight0.05 kgCubic metre0.000471 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMax. drying temperature100 °CMax. drying temperature100 °C	Complies with Halal and Kosher	Yes
Quantity per Pallet (80 x 120 x 180-200 cm)1400 PcsQuantity Per Layer (Pallet)200 Pcs.Box Length320 mmBox Width235 mmBox Height160 mmLength290 mmWidth25 mmHeight65 mmNet Weight0.04 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0037 kgWeight cardboard (Recycling symbol "20" PAP)0.01 kgTare total0.0137 kgGross Weight0.05 kgCubic metre0.000471 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMax. drying temperature-20 °CMax. drying temperature100 °C	PFAS, Phthalates and BPA intentionally added	No
Quantity Per Layer (Pallet)200 Pcs.Box Length320 mmBox Width235 mmBox Height160 mmLength290 mmWidth25 mmHeight65 mmNet Weight0.04 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0037 kgWeight cardboard (Recycling symbol "20" PAP)0.01 kgTare total0.0137 kgGross Weight0.05 kgCubic metre0.000471 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °CMax. drying temperature100 °C	Box Quantity	20 Pcs.
Box Length320 mmBox Width235 mmBox Height160 mmLength290 mmWidth25 mmHeight65 mmNet Weight0.04 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0037 kgWeight cardboard (Recycling symbol "20" PAP)0.01 kgTare total0.0137 kgGross Weight0.05 kgCubic metre0.000471 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMin. usage temperature100 °CMax. drying temperature100 °C	Quantity per Pallet (80 x 120 x 180-200 cm)	1400 Pcs
Box Width235 mmBox Height160 mmLength290 mmWidth25 mmHeight65 mmNet Weight0.04 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0037 kgWeight cardboard (Recycling symbol "20" PAP)0.01 kgTare total0.0137 kgGross Weight0.05 kgCubic metre0.000471 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMin. usage temperature3-20 °CMax. drying temperature100 °C	Quantity Per Layer (Pallet)	200 Pcs.
Box Height160 mmLength290 mmWidth25 mmHeight65 mmNet Weight0.04 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0037 kgWeight cardboard (Recycling symbol "20" PAP)0.01 kgTare total0.0137 kgGross Weight0.05 kgCubic metre0.000471 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °CMax. drying temperature100 °C	Box Length	320 mm
Length290 mmWidth25 mmHeight65 mmNet Weight0.04 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0037 kgWeight cardboard (Recycling symbol "20" PAP)0.01 kgTare total0.0137 kgGross Weight0.05 kgCubic metre0.000471 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °CMax. drying temperature100 °C	Box Width	235 mm
Vidth25 mmHeight65 mmNet Weight0.04 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0037 kgWeight cardboard (Recycling symbol "20" PAP)0.01 kgTare total0.0137 kgGross Weight0.05 kgCubic metre0.000471 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °CMax. drying temperature100 °C	Box Height	160 mm
Height65 mmNet Weight0.04 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0037 kgWeight cardboard (Recycling symbol "20" PAP)0.01 kgTare total0.0137 kgGross Weight0.05 kgCubic metre0.000471 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMin. usage temperature a-20 °CMin. usage temperature100 °CMax. drying temperature100 °C	Length	290 mm
Net Weight0.04 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0037 kgWeight cardboard (Recycling symbol "20" PAP)0.01 kgTare total0.0137 kgGross Weight0.05 kgCubic metre0.000471 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature100 °CMax. drying temperature100 °C	Width	25 mm
Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0037 kgWeight cardboard (Recycling symbol "20" PAP)0.01 kgTare total0.0137 kgGross Weight0.05 kgCubic metre0.000471 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °CMax. drying temperature100 °C	Height	65 mm
(LDPE)0.01 kgWeight cardboard (Recycling symbol "20" PAP)0.01 kgTare total0.0137 kgGross Weight0.05 kgCubic metre0.000471 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °CMax. drying temperature100 °C	Net Weight	0.04 kg
Tare total0.0137 kgGross Weight0.05 kgCubic metre0.000471 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °CMax. drying temperature100 °C		0.0037 kg
Gross Weight0.05 kgCubic metre0.000471 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °CMax. drying temperature100 °C	Weight cardboard (Recycling symbol "20" PAP)	0.01 kg
Cubic metre0.000471 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °C	Tare total	0.0137 kg
Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °C	Gross Weight	0.05 kg
Max. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °C	Cubic metre	0.000471 M3
Max usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °C	Recommended sterilisation temperature (Autoclave)	121 °C
Max usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °C	Max. cleaning temperature (Dishwasher)	93 °C
Min. usage temperature³-20 °CMax. drying temperature100 °C	Max usage temperature (food contact)	80 °C
Max. drying temperature100 °C	Max usage temperature (non food contact)	100 °C
	Min. usage temperature ³	-20 °C
Min. pH-value in usage concentration2 pH	Max. drying temperature	100 °C
	Min. pH-value in usage concentration	2 pH

Max. pH-value in Usage Concentration	10.5 pH
Gtin-13 Number	5705020428753
GTIN-14 Number (Box quantity)	15705020428750
Customs Tariff No.	96039099
Country of origin	Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

1. See Declaration of Compliance for further details on food contact

3. Do not store the product below 0° Celsius.