Detail Brush with heat resistant filaments, 205 mm, Very hard, Blue







Technical Data

Bristle stiffness Very hard Visible bristle length 11 mm Material Polypropylene Polypester Stainsteel (AISS) 304) Complies with (EC) 1935/2004 on food contact materials¹ Yes Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes Complies with FDA Regulation 1CFR 21¹ Yes Complies with HEACH Regulation (EC) No. 1907/2006 Yes Complies with Halal and Kosher Yes Phthalates and bisphenol A intentionally added No Box Quantity 10 Pcs. Quantity Per Layer (Pallet) 180 Pcs. Box Length 260 mm Box Length 260 mm Box Length 260 mm Box Width 150 mm Box Length 20 mm Box Width 150 mm Box Height 75 mm Length 20 mm Weight bay (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0017 kg Weight cardboard (Recycling symbol "20" PAP) 0.0083 kg Tare total 0.01 kg Gorss Weight 0.004 kg Cubic met	Item Number	44023
Material Polypropylene Polyester Stainless Steel (AISI 304) Complies with (EC) 1935/2004 on food contact materials¹ Yes Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Complies with FDA Regulation (FR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with Halal and Kosher Yes Phthalates and bisphenol A intentionally added No Box Quantity Per Pallet (80 x 120 x 180-200 cm) 5760 Pcs Quantity per Pallet (80 x 120 x 180-200 cm) 5760 Pcs Box Length 260 mm Box Width 150 mm Box Height 75 mm Length 205 mm Width 200 mm Height 60 mm Net Weight 200 mm Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight cardboard (Recycling symbol "20" PAP) 0.0083 kg Gross Weight 0.004 kg Cubic metre 0.000246 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 175 °C Min. usage temperature Min. pH-value in usage concentration 2 pH	Bristle stiffness	Very hard
Complies with (EC) 1935/2004 on food contact materials¹ Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Complies with FDA Regulation I CFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with Halal and Kosher Yes Phthalates and bisphenol A intentionally added No Box Quantity 10 Pcs. Quantity Per Layer (Pallet) Box Length Box Width 150 mm Box Width 150 mm Box Height 75 mm Length Weight cardboard (Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight cardboard (Recycling symbol "20" PAP) Quibic metre 0.000246 M3 Recommended sterillisation temperature (Autoclave) Max usage temperature (Dishwasher) Max usage temperature (Info food contact) Min. pH-value in usage concentration 2 p H	Visible bristle length	11 mm
Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Complies with FDA Regulation CFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with Halal and Kosher Yes Phthalates and bisphenol A intentionally added No Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 5760 Pcs Quantity Per Layer (Pallet) 180 Pcs. Box Length 260 mm Box Width 150 mm Box Height 75 mm Length 205 mm Width 20 mm Height 60 mm Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight cardboard (Recycling symbol "20" PAP) 0.0083 kg Tare total 0.01 kg Gross Weight 60 mereature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 175 °C Min. usage temperature Min. pH-value in usage concentration 2 pH	Material	Stainless Steel (AISI
Manufacturing Practice Complies with FDA RegulationI CFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with Halal and Kosher Yes Phthalates and bisphenol A intentionally added No Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 5760 Pcs Quantity Per Layer (Pallet) 180 Pcs. Box Length 260 mm Box Width 150 mm Box Height 75 mm Length 205 mm Width 20 mm Height 60 mm Net Weight 0.03 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0017 kg Weight cardboard (Recycling symbol "20" PAP) 0.0083 kg Tare total 0.01 kg Gross Weight 0.04 kg Cubic metre 0.000246 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 1	Complies with (EC) 1935/2004 on food contact materials ¹	Yes
Complies with UK 2019 No. 704 on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with Halal and Kosher Yes Phthalates and bisphenol A intentionally added No Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 5760 Pcs Quantity Per Layer (Pallet) 180 Pcs. Box Length 260 mm Box Width 150 mm Box Height 75 mm Length 205 mm Width 200 mm Height 60 mm Net Weight 0.03 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0017 kg Weight cardboard (Recycling symbol "20" PAP) 0.0083 kg Tare total 0.01 kg Gross Weight 0.04 kg Cubic metre 0.000246 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (food contact) 100 °C Max usage temperature (food contact) 100 °C Min. usage temperature (non food contact) 175 °C		Yes
Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with Halal and Kosher Yes Phthalates and bisphenol A intentionally added No Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 5760 Pcs Quantity Per Layer (Pallet) 180 Pcs. Box Length 260 mm Box Width 150 mm Box Height 75 mm Length 205 mm Width 20 mm Height 60 mm Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.001 kg Weight cardboard (Recycling symbol "20" PAP) 0.0083 kg Tare total 0.01 kg Gross Weight 0.04 kg Cubic metre 0.000246 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (food contact) 100 °C Max usage temperature (non food contact) 175 °C Min. usage temperature 20 °C Max. drying temperature 100 °C Min. ph-value in usage concentration 2 pH	Complies with FDA RegulationI CFR 21 ¹	Yes
Complies with Halal and Kosher Yes Phthalates and bisphenol A intentionally added No Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 5760 Pcs Quantity Per Layer (Pallet) 180 Pcs. Box Length 260 mm Box Width 150 mm Box Height 75 mm Length 205 mm Width 20 mm Height 60 mm Net Weight 0.03 kg Weight cardboard (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0017 kg Weight cardboard (Recycling symbol "20" PAP) 0.0083 kg Tare total 0.01 kg Gross Weight 0.04 kg Cubic metre 0.000246 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Min. usage temperature (non food contact) 175 °C Min. usage temperature 20 °C Max. drying temperature 100 °C Min. pH-value in usage concentration	Complies with UK 2019 No. 704 on food contact materials	Yes
Phthalates and bisphenol A intentionally added No Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 5760 Pcs Quantity Per Layer (Pallet) 180 Pcs. Box Length 260 mm Box Width 150 mm Box Height 75 mm Length 205 mm Width 20 mm Height 60 mm Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0017 kg Weight cardboard (Recycling symbol "20" PAP) 0.0083 kg Tare total 0.01 kg Gross Weight 0.04 kg Cubic metre 0.000246 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 175 °C Min. usage temperature* -20 °C Max. drying temperature 100 °C Min. pH-value in usage concentration 2 pH	Complies with REACH Regulation (EC) No. 1907/2006	Yes
Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 5760 Pcs Quantity Per Layer (Pallet) 180 Pcs. Box Length 260 mm Box Width 150 mm Box Height 75 mm Length 205 mm Width 20 mm Height 60 mm Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0017 kg Weight cardboard (Recycling symbol "20" PAP) 0.0083 kg Tare total 0.01 kg Gross Weight 0.04 kg Cubic metre 0.000246 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Min. usage temperature (non food contact) 175 °C Min. usage temperature 100 °C Min. pH-value in usage concentration 2 pH	Complies with Halal and Kosher	Yes
Quantity per Pallet (80 x 120 x 180-200 cm)5760 PcsQuantity Per Layer (Pallet)180 Pcs.Box Length260 mmBox Width150 mmBox Height75 mmLength205 mmWidth20 mmHeight60 mmNet Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0017 kgWeight cardboard (Recycling symbol "20" PAP)0.0083 kgTare total0.01 kgGross Weight0.04 kgCubic metre0.000246 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMin. usage temperature (non food contact)175 °CMin. usage temperature100 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Phthalates and bisphenol A intentionally added	No
Quantity Per Layer (Pallet) 180 Pcs. Box Length 260 mm Box Width 150 mm Box Height 75 mm Length 205 mm Width 20 mm Height 60 mm Net Weight 0.03 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0017 kg Weight cardboard (Recycling symbol "20" PAP) 0.0083 kg Tare total 0.01 kg Gross Weight 0.04 kg Cubic metre 0.000246 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 175 °C Min. usage temperature -20 °C Max. drying temperature 100 °C Min. pH-value in usage concentration 2 pH	Box Quantity	10 Pcs.
Box Length 260 mm Box Width 150 mm Box Height 75 mm Length 205 mm Width 20 mm Height 60 mm Net Weight 0.03 kg Weight cardboard (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0017 kg Weight cardboard (Recycling symbol "20" PAP) 0.0083 kg Tare total 0.01 kg Gross Weight 0.04 kg Cubic metre 0.000246 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 175 °C Min. usage temperature -20 °C Max. drying temperature 100 °C Min. pH-value in usage concentration 2 pH	Quantity per Pallet (80 x 120 x 180-200 cm)	5760 Pcs
Box Width 150 mm Box Height 75 mm Length 205 mm Width 20 mm Height 60 mm Net Weight 0.03 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0017 kg Weight cardboard (Recycling symbol "20" PAP) 0.0083 kg Tare total 0.01 kg Gross Weight 0.04 kg Cubic metre 0.000246 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 175 °C Min. usage temperature³ -20 °C Max. drying temperature 100 °C Min. pH-value in usage concentration 2 pH	Quantity Per Layer (Pallet)	180 Pcs.
Box Height 75 mm Length 205 mm Width 20 mm Height 60 mm Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0017 kg Weight cardboard (Recycling symbol "20" PAP) 0.0083 kg Tare total 0.01 kg Gross Weight 0.04 kg Cubic metre 0.000246 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 175 °C Min. usage temperature³ -20 °C Max. drying temperature 100 °C Min. pH-value in usage concentration 2 pH	Box Length	260 mm
Length205 mmWidth20 mmHeight60 mmNet Weight0.03 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0017 kgWeight cardboard (Recycling symbol "20" PAP)0.0083 kgTare total0.01 kgGross Weight0.04 kgCubic metre0.000246 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)175 °CMin. usage temperature³-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Box Width	150 mm
Width20 mmHeight60 mmNet Weight0.03 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0017 kgWeight cardboard (Recycling symbol "20" PAP)0.0083 kgTare total0.01 kgGross Weight0.04 kgCubic metre0.000246 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMin. usage temperatures-20 °CMin. usage temperature100 °CMin. pH-value in usage concentration2 pH	Box Height	75 mm
Height60 mmNet Weight0.03 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0017 kgWeight cardboard (Recycling symbol "20" PAP)0.0083 kgTare total0.01 kgGross Weight0.04 kgCubic metre0.000246 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)175 °CMin. usage temperature³-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Length	205 mm
Net Weight0.03 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0017 kgWeight cardboard (Recycling symbol "20" PAP)0.0083 kgTare total0.01 kgGross Weight0.04 kgCubic metre0.000246 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)175 °CMin. usage temperature100 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Width	20 mm
Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0017 kgWeight cardboard (Recycling symbol "20" PAP)0.0083 kgTare total0.01 kgGross Weight0.04 kgCubic metre0.000246 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)175 °CMin. usage temperature-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Height	60 mm
Weight cardboard (Recycling symbol "20" PAP) Tare total Gross Weight Cubic metre 0.000246 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Max usage temperature (non food contact) Min. usage temperature Max. drying temperature 100 °C Min. pH-value in usage concentration	Net Weight	0.03 kg
Tare total0.01 kgGross Weight0.04 kgCubic metre0.000246 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)175 °CMin. usage temperature³-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH		0.0017 kg
Gross Weight Cubic metre 0.000246 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 175 °C Min. usage temperature 100 °C Max. drying temperature 2 pH	Weight cardboard (Recycling symbol "20" PAP)	0.0083 kg
Cubic metre0.000246 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)175 °CMin. usage temperature³-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Tare total	0.01 kg
Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 175 °C Min. usage temperature 100 °C Max. drying temperature 100 °C Min. pH-value in usage concentration 2 pH	Gross Weight	0.04 kg
Max. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)175 °CMin. usage temperature³-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Cubic metre	0.000246 M3
Max usage temperature (food contact)100 °CMax usage temperature (non food contact)175 °CMin. usage temperature³-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Recommended sterilisation temperature (Autoclave)	121 °C
Max usage temperature (non food contact)175 °CMin. usage temperature³-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Max. cleaning temperature (Dishwasher)	93 °C
Min. usage temperature3-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Max usage temperature (food contact)	100 °C
Max. drying temperature100 °CMin. pH-value in usage concentration2 pH	Max usage temperature (non food contact)	175 °C
Min. pH-value in usage concentration 2 pH	Min. usage temperature ³	-20 °C
	Max. drying temperature	100 °C
Max. pH-value in Usage Concentration 10.5 pH	Min. pH-value in usage concentration	2 pH
	Max. pH-value in Usage Concentration	10.5 pH

Gtin-13 Number	5705022000315
GTIN-14 Number (Box quantity)	15705028000323
Customs Tariff No.	96039091
Country of origin	Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

- 1. See Declaration of Compliance for further details on food contact
- 3. Do not store the product below 0° Celsius.