Powder Brush, 300 mm, Soft, Yellow







This Powder Brush is designed for sweeping fine particles such as flour from conveyor belts and food preparation surfaces.

Technical Data

Bristle stiffness Soft Visible bristle length 40 mm Material Polypropylene Polyester Stainless Steel (AISI 304) Complies with (EC) 1935/2004 on food contact materials' Yes Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes Complies with FDA Regulation ICFR 21' Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Box Quantity 100 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 1100 Pcs. Box Length 325 mm Box Width 240 mm Box Height 300 mm Width 31 mm Length 30 mm Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0056 kg Weight cardboard (Recycling symbol "20" PAP) 0.02 kg Tare total 0.0256 kg Gross Weight 0.32 kg Cubic metre 0.000725 M3 Recommended sterilisation temperature	Item Number	45826
Material Polypropylene Polyester Stainless Steel (AISI 304) Complies with (EC) 1935/2004 on food contact materials¹ Yes Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Complies with FDA Regulation I CFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Box Quantity Per Pallet (80 x 120 x 180-200 cm) 1100 Pcs. Box Quantity Per Layer (Pallet) 100 Pcs. Box Length 325 mm Box Width 240 mm Box Height 160 mm Length 300 mm Width 160 mm Length 300 mm Width 31 mm Height 78 mm Net Weight 0.29 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0056 kg CLDPE) 0.0056 kg Gross Weight 0.0256 kg Gross Weight 0.0256 kg Gross Weight 0.0256 kg Gross Weight 0.0256 kg Gross Weight 0.00725 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (Ioshwasher) 93 °C Max usage temperature (non food contact) 100 °C Min. usage temperature (non food contact) 100 °C Max. drying temperature (100 °C Max. drying	Bristle stiffness	Soft
Staintess Steel (AISI 304) Complies with (EC) 1935/2004 on food contact materials¹ Yes Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes Complies with FDA Regulation (FR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Box Quantity 100 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 1100 Pcs. Box Length 325 mm Box Width 240 mm Box Width 240 mm Box Height 160 mm Length 300 mm Width 31 mm Height 78 mm Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0256 kg Weight cardboard (Recycling symbol "20" PAP) 0.02 kg Gross Weight 0.32 kg Gross Weight 0.32 kg Cubic metre 0.000725 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (food contact) 80 °C Max usage temperature (non food contact) 80 °C Min. usage temperature -20 °C <td< th=""><th>Visible bristle length</th><th>40 mm</th></td<>	Visible bristle length	40 mm
Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes Complies with FDA RegulationI CFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 1100 Pcs Quantity Per Layer (Pallet) 100 Pcs. Box Length 325 mm Box Width 240 mm Box Height 160 mm Length 300 mm Width 31 mm Height 78 mm Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0056 kg Weight cardboard (Recycling symbol "20" PAP) 0.02 kg Tare total 0.0256 kg Gross Weight 0.32 kg Cubic metre 0.000725 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (non	Material	Stainless Steel (AISI
Manufacturing Practice Complies with FDA RegulationI CFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 1100 Pcs. Quantity Per Layer (Pallet) 100 Pcs. Box Length 325 mm Box Width 240 mm Box Height 160 mm Length 300 mm Width 31 mm Height 78 mm Net Weight 0.29 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0056 kg Weight cardboard (Recycling symbol "20" PAP) 0.02 kg Tare total 0.0256 kg Gross Weight 0.32 kg Cubic metre 0.000725 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °	Complies with (EC) 1935/2004 on food contact materials ¹	Yes
Complies with UK 2019 No. 704 on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 1100 Pcs. Quantity Per Layer (Pallet) 100 Pcs. Box Length 325 mm Box Width 240 mm Box Height 160 mm Length 300 mm Width 31 mm Height 78 mm Net Weight 0.29 kg Weight pag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0056 kg Weight cardboard (Recycling symbol "20" PAP) 0.02 kg Tare total 0.0256 kg Gross Weight 0.32 kg Cubic metre 0.000725 M3 Recommended sterillisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 80 °C		Yes
Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 1100 Pcs. Quantity Per Layer (Pallet) 100 Pcs. Box Length 325 mm Box Width 240 mm Box Height 160 mm Length 300 mm Width 31 mm Height 78 mm Net Weight 0.29 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0056 kg Weight cardboard (Recycling symbol "20" PAP) 0.02 kg Tare total 0.0256 kg Gross Weight 0.32 kg Cubic metre 0.000725 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 80 °C Min. usage temperature 100 °C Min. usage temperature	Complies with FDA RegulationI CFR 21 ¹	Yes
Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 1100 Pcs. Quantity Per Layer (Pallet) 100 Pcs. Box Length 325 mm Box Width 240 mm Box Height 160 mm Length 300 mm Width 31 mm Height 78 mm Net Weight 0.29 kg Weight cardboard (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0056 kg Weight cardboard (Recycling symbol "20" PAP) 0.02 kg Tare total 0.0256 kg Gross Weight 0.32 kg Cubic metre 0.000725 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 100 °C Max. drying temperature	Complies with UK 2019 No. 704 on food contact materials	Yes
Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 1100 Pcs. Quantity Per Layer (Pallet) 100 Pcs. Box Length 325 mm Box Width 240 mm Box Height 160 mm Length 300 mm Width 31 mm Height 78 mm Net Weight 0.29 kg Weight cardboard (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0056 kg Weight cardboard (Recycling symbol "20" PAP) 0.02 kg Tare total 0.0256 kg Gross Weight 0.32 kg Cubic metre 0.000725 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 100 °C Max. drying temperature 100 °C	Complies with REACH Regulation (EC) No. 1907/2006	Yes
PFAS, Phthalates and BPA intentionally addedNoBox Quantity10 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)1100 Pcs.Quantity Per Layer (Pallet)100 Pcs.Box Length325 mmBox Width240 mmBox Height160 mmLength300 mmWidth31 mmHeight78 mmNet Weight0.29 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0056 kgWeight cardboard (Recycling symbol "20" PAP)0.02 kgTare total0.0256 kgGross Weight0.32 kgCubic metre0.000725 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature-20 °CMax. drying temperature100 °C	Complies with California Proposition 65	Yes
Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 1100 Pcs Quantity Per Layer (Pallet) 100 Pcs. Box Length 325 mm Box Width 240 mm Box Height 160 mm Length 300 mm Width 31 mm Height 78 mm Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0056 kg Weight cardboard (Recycling symbol "20" PAP) 0.02 kg Tare total 0.0256 kg Gross Weight 0.32 kg Cubic metre 0.000725 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature ³ -20 °C Max. drying temperature 100 °C	Complies with Halal and Kosher	Yes
Quantity per Pallet (80 x 120 x 180-200 cm)1100 PcsQuantity Per Layer (Pallet)100 Pcs.Box Length325 mmBox Width240 mmBox Height160 mmLength300 mmWidth31 mmHeight78 mmNet Weight0.29 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0056 kg (LDPE)Weight cardboard (Recycling symbol "20" PAP)0.02 kgTare total0.0256 kgGross Weight0.32 kgCubic metre0.000725 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)80 °CMin. usage temperature (non food contact)100 °CMin. usage temperature-20 °CMax. drying temperature100 °C	PFAS, Phthalates and BPA intentionally added	No
Quantity Per Layer (Pallet)100 Pcs.Box Length325 mmBox Width240 mmBox Height160 mmLength300 mmWidth31 mmHeight78 mmNet Weight0.29 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0056 kgWeight cardboard (Recycling symbol "20" PAP)0.02 kgTare total0.0256 kgGross Weight0.32 kgCubic metre0.000725 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °CMax. drying temperature100 °C	Box Quantity	10 Pcs.
Box Length 325 mm Box Width 240 mm Box Height 160 mm Length 300 mm Width 31 mm Height 78 mm Net Weight 0.29 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0056 kg Weight cardboard (Recycling symbol "20" PAP) 0.02 kg Tare total 0.0256 kg Gross Weight 0.32 kg Cubic metre 0.000725 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature³ -20 °C Max. drying temperature 100 °C	Quantity per Pallet (80 x 120 x 180-200 cm)	1100 Pcs
Box Width240 mmBox Height160 mmLength300 mmWidth31 mmHeight78 mmNet Weight0.29 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0056 kgWeight cardboard (Recycling symbol "20" PAP)0.02 kgTare total0.0256 kgGross Weight0.32 kgCubic metre0.000725 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °C	Quantity Per Layer (Pallet)	100 Pcs.
Box Height160 mmLength300 mmWidth31 mmHeight78 mmNet Weight0.29 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0056 kgWeight cardboard (Recycling symbol "20" PAP)0.02 kgTare total0.0256 kgGross Weight0.32 kgCubic metre0.000725 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °C	Box Length	325 mm
Length300 mmWidth31 mmHeight78 mmNet Weight0.29 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0056 kgWeight cardboard (Recycling symbol "20" PAP)0.02 kgTare total0.0256 kgGross Weight0.32 kgCubic metre0.000725 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °C	Box Width	240 mm
Width31 mmHeight78 mmNet Weight0.29 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0056 kgWeight cardboard (Recycling symbol "20" PAP)0.02 kgTare total0.0256 kgGross Weight0.32 kgCubic metre0.000725 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °C	Box Height	160 mm
Height78 mmNet Weight0.29 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0056 kgWeight cardboard (Recycling symbol "20" PAP)0.02 kgTare total0.0256 kgGross Weight0.32 kgCubic metre0.000725 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °C	Length	300 mm
Net Weight0.29 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0056 kgWeight cardboard (Recycling symbol "20" PAP)0.02 kgTare total0.0256 kgGross Weight0.32 kgCubic metre0.000725 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °C	Width	31 mm
Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0056 kgWeight cardboard (Recycling symbol "20" PAP)0.02 kgTare total0.0256 kgGross Weight0.32 kgCubic metre0.000725 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °C	Height	78 mm
Weight cardboard (Recycling symbol "20" PAP) Tare total Gross Weight Cubic metre 0.000725 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Max usage temperature (non food contact) Min. usage temperature Max. drying temperature 100 °C Max. drying temperature	Net Weight	0.29 kg
Tare total 0.0256 kg Gross Weight 0.32 kg Cubic metre 0.000725 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature (100 °C) Max. drying temperature (100 °C)		0.0056 kg
Gross Weight Cubic metre 0.000725 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) Max usage temperature (non food contact) 100 °C Min. usage temperature 100 °C	Weight cardboard (Recycling symbol "20" PAP)	0.02 kg
Cubic metre0.000725 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °C	Tare total	0.0256 kg
Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °C	Gross Weight	0.32 kg
Max. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °C	Cubic metre	0.000725 M3
Max usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °C	Recommended sterilisation temperature (Autoclave)	121 °C
Max usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °C	Max. cleaning temperature (Dishwasher)	93 °C
Min. usage temperature ³ -20 °C Max. drying temperature 100 °C	Max usage temperature (food contact)	80 °C
Max. drying temperature 100 °C	Max usage temperature (non food contact)	100 °C
	Min. usage temperature ³	-20 °C
Min. pH-value in usage concentration 2 pH	Max. drying temperature	100 °C
	Min. pH-value in usage concentration	2 pH

Max. pH-value in Usage Concentration	10.5 pH
Gtin-13 Number	5705020458262
GTIN-14 Number (Box quantity)	15705020458269
Customs Tariff No.	96039099
Country of origin	Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

- 1. See Declaration of Compliance for further details on food contact
- 3. Do not store the product below 0° Celsius.