Scrubbing Brush - heat resistant filaments, 150 mm, Very hard, White







Technical Data

Bristle stiffness Very hard Visible bristle length 20 mm Material Polypropytes ster stainings Steel (AISS) 304) Complies with (EC) 1935/2004 on food contact materials¹ Yes Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes Complies with FDA Regulation I CFR 21¹ Yes Complies with HEACH Regulation (EC) No. 1907/2006 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Box Quantity 5 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 1540 Pcs. Quantity Per Layer (Pallet) 55 Pcs. Box Length 170 mm Box Length 170 mm Box Width 170 mm Box Height 55 mm Length 55 mm Veight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0276 kg Weight cardboard (Recycling symbol "20" PAP) 0.0276 kg Tare total 0.00322 kg Gross Weight 0.19 kg Cubic metre 0.000536 M3 Recommended sterilisation temperature (Item Number	47535
Material Polypropylene Polyester Stainless Steel (AISI 304) Complies with (EC) 1935/2004 on food contact materials¹ Yes Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Complies with FDA Regulation I CFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Box Quantity Per Pallet (80 x 120 x 180-200 cm) 1540 Pcs Quantity per Pallet (80 x 120 x 180-200 cm) 1540 Pcs Rountity Per Layer (Pallet) 55 Pcs. Box Length 400 mm Box Width 170 mm Box Height 85 mm Length 150 mm Width 85 mm Length 150 mm Width 65 mm Height 55 mm Net Weight 0.16 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0278 kg Gross Weight 0.19	Bristle stiffness	Very hard
Complies with (EC) 1935/2004 on food contact materials¹ Yes Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Complies with FDA Regulation I CFR 21¹ Yes Complies with FDA Regulation I CFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Box Quantity S PCs. Quantity per Pallet (80 x 120 x 180-200 cm) S Pcs. Box Length Sox Weight cardboard (Recycling symbol "20" PAP) Cubic metre Sox Weight Cubic metre Sox Weight Sox Cleaning temperature (Dishwasher) Sox Wax usage temperature (Infood contact) Max usage temperature Sox Weight cardboard (recycling Symbol on Contact) Min. usage temperature Min. usage temperature Min. usage temperature Min. pH-value in usage concentration Stantant and Stantant materials Yes Complies with FDA Regulation Contact on Max vasage temperature Sox Weight Sox We	Visible bristle length	20 mm
Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Complies with FDA Regulation CFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Complies with UK 2019 No. 704 on food contact materials Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Box Quantity 5 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 1540 Pcs Quantity Per Layer (Pallet) 55 Pcs. Box Length 400 mm Box Width 170 mm Box Height 85 mm Length 150 mm Width 65 mm Height 55 mm Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight cardboard (Recycling symbol "20" PAP) 0.0278 kg Gross Weight 0.19 kg Cubic metre 0.000536 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (non food contact) Min. usage temperature Min. pH-value in usage concentration 2 pH	Material	Stainless Steel (AISI
Manufacturing Practice Complies with FDA RegulationI CFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with Halal and Kosher Yes FFAS, Phthalates and BPA intentionally added No Box Quantity 5 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 1540 Pcs Quantity Per Layer (Pallet) 55 Pcs. Box Length 400 mm Box Width 170 mm Box Height 85 mm Length 150 mm Width 65 mm Height 55 mm Net Weight 0.16 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0278 kg Weight cardboard (Recycling symbol "20" PAP) 0.0278 kg Tare total 0.0322 kg Gross Weight 0.19 kg Cubic metre 0.000536 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 100	Complies with (EC) 1935/2004 on food contact materials ¹	Yes
Complies with UK 2019 No. 704 on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Box Quantity 5 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 1540 Pcs Quantity Per Layer (Pallet) 55 Pcs. Box Length 400 mm Box Width 170 mm Box Height 85 mm Length 150 mm Width 65 mm Height 55 mm Net Weight 0.16 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0044 kg Weight cardboard (Recycling symbol "20" PAP) 0.0278 kg Tare total 0.0322 kg Gross Weight 0.19 kg Cubic metre 0.000536 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 100 °C Min. usage temperature (non food contact) 100 °C	•	Yes
Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Box Quantity 5 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 1540 Pcs Quantity Per Layer (Pallet) 55 Pcs. Box Length 400 mm Box Width 170 mm Box Height 85 mm Length 150 mm Width 65 mm Height 55 mm Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.016 kg Weight cardboard (Recycling symbol "20" PAP) 0.0278 kg Tare total 0.0322 kg Gross Weight 0.19 kg Cubic metre 0.000536 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Food contact) 100 °C Max usage temperature (non food contact) 180 °C Min. usage temperature 20 °C Max. drying temperature 100 °C Min. pH-value in usage concentration 2 pH	Complies with FDA RegulationI CFR 21 ¹	Yes
Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Box Quantity 5 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 1540 Pcs Quantity Per Layer (Pallet) 55 Pcs. Box Length 400 mm Box Width 170 mm Box Height 85 mm Length 150 mm Width 65 mm Height 55 mm Net Weight 0.16 kg Weight pag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0044 kg Weight cardboard (Recycling symbol "20" PAP) 0.0278 kg Tare total 0.0322 kg Gross Weight 0.19 kg Cubic metre 0.000536 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 180 °C Min. usage temperature (non food contact) 180 °C Min. usage temperature (non food contact) 180 °C Min. pH-value in usage concentration 2 pH	Complies with UK 2019 No. 704 on food contact materials	Yes
PFAS, Phthalates and BPA intentionally added No Box Quantity 5 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 1540 Pcs Quantity Per Layer (Pallet) 55 Pcs. Box Length 400 mm Box Width 170 mm Box Height 85 mm Length 150 mm Width 65 mm Height 55 mm Net Weight 0.16 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0044 kg Weight cardboard (Recycling symbol "20" PAP) 0.0278 kg Tare total 0.0322 kg Gross Weight 0.19 kg Cubic metre 0.000536 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 180 °C Min. usage temperature* -20 °C Max. drying temperature 100 °C Min. pH-value in usage concentration 2 pH	Complies with REACH Regulation (EC) No. 1907/2006	Yes
Box Quantity 5 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 1540 Pcs Quantity Per Layer (Pallet) 55 Pcs. Box Length 400 mm Box Width 170 mm Box Height 85 mm Length 150 mm Width 65 mm Height 55 mm Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0044 kg Weight cardboard (Recycling symbol "20" PAP) 0.0278 kg Tare total 0.0322 kg Gross Weight 0.19 kg Cubic metre 0.000536 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Min. usage temperature (non food contact) 180 °C Min. usage temperature 100 °C Min. pH-value in usage concentration 2 pH	Complies with Halal and Kosher	Yes
Quantity per Pallet (80 x 120 x 180-200 cm) 1540 Pcs Quantity Per Layer (Pallet) 55 Pcs. Box Length 400 mm Box Width 170 mm Box Height 85 mm Length 150 mm Width 65 mm Height 55 mm Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0044 kg Weight cardboard (Recycling symbol "20" PAP) 0.0278 kg Tare total 0.0322 kg Gross Weight 0.19 kg Cubic metre 0.000536 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Min. usage temperature (non food contact) 180 °C Min. usage temperature 100 °C Max. drying temperature 100 °C Min. pH-value in usage concentration 2 pH	PFAS, Phthalates and BPA intentionally added	No
Quantity Per Layer (Pallet) 55 Pcs. Box Length 400 mm Box Width 170 mm Box Height 85 mm Length 150 mm Width 65 mm Height 55 mm Net Weight 0.16 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0044 kg (LDPE) Weight cardboard (Recycling symbol "20" PAP) 0.0278 kg Tare total 0.0322 kg Gross Weight 0.19 kg Cubic metre 0.000536 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 180 °C Min. usage temperature -20 °C Max. drying temperature 100 °C Min. pH-value in usage concentration 2 pH	Box Quantity	5 Pcs.
Box Length 400 mm Box Width 170 mm Box Height 85 mm Length 150 mm Width 65 mm Height 55 mm Net Weight weight 0.16 kg Weight cardboard (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0044 kg (LDPE) Weight cardboard (Recycling symbol "20" PAP) 0.0278 kg Tare total 0.0322 kg Gross Weight 0.19 kg Cubic metre 0.000536 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Min. usage temperature (non food contact) 180 °C Min. usage temperature -20 °C Max. drying temperature 100 °C Min. pH-value in usage concentration 2 pH	Quantity per Pallet (80 x 120 x 180-200 cm)	1540 Pcs
Box Width 170 mm Box Height 85 mm Length 150 mm Width 65 mm Height 55 mm Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0044 kg (LDPE) Weight cardboard (Recycling symbol "20" PAP) 0.0278 kg Tare total 0.0322 kg Gross Weight 0.19 kg Cubic metre 0.000536 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 180 °C Min. usage temperature³ -20 °C Max. drying temperature 100 °C Max. drying temperature 100 °C Min. pH-value in usage concentration 2 pH	Quantity Per Layer (Pallet)	55 Pcs.
Box Height85 mmLength150 mmWidth65 mmHeight55 mmNet Weight0.16 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0044 kgWeight cardboard (Recycling symbol "20" PAP)0.0278 kgTare total0.0322 kgGross Weight0.19 kgCubic metre0.000536 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)180 °CMin. usage temperature³-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Box Length	400 mm
Length150 mmWidth65 mmHeight55 mmNet Weight0.16 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0044 kgWeight cardboard (Recycling symbol "20" PAP)0.0278 kgTare total0.0322 kgGross Weight0.19 kgCubic metre0.000536 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)180 °CMin. usage temperature³-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Box Width	170 mm
Width65 mmHeight55 mmNet Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0044 kgWeight cardboard (Recycling symbol "20" PAP)0.0278 kgTare total0.0322 kgGross Weight0.19 kgCubic metre0.000536 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)180 °CMin. usage temperature100 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Box Height	85 mm
Height55 mmNet Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0044 kgWeight cardboard (Recycling symbol "20" PAP)0.0278 kgTare total0.0322 kgGross Weight0.19 kgCubic metre0.000536 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)180 °CMin. usage temperature³-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Length	150 mm
Net Weight0.16 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0044 kgWeight cardboard (Recycling symbol "20" PAP)0.0278 kgTare total0.0322 kgGross Weight0.19 kgCubic metre0.000536 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)180 °CMin. usage temperature100 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Width	65 mm
Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0044 kgWeight cardboard (Recycling symbol "20" PAP)0.0278 kgTare total0.0322 kgGross Weight0.19 kgCubic metre0.000536 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)180 °CMin. usage temperature-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Height	55 mm
Weight cardboard (Recycling symbol "20" PAP) Tare total Gross Weight Cubic metre 0.000536 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Max usage temperature (non food contact) Min. usage temperature Max. drying temperature 100 °C Min. pH-value in usage concentration	Net Weight	0.16 kg
Tare total0.0322 kgGross Weight0.19 kgCubic metre0.000536 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)180 °CMin. usage temperature³-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH		0.0044 kg
Gross Weight Cubic metre 0.000536 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 180 °C Min. usage temperature 100 °C Max. drying temperature 2 pH	Weight cardboard (Recycling symbol "20" PAP)	0.0278 kg
Cubic metre0.000536 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)180 °CMin. usage temperature³-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Tare total	0.0322 kg
Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)180 °CMin. usage temperature³-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Gross Weight	0.19 kg
Max. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)180 °CMin. usage temperature³-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Cubic metre	0.000536 M3
Max usage temperature (food contact)100 °CMax usage temperature (non food contact)180 °CMin. usage temperature³-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Recommended sterilisation temperature (Autoclave)	121 °C
Max usage temperature (non food contact)180 °CMin. usage temperature3-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Max. cleaning temperature (Dishwasher)	93 °C
Min. usage temperature3-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Max usage temperature (food contact)	100 °C
Max. drying temperature100 °CMin. pH-value in usage concentration2 pH	Max usage temperature (non food contact)	180 °C
Min. pH-value in usage concentration 2 pH	Min. usage temperature ³	-20 °C
	Max. drying temperature	100 °C
Max. pH-value in Usage Concentration 10.5 pH	Min. pH-value in usage concentration	2 pH
	Max. pH-value in Usage Concentration	10.5 pH

Gtin-13 Number	5705020047534
GTIN-14 Number (Box quantity)	15705020047531
Customs Tariff No.	96039099
Country of origin	Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.