Brush Kit f/Softice Machines, Red





Designed for the effective cleaning of Taylor and Carpigiani soft-ice machines and similar equipment, this Brush Kit features an assortment of tube cleaners in various diameters.

Technical Data

Bristle stiffness Medium Material Polyester Polypropylene Stainless Steel (AISI 304) Complies with (EC) 1935/2004 on food contact materials¹ Yes Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes Complies with FDA Regulation I CFR 21¹ Yes Complies with IVK 2019 No. 704 on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with Halal and Kosher Yes Phthalates and bisphenol A intentionally added No Box Quantity 5 Pcs. Quantity Per Pallet (80 x 120 x 180-200 cm) 240 Pcs Quantity Per Layer (Pallet) 30 Pcs. Box Length 510 mm Box Width 300 mm Box Width 300 mm Box Height 210 mm Length 500 mm Width 260 mm Height 100 mm Width 260 mm Height bag (Recycling Symbol "4" Low Density Polyethylene (L)PE) 0.0133 kg Weight cardboard (Recycling symbol "20" PAP) 0.0733 kg Cubic metre 0	Item Number	53584
Complies with (EC) 1935/2004 on food contact materials¹ Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Complies with FDA Regulation CFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Complies with UK 2019 No. 704 on food contact materials Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with Halal and Kosher Yes Phthalates and bisphenol A intentionally added No Box Quantity per Pallet (80 x 120 x 180-200 cm) Quantity per Pallet (80 x 120 x 180-200 cm) Box Length Sou Height 100 mm Box Width 300 mm Box Height 101 mm Length 500 mm Width 400 mm Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight cardboard (Recycling symbol "20" PAP) Cubic metre Max. cleaning temperature (Dishwasher) Max usage temperature (Dishwasher) Max usage temperature (non food contact) Min. usage temperature Min. usage temperature 600 300 300 300 300 300 300 300 300 300	Bristle stiffness	Medium
Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Complies with FDA Regulation CFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Complies with REACH Regulation (EC) No. 1907/2006 Complies with Halal and Kosher Pes Phthalates and bisphenol A intentionally added No Box Quantity FP Pallet (80 x 120 x 180-200 cm) Cuantity Per Layer (Pallet) Sox Length Sox Width Sox Width Sox Width Sox Width Cuantity Ength Complies with EU Regulation (EC) No. 1907/2006 Pes Complies with Halal and Kosher Yes Phthalates and bisphenol A intentionally added No Box Quantity S PCs. Quantity Per Pallet (80 x 120 x 180-200 cm) 240 Pcs Quantity Per Layer (Pallet) Sox Length Sox Under Sox Width Sox Weight Sox Weight O.5 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight cardboard (Recycling symbol "20" PAP) O.0733 kg Tare total O.0866 kg Gross Weight Cubic metre O.013 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Sax Canda usage temperature (Dishwasher) Max usage temperature (Inon food contact) Max. drying temperature Sox	Material	Stainless Steel (AISI
Manufacturing Practice Complies with FDA RegulationI CFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with Halal and Kosher Phthalates and bisphenol A intentionally added No Box Quantity 5 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) Quantity Per Layer (Pallet) 30 Pcs. Box Length 510 mm Box Width 300 mm Box Width 300 mm Box Height 210 mm Length 500 mm Net Weight 40 50 mm Net Weight 40 50 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight cardboard (Recycling symbol "20" PAP) Cubic metre 0.013 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 30 °C Min. usage temperature 100 °C Gtin-13 Number 5705020535840 GTIN-14 Number (Box quantity) 15705020535847 Customs Tariff No. 96039099	Complies with (EC) 1935/2004 on food contact materials ¹	Yes
Complies with UK 2019 No. 704 on food contact materials Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with Halal and Kosher Phthalates and bisphenol A intentionally added No Box Quantity 5 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 240 Pcs Quantity Per Layer (Pallet) 80x Length 510 mm Box Width 300 mm Box Width 300 mm Box Height 210 mm Length 500 mm Width 260 mm Width 100 mm Net Weight 0,5 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight cardboard (Recycling symbol "20" PAP) 7 Tare total 7 Cubic metre 8 Cubic metre 9 Cubic metre 8 Cubic metre 9 Cubic metre 8 Cubic metre 9 Cubic metre 9 Cubic metre 10 0.0866 kg Cubic metre 12 1° C Max. cleaning temperature (Dishwasher) 9 3° C Max. usage temperature (Dishwasher) 9 3° C Max. usage temperature (non food contact) 8 0° C Min. usage temperature 9 5705020535840 GTIN-14 Number (Box quantity) 15705020535847 Customs Tariff No. 96039099	· · · · · · · · · · · · · · · · · · ·	Yes
Complies with REACH Regulation (EC) No. 1907/2006 Complies with Halal and Kosher Phthalates and bisphenol A intentionally added No Box Quantity 5 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 240 Pcs Quantity Per Layer (Pallet) 30 Pcs. Box Length 510 mm Box Width 300 mm Box Height 210 mm Length 500 mm Width 260 mm Height 100 mm Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight cardboard (Recycling symbol "20" PAP) 7 Tare total 7 Cubic metre 8 0.013 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) 8 0° C Max. usage temperature (non food contact) Min. usage temperature 6 0.0305999 6 0.030999	Complies with FDA RegulationI CFR 21 ¹	Yes
Complies with Halal and Kosher Yes Phthalates and bisphenol A intentionally added No Box Quantity 5 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 240 Pcs Quantity Per Layer (Pallet) 30 Pcs. Box Length 510 mm Box Width 300 mm Box Height 210 mm Length 500 mm Width 260 mm Height 100 mm Net Weight 0.5 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0133 kg Weight cardboard (Recycling symbol "20" PAP) 0.0733 kg Tare total 0.0866 kg Gross Weight 0.59 kg Cubic metre 0.013 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 80 °C Max. drying temperature 5705020535840 GTIN-14 Number 5705020535847 Customs Tariff No. 96039099	Complies with UK 2019 No. 704 on food contact materials	Yes
Phthalates and bisphenol A intentionally added Box Quantity Guantity per Pallet (80 x 120 x 180-200 cm) Quantity Per Layer (Pallet) Box Length Box Length Box Width Box Width Box Height Length Cughth Cugh	Complies with REACH Regulation (EC) No. 1907/2006	Yes
Box Quantity 5 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 240 Pcs Quantity Per Layer (Pallet) 30 Pcs. Box Length 510 mm Box Width 300 mm Box Height 210 mm Length 500 mm Width 260 mm Height 100 mm Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0133 kg Weight cardboard (Recycling symbol "20" PAP) 0.0733 kg Tare total 0.0866 kg Gross Weight 0.59 kg Cubic metre 0.013 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 80 °C Min. usage temperature³ -20 °C Max. drying temperature 5705020535840 GTIN-14 Number (Box quantity) 15705020535847 Customs Tariff No. 96039099	Complies with Halal and Kosher	Yes
Quantity per Pallet (80 x 120 x 180-200 cm) 240 Pcs Quantity Per Layer (Pallet) 30 Pcs. Box Length 510 mm Box Width 300 mm Box Height 210 mm Length 500 mm Width 260 mm Height 100 mm Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0133 kg Weight cardboard (Recycling symbol "20" PAP) 0.0733 kg Tare total 0.0866 kg Gross Weight 0.59 kg Cubic metre 0.013 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 80 °C Min. usage temperature 100 °C Gtin-13 Number 5705020535840 GTIN-14 Number (Box quantity) 15705020535847 Customs Tariff No. 96039099	Phthalates and bisphenol A intentionally added	No
Quantity Per Layer (Pallet) 30 Pcs. Box Length 510 mm Box Width 300 mm Box Height 210 mm Length 500 mm Width 260 mm Height 100 mm Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0133 kg Weight cardboard (Recycling symbol "20" PAP) 0.0733 kg Tare total 0.0866 kg Gross Weight 0.59 kg Cubic metre 0.013 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 80 °C Min. usage temperature 100 °C Gtin-13 Number 5705020535840 GTIN-14 Number (Box quantity) 15705020535847 Customs Tariff No. 96039099	Box Quantity	5 Pcs.
Box Length 510 mm Box Width 300 mm Box Height 210 mm Length 500 mm Width 260 mm Height 100 mm Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0133 kg (LDPE) Weight cardboard (Recycling symbol "20" PAP) 0.0733 kg Tare total 0.0866 kg Gross Weight 0.59 kg Cubic metre 0.013 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 80 °C Min. usage temperature 100 °C Gtin-13 Number 5705020535840 GTIN-14 Number (Box quantity) 15705020535847 Customs Tariff No. 96039099	Quantity per Pallet (80 x 120 x 180-200 cm)	240 Pcs
Box Width 300 mm Box Height 210 mm Length 500 mm Width 260 mm Height 100 mm Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0133 kg Weight cardboard (Recycling symbol "20" PAP) 0.0733 kg Tare total 0.0866 kg Gross Weight 0.59 kg Cubic metre 0.013 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 80 °C Min. usage temperature 100 °C Gtin-13 Number 5705020535840 GTIN-14 Number (Box quantity) 15705020535847 Customs Tariff No. 96039099	Quantity Per Layer (Pallet)	30 Pcs.
Box Height 210 mm Length 500 mm Width 260 mm Height 100 mm Net Weight 0.5 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0133 kg Weight cardboard (Recycling symbol "20" PAP) 0.0733 kg Tare total 0.0866 kg Gross Weight 0.59 kg Cubic metre 0.013 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 80 °C Min. usage temperature 100 °C Gtin-13 Number 5705020535840 GTIN-14 Number (Box quantity) 15705020535847 Customs Tariff No. 96039099	Box Length	510 mm
Length 500 mm Width 260 mm Height 100 mm Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0133 kg Weight cardboard (Recycling symbol "20" PAP) 0.0733 kg Tare total 0.0866 kg Gross Weight 0.59 kg Cubic metre 0.013 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 80 °C Min. usage temperature³ -20 °C Max. drying temperature 100 °C Gtin-13 Number 5705020535840 GTIN-14 Number (Box quantity) 15705020535847 Customs Tariff No. 96039099	Box Width	300 mm
Width 260 mm Height 100 mm Net Weight 0.5 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight cardboard (Recycling symbol "20" PAP) 0.0733 kg Tare total 0.0866 kg Gross Weight 0.59 kg Cubic metre 0.013 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 80 °C Min. usage temperature (Max. drying temperat	Box Height	210 mm
Height100 mmNet Weight0.5 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0133 kgWeight cardboard (Recycling symbol "20" PAP)0.0733 kgTare total0.0866 kgGross Weight0.59 kgCubic metre0.013 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)80 °CMin. usage temperature100 °CGtin-13 Number5705020535840GTIN-14 Number (Box quantity)15705020535847Customs Tariff No.96039099	Length	500 mm
Net Weight0.5 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0133 kgWeight cardboard (Recycling symbol "20" PAP)0.0733 kgTare total0.0866 kgGross Weight0.59 kgCubic metre0.013 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)80 °CMin. usage temperature100 °CGtin-13 Number5705020535840GTIN-14 Number (Box quantity)15705020535847Customs Tariff No.96039099	Width	260 mm
Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight cardboard (Recycling symbol "20" PAP) O.0733 kg Tare total O.0866 kg Gross Weight O.59 kg Cubic metre O.013 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (non food contact) Min. usage temperature Min. usage temperature Too °C Max. drying temperature Max. drying temperature Too °C Gtin-13 Number Too Too Too Too Too Too Too Too Too To	Height	100 mm
Weight cardboard (Recycling symbol "20" PAP) Tare total O.0866 kg Gross Weight Cubic metre O.013 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (non food contact) Min. usage temperature Min. usage temperature Too °C Max. drying temperature Too °C Gtin-13 Number Too Souds 35840 GTIN-14 Number (Box quantity) Too Souds 35847 Customs Tariff No.	Net Weight	0.5 kg
Tare total 0.0866 kg Gross Weight 0.59 kg Cubic metre 0.013 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 80 °C Min. usage temperature³ -20 °C Max. drying temperature 100 °C Gtin-13 Number 5705020535840 GTIN-14 Number (Box quantity) 15705020535847 Customs Tariff No. 96039099		0.0133 kg
Gross Weight 0.59 kg Cubic metre 0.013 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 80 °C Min. usage temperature³ -20 °C Max. drying temperature 100 °C Gtin-13 Number 5705020535840 GTIN-14 Number (Box quantity) 15705020535847 Customs Tariff No. 96039099	Weight cardboard (Recycling symbol "20" PAP)	0.0733 kg
Cubic metre0.013 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)80 °CMin. usage temperature³-20 °CMax. drying temperature100 °CGtin-13 Number5705020535840GTIN-14 Number (Box quantity)15705020535847Customs Tariff No.96039099	Tare total	0.0866 kg
Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (non food contact) Min. usage temperature³ -20 °C Max. drying temperature 100 °C Gtin-13 Number 5705020535840 GTIN-14 Number (Box quantity) 15705020535847 Customs Tariff No.	Gross Weight	0.59 kg
Max. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)80 °CMin. usage temperature³-20 °CMax. drying temperature100 °CGtin-13 Number5705020535840GTIN-14 Number (Box quantity)15705020535847Customs Tariff No.96039099	Cubic metre	0.013 M3
Max usage temperature (non food contact)80 °CMin. usage temperature3-20 °CMax. drying temperature100 °CGtin-13 Number5705020535840GTIN-14 Number (Box quantity)15705020535847Customs Tariff No.96039099	Recommended sterilisation temperature (Autoclave)	121 °C
Min. usage temperature ³ -20 °C Max. drying temperature 100 °C Gtin-13 Number 5705020535840 GTIN-14 Number (Box quantity) 15705020535847 Customs Tariff No. 96039099	Max. cleaning temperature (Dishwasher)	93 °C
Max. drying temperature 100 °C Gtin-13 Number 5705020535840 GTIN-14 Number (Box quantity) 15705020535847 Customs Tariff No. 96039099	Max usage temperature (non food contact)	80 °C
Gtin-13 Number 5705020535840 GTIN-14 Number (Box quantity) 15705020535847 Customs Tariff No. 96039099	Min. usage temperature ³	-20 °C
GTIN-14 Number (Box quantity) 15705020535847 Customs Tariff No. 96039099	Max. drying temperature	100 °C
Customs Tariff No. 96039099	Gtin-13 Number	5705020535840
	GTIN-14 Number (Box quantity)	15705020535847
Country of origin Denmark	Customs Tariff No.	96039099
	Country of origin	Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

- 1. See Declaration of Compliance for further details on food contact
- 3. Do not store the product below 0° Celsius.