
Tube Brush f/flexible handle 53515 or 53525, Ø20 mm, 200 mm, Medium, Red







This versatile Tube Brush is designed for cleaning pipes found in dairies, breweries and the fishing industry. Can be used with Vikan flexible handles 53515 and 53525.

Technical Data

Bristle stiffness Medium Material Polypropylene Polyvester Stainless Stell (AISI) 304) Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes Complies with FDA Regulation 1CFR 21¹ Yes Complies with FDA Regulation (EC) No. 1907/2006 Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA Intentionally added No Box Quantity 10 Pcs. Quantity Per Pallet (80 x 120 x 180-200 cm) 4400 Pcs. Box Length 220 Pcs. Box Length 30 mm Box Height 220 mm Box Height 20 mm Width 22 mm Product Diameter 20 mm Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 20 mm Weight cardboard (Recycling symbol "20" PAP) 0.007 kg Tare total 0.04 kg Cubic metre 8 -05 m3 Recommended sterilisation temperature (Autoclave) 12 l² ° Max. cleaning	Item Number	53654
Complies with (EC) 1935/2004 on food contact materials¹ Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Complies with FDA Regulation I CFR 21¹ Complies with FDA Regulation (FC) No. 1907/2006 Complies with UK 2019 No. 704 on food contact materials Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher FPAS, Phthalates and BPA intentionally added No Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) Advon Pcs Quantity Per Layer (Pallet) Box Weight Box Width 125 mm Box Width 125 mm Box Height 80 mm Product Diameter Length Length Weight Cardboard (Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight cardboard (Recycling symbol "20" PAP) Tare total Conss Weight Cubic metre 8E-05 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) 80 °C Max. usage temperature (no food contact) Min. usage temperature Max. drying temperature Max. drying temperature Max. drying temperature 100 °C Min. usage temperature Max. drying temperature 100 °C	Bristle stiffness	Medium
Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Complies with FDA Regulation (CFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Complies with UK 2019 No. 704 on food contact materials Complies with California Proposition 65 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher FAS, Phthalates and BPA intentionally added No Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 4400 Pcs Quantity Per Layer (Pallet) 220 Pcs. Box Length Box Width 125 mm Box Width 125 mm Box Height 200 mm Height 200 mm Net Weight 400 mm Net Weight cardboard (Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight cardboard (Recycling symbol "20" PAP) 400 mod kg Gross Weight 400 mod kg Cubic metre 800 mod kg Cubic metre 8	Material	Stainless Steel (AISI
Manufacturing Practice Complies with FDA RegulationI CFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 4400 Pcs Quantity Per Layer (Pallet) 220 Pcs. Box Length 280 mm Box Width 125 mm Box Width 20 mm Product Diameter 20 mm Length 20 mm Width 20 mm Weight 20 mm Height 20 mm Net Weight 20 mm Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.007 kg Weight cardboard (Recycling symbol "20" PAP) 0.007 kg Gross Weight 0.04 kg Cubic metre 8E-05 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C	Complies with (EC) 1935/2004 on food contact materials ¹	Yes
Complies with UK 2019 No. 704 on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 4400 Pcs Quantity Per Layer (Pallet) 220 Pcs. Box Length 280 mm Box Width 125 mm Box Height 80 mm Product Diameter 20 mm Length 200 mm Width 20 mm Height 20 mm Net Weight 0.03 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.007 kg Weight cardboard (Recycling symbol "20" PAP) 0.007 kg Tare total 0.0107 kg Gross Weight 0.04 kg Cubic metre 8E-05 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 80 °C Min. usage tem	· · · · · · · · · · · · · · · · · · ·	Yes
Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 4400 Pcs Quantity Per Layer (Pallet) 220 Pcs. Box Length 280 mm Box Width 125 mm Box Height 80 mm Product Diameter 20 mm Length 200 mm Width 20 mm Height 20 mm Net Weight 0.03 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.007 kg Weight cardboard (Recycling symbol "20" PAP) 0.007 kg Tare total 0.0107 kg Gross Weight 0.04 kg Cubic metre 8E-05 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 80 °C Min. usage temperature <th< th=""><th>Complies with FDA RegulationI CFR 21¹</th><th>Yes</th></th<>	Complies with FDA RegulationI CFR 21 ¹	Yes
Complies with California Proposition 65YesComplies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoBox Quantity10 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)4400 Pcs.Quantity Per Layer (Pallet)220 Pcs.Box Length280 mmBox Width125 mmBox Height80 mmProduct Diameter200 mmLength200 mmWidth20 mmHeight20 mmNet Weight0.03 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.007 kgTare total0.0107 kgGross Weight0.04 kgCubic metre8E-05 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature100 °CMin. usage temperature100 °CMax. drying temperature100 °C	Complies with UK 2019 No. 704 on food contact materials	Yes
Complies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoBox Quantity10 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)4400 PcsQuantity Per Layer (Pallet)220 Pcs.Box Length280 mmBox Width125 mmBox Height80 mmProduct Diameter200 mmLength200 mmWidth20 mmHeight20 mmNet Weight0.03 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0037 kgWeight cardboard (Recycling symbol "20" PAP)0.007 kgTare total0.0107 kgGross Weight0.04 kgCubic metre8E-05 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature*-20 °CMax. drying temperature100 °C	Complies with REACH Regulation (EC) No. 1907/2006	Yes
PFAS, Phthalates and BPA intentionally added Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 4400 Pcs Quantity Per Layer (Pallet) 220 Pcs. Box Length 280 mm Box Width 125 mm Box Height 80 mm Product Diameter 20 mm Length 200 mm Width 20 mm Width 20 mm Net Weight 20 mm Net Weight 30,003 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight cardboard (Recycling symbol "20" PAP) 7 are total 7 cubic metre 8E-05 M3 Recommended sterilisation temperature (Autoclave) 8E-05 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (food contact) Max usage temperature (no food contact) Min. usage temperature Max. drying temperature 100 °C Max. drying temperature Max. drying temperature Max. drying temperature 100 °C Max. drying temperature	Complies with California Proposition 65	Yes
Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 4400 Pcs Quantity Per Layer (Pallet) 220 Pcs. Box Length 280 mm Box Width 125 mm Box Height 80 mm Product Diameter 20 mm Length 200 mm Width 20 mm Height 20 mm Net Weight 0.03 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0037 kg Weight cardboard (Recycling symbol "20" PAP) 0.007 kg Tare total 0.0107 kg Gross Weight 0.04 kg Cubic metre 8E-05 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature -20 °C Max. drying temperature 100 °C	Complies with Halal and Kosher	Yes
Quantity per Pallet (80 x 120 x 180-200 cm)4400 PcsQuantity Per Layer (Pallet)220 Pcs.Box Length280 mmBox Width125 mmBox Height80 mmProduct Diameter20 mmLength200 mmWidth20 mmHeight0.03 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0037 kgWeight cardboard (Recycling symbol "20" PAP)0.007 kgTare total0.0107 kgGross Weight0.04 kgCubic metre8E-05 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMin. usage temperature (non food contact)100 °CMin. usage temperature100 °CMin. usage temperature100 °CMax. drying temperature100 °C	PFAS, Phthalates and BPA intentionally added	No
Quantity Per Layer (Pallet) 220 Pcs. Box Length 280 mm Box Width 125 mm Box Height 80 mm Product Diameter 20 mm Length 200 mm Width 20 mm Height 20 mm Net Weight 0.03 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0037 kg Weight cardboard (Recycling symbol "20" PAP) 0.007 kg Tare total 0.0107 kg Gross Weight 0.04 kg Cubic metre 8E-05 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature -20 °C Max. drying temperature 100 °C	Box Quantity	10 Pcs.
Box Length 280 mm Box Width 125 mm Box Height 80 mm Product Diameter 20 mm Length 200 mm Width 20 mm Height 20 mm Net Weight 0.03 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LOPE) 0.007 kg Weight cardboard (Recycling symbol "20" PAP) 0.007 kg Tare total 0.0107 kg Gross Weight 0.04 kg Cubic metre 8E-05 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature -20 °C Max. drying temperature 100 °C	Quantity per Pallet (80 x 120 x 180-200 cm)	4400 Pcs
Box Width 125 mm Box Height 80 mm Product Diameter 20 mm Length 200 mm Width 200 mm Weight 200 mm Net Weight 0.03 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight cardboard (Recycling symbol "20" PAP) 0.007 kg Tare total 0.0107 kg Gross Weight 0.04 kg Cubic metre 8E-05 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Min. usage temperature 3 -20 °C Max. drying temperature 100 °C Max. drying temperature 100 mm	Quantity Per Layer (Pallet)	220 Pcs.
Box Height80 mmProduct Diameter20 mmLength200 mmWidth20 mmHeight20 mmNet Weight0.03 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0037 kgWeight cardboard (Recycling symbol "20" PAP)0.007 kgTare total0.0107 kgGross Weight0.04 kgCubic metre8E-05 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °C	Box Length	280 mm
Product Diameter20 mmLength200 mmWidth20 mmHeight20 mmNet Weight0.03 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0037 kgWeight cardboard (Recycling symbol "20" PAP)0.007 kgTare total0.0107 kgGross Weight0.04 kgCubic metre8E-05 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °C	Box Width	125 mm
Length200 mmWidth20 mmHeight20 mmNet Weight0.03 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0037 kgWeight cardboard (Recycling symbol "20" PAP)0.007 kgTare total0.0107 kgGross Weight0.04 kgCubic metre8E-05 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °C	Box Height	80 mm
Width20 mmHeight20 mmNet Weight0.03 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0037 kgWeight cardboard (Recycling symbol "20" PAP)0.007 kgTare total0.0107 kgGross Weight0.04 kgCubic metre8E-05 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °C	Product Diameter	20 mm
Height20 mmNet Weight0.03 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0037 kgWeight cardboard (Recycling symbol "20" PAP)0.007 kgTare total0.0107 kgGross Weight0.04 kgCubic metre8E-05 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °C	Length	200 mm
Net Weight0.03 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0037 kgWeight cardboard (Recycling symbol "20" PAP)0.007 kgTare total0.0107 kgGross Weight0.04 kgCubic metre8E-05 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °C	Width	20 mm
Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight cardboard (Recycling symbol "20" PAP) Tare total Gross Weight Cubic metre 8E-05 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Max usage temperature (non food contact) Min. usage temperature Max. drying temperature 100 °C Max. drying temperature	Height	20 mm
Weight cardboard (Recycling symbol "20" PAP) Tare total Gross Weight Cubic metre 8E-05 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Max usage temperature (non food contact) Min. usage temperature Max. drying temperature 100 °C Max. drying temperature	Net Weight	0.03 kg
Tare total 0.0107 kg Gross Weight 0.04 kg Cubic metre 8E-05 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature (100 °C) Max. drying temperature (100 °C)		0.0037 kg
Gross Weight Cubic metre 8E-05 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 100 °C	Weight cardboard (Recycling symbol "20" PAP)	0.007 kg
Cubic metre8E-05 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °C	Tare total	0.0107 kg
Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 100 °C	Gross Weight	0.04 kg
Max. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °C	Cubic metre	8E-05 M3
Max usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °C	Recommended sterilisation temperature (Autoclave)	121 °C
Max usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °C	Max. cleaning temperature (Dishwasher)	93 °C
Min. usage temperature ³ -20 °C Max. drying temperature 100 °C	Max usage temperature (food contact)	80 °C
Max. drying temperature 100 °C	Max usage temperature (non food contact)	100 °C
	Min. usage temperature ³	-20 °C
Min. pH-value in usage concentration 2 pH	Max. drying temperature	100 °C
	Min. pH-value in usage concentration	2 pH

Max. pH-value in Usage Concentration	10.5 pH
Gtin-13 Number	5705020536540
GTIN-14 Number (Box quantity)	15705020536547
Customs Tariff No.	96039099
Country of origin	Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

- 1. See Declaration of Compliance for further details on food contact
- 3. Do not store the product below 0° Celsius.