Tube Brush f/flexible handle 53515 or 53525, Ø40 mm, 200 mm, Medium, Yellow







Technical Data

Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Complies with FDA Regulation I CFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 960 Pcs Quantity Per Layer (Pallet) 80 Pcs. Box Length 80x Width 285 mm Box Height 55 mm Product Diameter 40 mm Height 200 mm Width 40 mm Height 200 mm Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight cardboard (Recycling symbol "20" PAP) 1 Tare total Cubic metre 0.00016 M3 Recommended sterilisation temperature (Autoclave) Max usage temperature (Dishwasher) 80 °C Max usage temperature (food contact) 80 °C Max usage temperature (food contact) 80 °C Complies with FDA Regulation 120" PAP Complies with FDA Regulation 120" PAP Residual Service Serv	Item Number	53686
Complies with (EC) 1935/2004 on food contact materials¹ Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Complies with FDA Regulation CFR 21¹ Complies with UK 2019 No. 704 on food contact materials Complies with UK 2019 No. 704 on food contact materials Complies with EACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added No Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) Gountity Per Layer (Pallet) Box Length Box Width 285 mm Box Height 55 mm Product Dlameter 40 mm Height Not Weight Dag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight cardboard (Recycling symbol "20" PAP) 10 10 12 °C Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) 80 °C Max usage temperature (food contact) 80 °C Max usage temperature (food contact) 80 °C Max usage temperature (food contact) 9 cond Contact materials¹ Yes Complies with EU Regulation 100 Contact materials¹ Yes Complies with EU Regulation 100 Contact materials Yes Complies with EU Regulation 100 Contact will an expense of South 100 Contact will an expense of Sout	Bristle stiffness	Medium
Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Complies with FDA Regulation I CFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) Sox Quantity Per Layer (Pallet) Sox Length Sox Height Sox Heig	Material	Stainless Steel (AISI
Complies with FDA RegulationI CFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 960 Pcs Quantity Per Layer (Pallet) 80 Pcs. Box Length 320 mm Box Width 285 mm Box Height 55 mm Product Diameter 40 mm Width 40 mm Height 200 mm Width 40 mm Height 20 mm Net Weight 40 Mg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight cardboard (Recycling symbol "20" PAP) Tare total 0.00177 kg Gross Weight Cubic metre 0.00016 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Complies with FDA Requiralists Yes Complies with UK 2019 No. 1907/2006 Yes Complies with UK 2019 No. 1907/2006 Yes Complies with UK 2019 No. 1907/2006 Yes Complies with California Proposition of Sep Complies with UK 2019 No. 1907/2006 Yes Complies with California Proposition of Sep Complies with UK 2019 No. 1907/2006 Yes Complies with California Proposition of Sep Complies with UK 2019 No. 1907/2006 Yes Complies with California Proposition of Sep Complies	Complies with (EC) 1935/2004 on food contact materials ¹	Yes
Complies with UK 2019 No. 704 on food contact materials Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added No Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) Guantity Per Layer (Pallet) Box Length Box Height So Fos. Box Height So mm Product Diameter Length Length Width Height 10 Pcs. Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight cardboard (Recycling symbol "20" PAP) Tare total Gross Weight Cubic metre 0.00016 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Mose Cubic metre (Bos No. 1907/2006) Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition (So No. 1907/2006) Yes Complies with California Proposition (EC) No. 1907/2006 Yes Complies with California Proposition (So No. 1907/2006) Yes Complies with California Proposition (So No. 1908) Yes Compli		Yes
Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) Guantity Per Layer (Pallet) 80 Pcs. Box Length 320 mm Box Width 285 mm Box Height 55 mm Product Diameter 40 mm Length 200 mm Width 40 mm Height 200 mm Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight cardboard (Recycling symbol "20" PAP) Tare total Cubic metre 0.00016 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (food contact)	Complies with FDA RegulationI CFR 21 ¹	Yes
Complies with California Proposition 65 Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) Quantity Per Layer (Pallet) Box Length Box Height Box Height Product Diameter Length Width 40 mm Height 200 mm Net Weight Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight cardboard (Recycling symbol "20" PAP) Quantity Per Layer (Pallet) Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Mos Weight bag (Recycling tympor contact) Yes Yes Yes Yes Yes Yes Yes Ye	Complies with UK 2019 No. 704 on food contact materials	Yes
Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 960 Pcs Quantity Per Layer (Pallet) 80 Pcs. Box Length 320 mm Box Width 285 mm Product Diameter 40 mm Product Diameter 40 mm Height 200 mm Net Weight 40 mm Net Weight 55 mm Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight cardboard (Recycling symbol "20" PAP) 70 0.014 kg Gross Weight 70 0.0016 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact)	Complies with REACH Regulation (EC) No. 1907/2006	Yes
PFAS, Phthalates and BPA intentionally added Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 960 Pcs Quantity Per Layer (Pallet) 80 Pcs. Box Length 320 mm Box Width 285 mm Product Diameter 40 mm Length 200 mm Width 40 mm Height 200 mm Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) (LDPE) Weight cardboard (Recycling symbol "20" PAP) 7 cre total 7 cre total 7 could metre 8 commended sterilisation temperature (Autoclave) 8 cre 8 cre 9	Complies with California Proposition 65	Yes
Box Quantity Per Pallet (80 x 120 x 180-200 cm) 960 Pcs Quantity Per Layer (Pallet) 80 Pcs. Box Length 320 mm Box Width 285 mm Product Diameter 40 mm Length 200 mm Width 40 mm Height 200 mm Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight cardboard (Recycling symbol "20" PAP) 0.014 kg Gross Weight 0.06 kg Cubic metre 0.00016 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (food contact) 80 °C	Complies with Halal and Kosher	Yes
Quantity per Pallet (80 x 120 x 180-200 cm)960 PcsQuantity Per Layer (Pallet)80 Pcs.Box Length320 mmBox Width285 mmBox Height55 mmProduct Diameter40 mmLength200 mmWidth40 mmHeight20 mmNet Weight0.04 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0037 kgWeight cardboard (Recycling symbol "20" PAP)0.014 kgTare total0.0177 kgGross Weight0.06 kgCubic metre0.00016 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °C	PFAS, Phthalates and BPA intentionally added	No
Quantity Per Layer (Pallet)80 Pcs.Box Length320 mmBox Width285 mmBox Height55 mmProduct Diameter40 mmLength200 mmWidth40 mmHeight20 mmNet Weight0.04 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0037 kgWeight cardboard (Recycling symbol "20" PAP)0.014 kgTare total0.0177 kgGross Weight0.06 kgCubic metre0.00016 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °C	Box Quantity	10 Pcs.
Box Length 320 mm Box Width 285 mm Box Height 55 mm Product Diameter 40 mm Length 200 mm Width 40 mm Height 20 mm Net Weight 0.04 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0037 kg Weight cardboard (Recycling symbol "20" PAP) 0.014 kg Tare total 0.0177 kg Gross Weight 0.06 kg Cubic metre 0.00016 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C	Quantity per Pallet (80 x 120 x 180-200 cm)	960 Pcs
Box Width 285 mm Box Height 55 mm Product Diameter 40 mm Length 200 mm Width 40 mm Height 20 mm Net Weight 20 mm Net Weight 55 mm Net Weight 20 mm Net Weight 50 mm Net Weight 50 mm Net Weight 60 mm Weight cardboard (Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight cardboard (Recycling symbol "20" PAP) 0.014 kg Tare total 0.0177 kg Gross Weight 0.06 kg Cubic metre 0.00016 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C	Quantity Per Layer (Pallet)	80 Pcs.
Box Height55 mmProduct Diameter40 mmLength200 mmWidth40 mmHeight20 mmNet Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.04 kgWeight cardboard (Recycling symbol "20" PAP)0.014 kgTare total0.0177 kgGross Weight0.06 kgCubic metre0.00016 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °C	Box Length	320 mm
Product Diameter 40 mm Length 200 mm Width 40 mm Height 20 mm Net Weight 0.04 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight cardboard (Recycling symbol "20" PAP) 0.014 kg Tare total 0.0177 kg Gross Weight 0.06 kg Cubic metre 0.00016 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C	Box Width	285 mm
Length200 mmWidth40 mmHeight20 mmNet Weight0.04 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0037 kgWeight cardboard (Recycling symbol "20" PAP)0.014 kgTare total0.0177 kgGross Weight0.06 kgCubic metre0.00016 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °C	Box Height	55 mm
Width 40 mm Height 20 mm Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight cardboard (Recycling symbol "20" PAP) 0.014 kg Tare total 0.0177 kg Gross Weight 0.06 kg Cubic metre 0.00016 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C	Product Diameter	40 mm
Height20 mmNet Weight0.04 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0037 kgWeight cardboard (Recycling symbol "20" PAP)0.014 kgTare total0.0177 kgGross Weight0.06 kgCubic metre0.00016 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °C	Length	200 mm
Net Weight0.04 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0037 kgWeight cardboard (Recycling symbol "20" PAP)0.014 kgTare total0.0177 kgGross Weight0.06 kgCubic metre0.00016 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °C	Width	40 mm
Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight cardboard (Recycling symbol "20" PAP) Tare total Gross Weight Cubic metre Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) 0.0037 kg 0.0014 kg 0.0177 kg 0.0016 M3	Height	20 mm
(LDPE)Weight cardboard (Recycling symbol "20" PAP)0.014 kgTare total0.0177 kgGross Weight0.06 kgCubic metre0.00016 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °C	Net Weight	0.04 kg
Tare total 0.0177 kg Gross Weight 0.06 kg Cubic metre 0.00016 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C		0.0037 kg
Gross Weight Cubic metre 0.00016 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) 80 °C	Weight cardboard (Recycling symbol "20" PAP)	0.014 kg
Cubic metre0.00016 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °C	Tare total	0.0177 kg
Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C	Gross Weight	0.06 kg
Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) 80 °C	Cubic metre	0.00016 M3
Max usage temperature (food contact) 80 °C	Recommended sterilisation temperature (Autoclave)	121 °C
	Max. cleaning temperature (Dishwasher)	93 °C
Max usage temperature (non food contact) 100 °C	Max usage temperature (food contact)	80 °C
	Max usage temperature (non food contact)	100 °C
Min. usage temperature ³ -20 °C	Min. usage temperature ³	-20 °C
Max. drying temperature 100 °C	Max. drying temperature	100 °C
Min. pH-value in usage concentration 2 pH	Min. pH-value in usage concentration	2 pH

Max. pH-value in Usage Concentration	10.5 pH
Gtin-13 Number	5705020536861
GTIN-14 Number (Box quantity)	15705020536868
Customs Tariff No.	96039099
Country of origin	Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

- 1. See Declaration of Compliance for further details on food contact
- 3. Do not store the product below 0° Celsius.