53801032

Pipe Cleaning Brush f/handle, Ø103 mm, Medium, Green







Technical Data

Bristle stiffness Medium Visible bristle length 37 mm Material Polypropylene Polysester Stainises Steel (AlSS) 304) Complies with (EC) 1935/2004 on food contact materials¹ Yes Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes Complies with FDA Regulation ICFR 21¹ Yes Complies with KEACH Regulation (EC) No. 1907/2006 Yes Complies with Halal and Kosher Yes Box Quantity 10 Pcs. Quantity Per Pallet (80 x 120 x 180-200 cm) 576 Pcs. Quantity Per Layer (Pallet) 60 Pcs. Box Length 415 mm Box Height 20 mm Box Height 100 mm Product Diameter 103 mm Length 100 mm Weight bag (Recycling Symbol "4" Low Density Polyethylene 0.028 kg Weight cardboard (Recycling symbol "20" PAP) 0.028 kg Cubic metre 0.017 m3 Cubic metre 0.017 m3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 30 °C Max. cle	Item Number	53801032
Material Polypropylene Polyester Stainless Steel (AISI 304) Complies with (EC) 1935/2004 on food contact materials¹ Yes Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Complies with FDA Regulation I CFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with Halal and Kosher Yes Box Quantity 10 Pcs. Quantity Per Pallet (80 x 120 x 180-200 cm) 576 Pcs Quantity Per Layer (Pallet) 60 Pcs. Box Length 415 mm Box Width 300 mm Box Height 210 mm Product Diameter 103 mm Length 170 mm Width 100 mm Height 100 mm Net Weight 2010 mm Net	Bristle stiffness	Medium
Complies with (EC) 1935/2004 on food contact materials¹ Yes Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Complies with FDA Regulation I CFR 21¹ Yes Complies with FDA Regulation (FC) No. 1907/2006 Yes Complies with LUK 2019 No. 704 on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with Halal and Kosher Yes Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) S76 Pcs Box Length Box Width 300 mm Box Width 300 mm Box Height 210 mm Product Diameter 103 mm Length 170 mm Width 100 mm Height 100 mm Net Weight 90 (LOPE) Weight cardboard (Recycling Symbol "4" Low Density Polyethylene (LOPE) Weight cardboard (Recycling symbol "20" PAP) Cubic metre 0.0017 M3 Recommended sterillsation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 100 °C Min. usage temperature 100 °C Min. pH-value in usage concentration 2 pH	Visible bristle length	37 mm
Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Complies with FDA Regulation CFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with Halal and Kosher Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) Sox Length Box Length 415 mm Box Width 300 mm Box Height 210 mm Product Diameter 103 mm Length 170 mm Width 100 mm Height 100 mm Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight cardboard (Recycling symbol "20" PAP) Cubic metre 0.0017 M3 Recommended sterilisation temperature (Autoclave) Max usage temperature (Dishwasher) 80 °C Max usage temperature Min. pH-value in usage concentration 2 pH	Material	Stainless Steel (AISI
Manufacturing Practice Complies with FDA RegulationI CFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with Halal and Kosher Yes Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 576 Pcs Quantity Per Layer (Pallet) 60 Pcs. Box Length 415 mm Box Width 300 mm Box Height 210 mm Product Diameter 103 mm Length 170 mm Width 100 mm Height 100 mm Net Weight 0.16 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.028 kg Weight cardboard (Recycling symbol "20" PAP) 0.028 kg Tare total 0.0343 kg Gross Weight 0.19 kg Cubic metre 0.0017 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 80 °C <tr< td=""><td>Complies with (EC) 1935/2004 on food contact materials¹</td><td>Yes</td></tr<>	Complies with (EC) 1935/2004 on food contact materials ¹	Yes
Complies with UK 2019 No. 704 on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with Halal and Kosher Yes Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 576 Pcs Quantity Per Layer (Pallet) 60 Pcs. Box Length 415 mm Box Width 300 mm Box Height 210 mm Product Diameter 103 mm Length 170 mm Width 100 mm Height 100 mm Net Weight 0.16 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.028 kg Weight cardboard (Recycling symbol "20" PAP) 0.028 kg Tare total 0.0343 kg Gross Weight 0.19 kg Cubic metre 0.0017 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (food contact) 80 °C Max usage temperature (non food contact) 80 °C Min. usage temperature 100 °C Min. usage temperature		Yes
Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with Halal and Kosher Yes Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 576 Pcs Quantity Per Layer (Pallet) 60 Pcs. Box Length 415 mm Box Width 300 mm Box Height 210 mm Product Diameter 103 mm Length 170 mm Width 100 mm Height 100 mm Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.063 kg Weight cardboard (Recycling symbol "20" PAP) 0.028 kg Tare total 0.0343 kg Gross Weight 0.19 kg Cubic metre 0.0017 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) Min. usage temperature 20 °C Max. drying temperature 100 °C C Min. pH-value in usage concentration 2 pH	Complies with FDA RegulationI CFR 21 ¹	Yes
Complies with Halal and Kosher Yes Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 576 Pcs Quantity Per Layer (Pallet) 60 Pcs. Box Length 415 mm Box Width 300 mm Box Height 210 mm Product Diameter 103 mm Length 170 mm Width 100 mm Height 100 mm Net Weight 0.16 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0063 kg Weight cardboard (Recycling symbol "20" PAP) 0.028 kg Tare total 0.0343 kg Gross Weight 0.19 kg Cubic metre 0.0017 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 80 °C Min. usage temperature (non food contact) 100 °C Min. usage temperature (non food contact) 100 °C Min. pH-value in usage concentration 2 pH	Complies with UK 2019 No. 704 on food contact materials	Yes
Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 576 Pcs Quantity Per Layer (Pallet) 60 Pcs. Box Length 415 mm Box Width 300 mm Box Height 210 mm Product Diameter 103 mm Length 170 mm Width 100 mm Height 100 mm Net Weight 0.16 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0063 kg Weight cardboard (Recycling symbol "20" PAP) 0.028 kg Tare total 0.0343 kg Gross Weight 0.19 kg Cubic metre 0.0017 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature -20 °C Max. drying temperature 100 °C Min. pH-value in usage concentration 2 pH	Complies with REACH Regulation (EC) No. 1907/2006	Yes
Quantity per Pallet (80 x 120 x 180-200 cm)576 PcsQuantity Per Layer (Pallet)60 Pcs.Box Length415 mmBox Width300 mmBox Height210 mmProduct Diameter103 mmLength170 mmWidth100 mmHeight100 mmNet Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0063 kg (LDPE)Weight cardboard (Recycling symbol "20" PAP)0.028 kgTare total0.0343 kgGross Weight0.19 kgCubic metre0.0017 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)80 °CMin. usage temperature100 °CMin. usage temperature100 °CMin. pH-value in usage concentration2 pH	Complies with Halal and Kosher	Yes
Quantity Per Layer (Pallet)60 Pcs.Box Length415 mmBox Width300 mmBox Height210 mmProduct Diameter103 mmLength170 mmWidth100 mmHeight100 mmNet Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0063 kgWeight cardboard (Recycling symbol "20" PAP)0.028 kgTare total0.0343 kgGross Weight0.19 kgCubic metre0.0017 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature100 °CMin. usage temperature100 °CMin. pH-value in usage concentration2 pH	Box Quantity	10 Pcs.
Box Length 415 mm Box Width 300 mm Box Height 210 mm Product Diameter 103 mm Length 170 mm Width 100 mm Height 0.16 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0063 kg Weight cardboard (Recycling symbol "20" PAP) 0.028 kg Tare total 0.0343 kg Gross Weight 0.19 kg Cubic metre 0.0017 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature -20 °C Max. drying temperature 100 °C Min. pH-value in usage concentration 2 pH	Quantity per Pallet (80 x 120 x 180-200 cm)	576 Pcs
Box Width 300 mm Box Height 210 mm Product Diameter 103 mm Length 170 mm Width 100 mm Height 100 mm Net Weight 0.16 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0063 kg Weight cardboard (Recycling symbol "20" PAP) 0.028 kg Tare total 0.0343 kg Gross Weight 0.19 kg Cubic metre 0.0017 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature -20 °C Max. drying temperature 100 °C Min. pH-value in usage concentration 2 pH	Quantity Per Layer (Pallet)	60 Pcs.
Box Height210 mmProduct Diameter103 mmLength170 mmWidth100 mmHeight100 mmNet Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0063 kgWeight cardboard (Recycling symbol "20" PAP)0.028 kgTare total0.0343 kgGross Weight0.19 kgCubic metre0.0017 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Box Length	415 mm
Product Diameter103 mmLength170 mmWidth100 mmHeight100 mmNet Weight0.16 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0063 kgWeight cardboard (Recycling symbol "20" PAP)0.028 kgTare total0.0343 kgGross Weight0.19 kgCubic metre0.0017 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Box Width	300 mm
Length170 mmWidth100 mmHeight100 mmNet Weight0.16 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0063 kgWeight cardboard (Recycling symbol "20" PAP)0.028 kgTare total0.0343 kgGross Weight0.19 kgCubic metre0.0017 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Box Height	210 mm
Width100 mmHeight100 mmNet Weight0.16 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0063 kgWeight cardboard (Recycling symbol "20" PAP)0.028 kgTare total0.0343 kgGross Weight0.19 kgCubic metre0.0017 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature100 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Product Diameter	103 mm
Height100 mmNet Weight0.16 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0063 kgWeight cardboard (Recycling symbol "20" PAP)0.028 kgTare total0.0343 kgGross Weight0.19 kgCubic metre0.0017 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature100 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Length	170 mm
Net Weight0.16 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0063 kgWeight cardboard (Recycling symbol "20" PAP)0.028 kgTare total0.0343 kgGross Weight0.19 kgCubic metre0.0017 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature100 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Width	100 mm
Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0063 kgWeight cardboard (Recycling symbol "20" PAP)0.028 kgTare total0.0343 kgGross Weight0.19 kgCubic metre0.0017 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature100 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Height	100 mm
Weight cardboard (Recycling symbol "20" PAP) Tare total Gross Weight Cubic metre 0.0017 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Max usage temperature (non food contact) Min. usage temperature Max. drying temperature 100 °C Min. pH-value in usage concentration	Net Weight	0.16 kg
Tare total0.0343 kgGross Weight0.19 kgCubic metre0.0017 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature100 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH		0.0063 kg
Gross Weight Cubic metre 0.0017 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) Max usage temperature (non food contact) 100 °C Min. usage temperature 100 °C Max. drying temperature 100 °C Min. pH-value in usage concentration 2 pH	Weight cardboard (Recycling symbol "20" PAP)	0.028 kg
Cubic metre0.0017 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Tare total	0.0343 kg
Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Gross Weight	0.19 kg
Max. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Cubic metre	0.0017 M3
Max usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Recommended sterilisation temperature (Autoclave)	121 °C
Max usage temperature (non food contact)100 °CMin. usage temperature3-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Max. cleaning temperature (Dishwasher)	93 °C
Min. usage temperature3-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Max usage temperature (food contact)	80 °C
Max. drying temperature100 °CMin. pH-value in usage concentration2 pH	Max usage temperature (non food contact)	100 °C
Min. pH-value in usage concentration 2 pH	Min. usage temperature ³	-20 °C
	Max. drying temperature	100 °C
Max. pH-value in Usage Concentration 10.5 pH	Min. pH-value in usage concentration	2 pH
	Max. pH-value in Usage Concentration	10.5 pH

Gtin-13 Number	5705025380216
GTIN-14 Number (Box quantity)	15705025380213
Customs Tariff No.	96039099
Country of origin	Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

3. Do not store the product below 0° Celsius.