

5380633

# Pipe Cleaning Brush f/handle, 2.5", Stiff, Blue



Easily clean pipes and tubes on appliances such as fish-sorting machines and meat mincers with this versatile Pipe Cleaning Brush. Can be used with any Vikan handle.

# Technical Data

Item Number	5380633
Bristle stiffness	Stiff
Visible bristle length	0.4 "
Material	Polypropylene Polyester (PBT) Stainless Steel (AISI 304)
Complies with (EC) 1935/2004 on food contact materials <sup>1</sup>	Yes
Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice	Yes
Complies with FDA Regulation I CFR 21 <sup>1</sup>	Yes
Complies with UK 2019 No. 704 on food contact materials	Yes
Meets the REACH Regulation (EC) No. 1907/2006	Yes
Complies with California Proposition 65	Yes
Complies with Halal and Kosher	Yes
PFAS, Phthalates and BPA intentionally added	No
Box Quantity	10 Pcs.
Quantity per Pallet (80 x 120 x 180-200 cm)	1440 Pcs.
Quantity Per Layer (Pallet)	160 Pcs.
Box Length	11.4 "
Box Width	7.7 "
Box Height	6.9 "
Product diameter	2.5 "
Length	5.7 "
Width	2.6 "
Net Weight	0.2646 lbs
Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE))	0.01 lbs
Weight cardboard (Recycling symbol "20" PAP)	0.03 lbs
Tare Total	0.04 lbs
Gross Weight	0.3036 lbs
Cubic Feet	0 ft <sup>3</sup>
Recommended sterilisation temperature (Autoclave)	249.8 °F
Max. cleaning temperature (Dishwasher)	199.4 °F
Max usage temperature (food contact)	176 °F
Max usage temperature (non food contact)	212 °F
Min. usage temperature	-4 °F
Max. drying temperature	212 °F
Min. pH-value in usage concentration	2 pH

<b>Max. pH-value in Usage Concentration</b>	10.5 pH
<b>GTIN-13 Number</b>	5705025380360
<b>GTIN-14 Number (Box quantity)</b>	15705025380367
<b>Customs Tariff No.</b>	96039099
<b>Country of Origin</b>	Denmark

New equipment should be cleaned, disinfected, sterilized, and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

3. Do not store the product below 32 °Fahrenheit.