5380903

Pipe Cleaning Brush f/handle, Ø90 mm, Medium, Blue







Easily clean pipes and tubes on appliances such as fish-sorting machines, with this versatile Pipe Cleaning Brush. Can be used with any Vikan handle.

## **Technical Data**

Termination   Second     Bristle stiffness   Medlum     Visible bristle length   30 mm     Material   Polypropylene Polyester Stainless Steel (AISI 30/4)     Complies with EU Regulation 2023/2006/EC of Good   Yes     Manufacturing Practice   Yes     Complies with FDA Regulation 1CFR 211   Yes     Complies with KEACH Regulation (EC) No. 1907/2006   Yes     Complies with Halal and Kosher   Yes     Box Quantity   10 Pcs.     Quantity Per Pallet (80 x 120 x 180-200 cm)   960 Pcs.     Box Length   380 mm     Box Klith   290 mm     Box Klith   290 mm     Box Length   160 mm     Width   290 mm     Box Height   175 mm     Product Diameter   90 mm     Length   160 mm     Width   90 mm     Height   0.14 kg     Weight cardboard (Recycling symbol "20" PAP)   0.0283 kg     Tare total   0.03248 kg     Gross Weight   0.17 kg     Cubic metre   0.001296 M3     Recommended sterilisation temperature (Autoclave)   121 °C <th>Item Number</th> <th>5380903</th>	Item Number	5380903
Visible bristle length   30 mm     Material   Polypropylene Polyester Stainless Steel (AISI 3004)     Complies with EU Regulation 2023/2006/EC of Good   Yes     Complies with EU Regulation 2023/2006/EC of Good   Yes     Complies with EU Regulation 2023/2006/EC of Good   Yes     Complies with EU Regulation 1CFR 211   Yes     Complies with KEACH Regulation (EC) No. 1907/2006   Yes     Complies with Halal and Kosher   Yes     Box Quantity   10 Pcs.     Quantity Per Pallet (80 x 120 x 180-200 cm)   960 Pcs.     Quantity Per Layer (Pallet)   96 Pcs.     Box Length   380 mm     Box Withth   290 mm     Box Height   175 mm     Product Diameter   90 mm     Length   90 mm     Net Weight   0.14 kg     Weight taardboard (Recycling Symbol "20" PAP)   0.0283 kg     Tare total   0.0346 kg     Gross Weight   0.17 kg     Cubic metre   0.001296 M3     Recommended sterilisation temperature (Autoclave)   121 °C     Max. cleaning temperature (Ioishwasher)   93 °C     Max usage temperature (food contact)   80 °C		
Material     Polypropylene Polyester Stainless Steel (AISI 304)       Complies with (EC) 1935/2004 on food contact materials'     Yes       Complies with EU Regulation 2023/2006/EC of Good     Yes       Complies with FDA Regulation CFR 21'     Yes       Complies with EU Regulation (EC) No. 1907/2006     Yes       Complies with REACH Regulation (EC) No. 1907/2006     Yes       Complies with Halal and Kosher     Yes       Box Quantity     10 Pcs.       Quantity per Pallet (80 x 120 x 180-200 cm)     960 Pcs.       Box Length     380 mm       Box Klidth     290 mm       Box Width     290 mm       Box Width     290 mm       Box Kleight     175 mm       Product Diameter     90 mm       Length     0.014 kg       Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)     0.0283 kg       Veight cardboard (Recycling symbol "20" PAP)     0.0283 kg       Cons& Weight     0.17 kg       Cubic metre     0.001296 M3       Recommended sterilisation temperature (Autoclave)     121 °C       Max. cleaning temperature (Dishwasher)     80 °C       May seg temperature (non		
Complies with EU Regulation 2023/2006/EC of Good Manufacturing PracticeYesComplies with FDA RegulationI CFR 211YesComplies with UK 2019 No. 704 on food contact materialsYesComplies with REACH Regulation (EC) No. 1907/2006YesComplies with Halal and KosherYesBox Quantity10 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)960 Pcs.Quantity Per Layer (Pallet)96 Pcs.Box Length380 mmBox Width290 mmBox Height175 mmProduct Diameter90 mmLength160 mmWidth90 mmLength0.14 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0063 kgGross Weight0.17 kgCubic metre0.001296 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMin. usage temperature0.00 °CMin. usage temperature100 °CMin. pl-value in usage concentration2 pH	•	Polypropylene Polyester Stainless Steel (AISI
Manufacturing Practice     Complies with FDA Regulation CFR 21'   Yes     Complies with UK 2019 No. 704 on food contact materials   Yes     Complies with REACH Regulation (EC) No. 1907/2006   Yes     Complies with Halal and Kosher   Yes     Box Quantity   10 Pcs.     Quantity per Pallet (80 x 120 x 180-200 cm)   960 Pcs.     Quantity Per Layer (Pallet)   96 Pcs.     Box Length   380 mm     Box Width   290 mm     Box Height   175 mm     Product Diameter   90 mm     Length   160 mm     Width   90 mm     Height   0.014 kg     Weight bag (Recycling Symbol "4" Low Density Polyethylene (D.0063 kg (LDPE)   0.0283 kg     Tare total   0.0346 kg     Gross Weight   0.17 kg     Cubic metre   0.001296 M3     Recommended sterillisation temperature (Autoclave)   121 °C     Max usage temperature (Dos contact)   80 °C     Max usage temperature (non food contact)   00 °C     Min. usage temperature (Mot contact)   00 °C     Min. usage temperature (food contact)   00 °C     Min. usage temperature (non	Complies with (EC) 1935/2004 on food contact materials <sup>1</sup>	Yes
Complies with UK 2019 No. 704 on food contact materialsYesComplies with REACH Regulation (EC) No. 1907/2006YesComplies with Halal and KosherYesBox Quantity10 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)960 Pcs.Quantity Per Layer (Pallet)96 Pcs.Box Length380 mmBox Width290 mmBox Height175 mmProduct Dlameter90 mmLength160 mmWidth90 mmLength0.14 kgWeight0.14 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0033 kgTare total0.001296 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax. usage temperature (non food contact)100 °CMin. usage temperature100 °CMin. usage temperature20 °CMax. drying temperature20 °CMax. drying temperature20 °CMax. dry age concentration2 pH	• •	Yes
Complies with REACH Regulation (EC) No. 1907/2006YesComplies with Halal and KosherYesBox Quantity10 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)960 PcsQuantity Per Layer (Pallet)96 Pcs.Box Length380 mmBox Width290 mmBox Height175 mmProduct Dlameter90 mmLength160 mmWidth90 mmLength0.14 kgWeight Layer (Recycling Symbol "20" PAP)0.0283 kgTare total0.0346 kgGross Weight0.17 kgCubic metre0.001296 M3Recommended sterillsation temperature (Autoclave)121 °CMax. cleaning temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature0.00 °CMin. usage concentration2 pH	Complies with FDA RegulationI CFR 21 <sup>1</sup>	Yes
Complies with Halal and KosherYesBox Quantity10 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)960 PcsQuantity Per Layer (Pallet)96 Pcs.Box Length380 mmBox Width290 mmBox Height175 mmProduct Diameter90 mmLength160 mmWidth90 mmLength0.14 kgWeight0.14 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0063 kgGross Weight0.17 kgCubic metre0.001296 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Ioishwasher)93 °CMax usage temperature (non food contact)100 °CMin. usage temperature-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Complies with UK 2019 No. 704 on food contact materials	Yes
Box Quantity10 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)960 PcsQuantity Per Layer (Pallet)96 Pcs.Box Length380 mmBox Width290 mmBox Height175 mmProduct Diameter90 mmLength160 mmWidth90 mmLength0.0 mmWeight0.14 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0063 kgGross Weight0.17 kgCubic metre0.001296 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Complies with REACH Regulation (EC) No. 1907/2006	Yes
Quantity per Pallet (80 x 120 x 180-200 cm)960 PcsQuantity Per Layer (Pallet)96 Pcs.Box Length380 mmBox Width290 mmBox Height175 mmProduct Diameter90 mmLength160 mmWidth90 mmLength0.00 mmWeight0.14 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0063 kgGross Weight0.17 kgCubic metre0.001296 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMax. drying temperature100 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Complies with Halal and Kosher	Yes
Quantity Per Layer (Pallet)96 Pcs.Box Length380 mmBox Width290 mmBox Height175 mmProduct Diameter90 mmLength160 mmWidth90 mmLength00 mmHeight90 mmNet Weight0.14 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0063 kgWeight cardboard (Recycling symbol "20" PAP)0.0283 kgTare total0.017 kgCubic metre0.001296 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)80 °CMax. usage temperature a-20 °CMax. drying temperature100 °CMin. usage concentration2 pH	Box Quantity	10 Pcs.
Box Length380 mmBox Width290 mmBox Height175 mmProduct Diameter90 mmLength160 mmWidth90 mmHeight0.00 mmNet Weight0.14 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0063 kgWeight cardboard (Recycling symbol "20" PAP)0.0283 kgTare total0.0346 kgGross Weight0.17 kgCubic metre0.001296 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Quantity per Pallet (80 x 120 x 180-200 cm)	960 Pcs
Box Width290 mmBox Height175 mmProduct Diameter90 mmLength160 mmWidth90 mmHeight90 mmNet Weight0.14 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0063 kgWeight cardboard (Recycling symbol "20" PAP)0.0283 kgTare total0.0346 kgGross Weight0.17 kgCubic metre0.001296 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMin. usage temperature100 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Quantity Per Layer (Pallet)	96 Pcs.
Box Height175 mmProduct Diameter90 mmLength160 mmWidth90 mmHeight90 mmNet Weight0.14 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0063 kgWeight cardboard (Recycling symbol "20" PAP)0.0283 kgGross Weight0.17 kgCubic metre0.001296 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)80 °CMax. usage temperature (non food contact)100 °CMin. usage temperature100 °CMin. usage temperature100 °CMin. usage concentration2 pH	Box Length	380 mm
Product Diameter90 mmLength160 mmWidth90 mmHeight90 mmNet Weight0.14 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0063 kgWeight cardboard (Recycling symbol "20" PAP)0.0283 kgTare total0.0346 kgGross Weight0.17 kgCubic metre0.001296 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMin. usage temperature100 °CMin. usage temperature100 °CMin. usage concentration2 pH	Box Width	290 mm
Length160 mmWidth90 mmHeight90 mmNet Weight0.14 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0063 kgWeight cardboard (Recycling symbol "20" PAP)0.0283 kgTare total0.0346 kgGross Weight0.17 kgCubic metre0.001296 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMin. usage temperature100 °CMin. usage temperature100 °CMin. pH-value in usage concentration2 pH	Box Height	175 mm
Vidth90 mmHeight90 mmNet Weight0.14 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0063 kgWeight cardboard (Recycling symbol "20" PAP)0.0283 kgTare total0.0346 kgGross Weight0.17 kgCubic metre0.001296 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)80 °CMax. drying temperature100 °CMin. usage concentration2 pH	Product Diameter	90 mm
Height90 mmNet Weight0.14 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0063 kgWeight cardboard (Recycling symbol "20" PAP)0.0283 kgTare total0.0346 kgGross Weight0.17 kgCubic metre0.001296 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax. usage temperature (non food contact)100 °CMin. usage temperature100 °CMin. pH-value in usage concentration2 pH	Length	160 mm
Net Weight0.14 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0063 kgWeight cardboard (Recycling symbol "20" PAP)0.0283 kgTare total0.0346 kgGross Weight0.17 kgCubic metre0.001296 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature100 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Width	90 mm
Weight bag (Recycling Symbol "4" Low Density Polyethylene0.0063 kgWeight cardboard (Recycling symbol "20" PAP)0.0283 kgTare total0.0346 kgGross Weight0.17 kgCubic metre0.001296 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature100 °CMin. usage temperature100 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Height	90 mm
(LDPE)0.0283 kgWeight cardboard (Recycling symbol "20" PAP)0.0283 kgTare total0.0346 kgGross Weight0.17 kgCubic metre0.001296 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature100 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Net Weight	0.14 kg
Tare total0.0346 kgGross Weight0.17 kgCubic metre0.001296 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature100 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH		0.0063 kg
Gross Weight0.17 kgCubic metre0.001296 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Weight cardboard (Recycling symbol "20" PAP)	0.0283 kg
Cubic metre0.001296 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Tare total	0.0346 kg
Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Gross Weight	0.17 kg
Max. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Cubic metre	0.001296 M3
Max usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Recommended sterilisation temperature (Autoclave)	121 °C
Max usage temperature (non food contact)100 °CMin. usage temperature3-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Max. cleaning temperature (Dishwasher)	93 °C
Min. usage temperature³-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Max usage temperature (food contact)	80 °C
Max. drying temperature100 °CMin. pH-value in usage concentration2 pH	Max usage temperature (non food contact)	100 °C
Min. pH-value in usage concentration2 pH	Min. usage temperature <sup>3</sup>	-20 °C
	Max. drying temperature	100 °C
Max. pH-value in Usage Concentration10.5 pH	Min. pH-value in usage concentration	2 pH
	Max. pH-value in Usage Concentration	10.5 pH

Gtin-13 Number	5705025380391
GTIN-14 Number (Box quantity)	15705025380398
Customs Tariff No.	96039099
Country of origin	Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

3. Do not store the product below  $0^{\circ}$  Celsius.