
5380904

Pipe Cleaning Brush f/handle, Ø90 mm, Medium, Red







Easily clean pipes and tubes on appliances such as fish-sorting machines, with this versatile Pipe Cleaning Brush. Can be used with any Vikan handle.

Technical Data

Bristle stiffness Medium Visible bristle length 30 mm Material Polypropylene Polyester Stainless Steel (AISI 304) Complies with (EC) 1935/2004 on food contact materials' Yes Complies with FDA Regulation 2023/2006/EC of Good Yes Manufacturing Practice Yes Complies with FDA Regulation I CFR 21' Yes Complies with FDA Regulation (EC) No. 1907/2006 Yes Complies with Halal and Kosher Yes Box Quantity 010 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 960 Pcs Box Length 380 mm Box Width 2900 mm Box Height 175 mm Product Diameter 900 mm Height 900 mm Height 000 mm Net Weight 0.114 kg Weight cardboard (Recycling symbol "20" PAP) 0.0283 kg Tare total 0.0348 kg Gross Weight 0.17 kg Cubic metre 0.0001296 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Ioishwasher) 93 °C Max usage temperature (food contact) 100 °C Max. usage temperature (food contact) 100 °C Max. usage temperature (food contact) 20 °C Max. cleaning temperature (Ioishwasher) 20 °C Max. usage temperature (Ioishwasher) 20 °C Max. Hynalue in usage Concentration 2 pH	Item Number	5380904
Visible bristle length 30 mm Material Polypropylene Polyester Stainless Steel (AISI 3004) Complies with (EC) 1935/2004 on food contact materials* Yes Complies with EU Regulation 2023/2006/EC of Good Yes Complies with FDA Regulation 1CFR 21* Yes Complies with KEACH Regulation (EC) No. 1907/2006 Yes Complies with Halal and Kosher Yes Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 960 Pcs. Quantity Per Layer (Pallet) 96 Pcs. Box Length 380 mm Box Vidth 290 mm Box Vidth 290 mm Box Height 115 mm Product Diameter 90 mm Length 160 mm Weight bag (Recycling Symbol "4" Low Density Polyethylene 0.0063 kg (LDPE) 0.01283 kg Tare total 0.017 kg Cubic metre 0.001296 M3 Recommended sterilisation temperature (Autoclave) 121 *C Max. cleaning temperature (Ios contact) 80 °C Max usage temperature (food contact) 80 °C Max. drying temperature -20 °C		
Material Polypropylene Polyester Stainless Steel (AISI 304) Complies with (EC) 1935/2004 on food contact materials' Yes Complies with EU Regulation 2023/2006/EC of Good Yes Complies with FDA Regulation 1 CFR 21' Yes Complies with ED Regulation (EC) No. 1907/2006 Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with Halal and Kosher Yes Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 960 Pcs. Box Length 380 mm Box Kleight 175 mm Product Diameter 90 mm Box Kleight 0.175 mm Product Diameter 90 mm Length 0.0283 kg Weight cardboard (Recycling symbol "20" PAP) 0.0283 kg Cross Weight 0.17 kg Cubic metre 0.001296 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 80 °C Max usage temperature (non food contact) 80 °C Might bag (Recycling symbol "4" Low Density Polyethylene 0.01286 kg		
Complies with EU Regulation 2023/2006/EC of Good Manufacturing PracticeYesComplies with FDA RegulationI CFR 211YesComplies with UK 2019 No. 704 on food contact materialsYesComplies with REACH Regulation (EC) No. 1907/2006YesComplies with Halal and KosherYesBox Quantity10 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)960 Pcs.Quantity Per Layer (Pallet)96 Pcs.Box Length380 mmBox Width290 mmBox Height175 mmProduct Diameter90 mmLength160 mmWidth90 mmLength0.14 kgWeight0.14 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.00283 kgGross Weight0.17 kgCubic metre0.001296 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMin. usage temperature0.00 °CMin. usage temperature100 °CMin. usage temperature100 °CMin. pl-value in usage concentration2 pH	•	Polypropylene Polyester Stainless Steel (AISI
Manufacturing Practice Complies with FDA RegulationI CFR 21' Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with Halal and Kosher Yes Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 960 Pcs Quantity Per Layer (Pallet) 96 Pcs. Box Length 380 mm Box Width 290 mm Box Height 175 mm Product Diameter 90 mm Length 160 mm Width 90 mm Height 0.14 kg Weight cardboard (Recycling Symbol "20" PAP) 0.0283 kg Tare total 0.0346 kg Gross Weight 0.17 kg Cubic metre 0.001296 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 00 °C Min. usage temperature -20 °C Max. drying temperature 00 °C	Complies with (EC) 1935/2004 on food contact materials ¹	Yes
Complies with UK 2019 No. 704 on food contact materialsYesComplies with REACH Regulation (EC) No. 1907/2006YesComplies with Halal and KosherYesBox Quantity10 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)960 Pcs.Quantity Per Layer (Pallet)96 Pcs.Box Length380 mmBox Width290 mmBox Height175 mmProduct Diameter90 mmLength160 mmWidth90 mmLength0.14 kgWeight0.14 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0033 kgTare total0.001296 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (food contact)80 °CMax usage temperature (food contact)80 °CMax. usage temperature0.00 °CMin. usage temperature100 °CMin. usage concentration2 pH		Yes
Complies with REACH Regulation (EC) No. 1907/2006YesComplies with Halal and KosherYesBox Quantity10 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)960 PcsQuantity Per Layer (Pallet)96 Pcs.Box Length380 mmBox Width290 mmBox Height175 mmProduct Dlameter90 mmLength160 mmWidth90 mmLength0.14 kgWeight tag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0063 kgWeight cardboard (Recycling symbol "20" PAP)0.0283 kgTare total0.001296 M3Recommended sterillsation temperature (Autoclave)121 °CMax. cleaning temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature-20 °CMax. drying temperature-20 °CMax. drying temperature2 pH	Complies with FDA RegulationI CFR 21 ¹	Yes
Complies with Halal and KosherYesBox Quantity10 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)960 PcsQuantity Per Layer (Pallet)96 Pcs.Box Length380 mmBox Width290 mmBox Height175 mmProduct Diameter90 mmLength160 mmWidth90 mmLength0.14 kgWeight0.14 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0063 kgGross Weight0.17 kgCubic metre0.001296 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Complies with UK 2019 No. 704 on food contact materials	Yes
Box Quantity10 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)960 PcsQuantity Per Layer (Pallet)96 Pcs.Box Length380 mmBox Width290 mmBox Height175 mmProduct Diameter90 mmLength160 mmWidth90 mmLength0.0 mmWeight0.14 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0063 kgGross Weight0.17 kgCubic metre0.001296 M3Recommended sterilisation temperature (Autoclave)121 °CMax. usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Complies with REACH Regulation (EC) No. 1907/2006	Yes
Quantity per Pallet (80 x 120 x 180-200 cm)960 PcsQuantity Per Layer (Pallet)96 Pcs.Box Length380 mmBox Width290 mmBox Height175 mmProduct Diameter90 mmLength160 mmWidth90 mmLength0.00 mmWeight0.14 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0063 kgGross Weight0.17 kgCubic metre0.001296 M3Recommended sterilisation temperature (Autoclave)121 °CMax. usage temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMax. drying temperature100 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Complies with Halal and Kosher	Yes
Quantity Per Layer (Pallet) 96 Pcs. Box Length 380 mm Box Width 290 mm Box Height 175 mm Product Diameter 90 mm Length 160 mm Width 90 mm Length 160 mm Width 90 mm Length 0.00 mm Weight 0.14 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0063 kg Weight cardboard (Recycling symbol "20" PAP) 0.0283 kg Tare total 0.0346 kg Gross Weight 0.17 kg Cubic metre 0.001296 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max. usage temperature (non food contact) 100 °C Min. usage temperature3 -20 °C Max. drying temperature 100 °C Min. pH-value in usage concentration 2 pH	Box Quantity	10 Pcs.
Box Length380 mmBox Width290 mmBox Height175 mmProduct Diameter90 mmLength160 mmWidth90 mmHeight0.00 mmNet Weight0.14 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0063 kgWeight cardboard (Recycling symbol "20" PAP)0.0283 kgTare total0.0346 kgGross Weight0.17 kgCubic metre0.001296 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Quantity per Pallet (80 x 120 x 180-200 cm)	960 Pcs
Box Width290 mmBox Height175 mmProduct Diameter90 mmLength160 mmWidth90 mmHeight90 mmNet Weight0.14 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0063 kgWeight cardboard (Recycling symbol "20" PAP)0.0283 kgTare total0.0346 kgGross Weight0.17 kgCubic metre0.001296 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature100 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Quantity Per Layer (Pallet)	96 Pcs.
Box Height175 mmProduct Diameter90 mmLength160 mmWidth90 mmHeight90 mmNet Weight0.14 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0063 kgWeight cardboard (Recycling symbol "20" PAP)0.0283 kgTare total0.017 kgCubic metre0.001296 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (Dishwasher)93 °CMax usage temperature (non food contact)80 °CMax usage temperature a-20 °CMax. drying temperature100 °CMin. usage concentration2 pH	Box Length	380 mm
Product Diameter90 mmLength160 mmWidth90 mmHeight90 mmNet Weight0.14 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0063 kgWeight cardboard (Recycling symbol "20" PAP)0.0283 kgTare total0.0346 kgGross Weight0.17 kgCubic metre0.001296 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMin. usage temperature100 °CMin. usage temperature100 °CMin. usage concentration2 pH	Box Width	290 mm
Length160 mmWidth90 mmHeight90 mmNet Weight0.14 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0063 kgWeight cardboard (Recycling symbol "20" PAP)0.0283 kgTare total0.0346 kgGross Weight0.17 kgCubic metre0.001296 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMin. usage temperatures-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Box Height	175 mm
Vidth90 mmHeight90 mmNet Weight0.14 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0063 kgWeight cardboard (Recycling symbol "20" PAP)0.0283 kgTare total0.0346 kgGross Weight0.17 kgCubic metre0.001296 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)80 °CMin. usage temperature3-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Product Diameter	90 mm
Height90 mmNet Weight0.14 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0063 kgWeight cardboard (Recycling symbol "20" PAP)0.0283 kgTare total0.0346 kgGross Weight0.17 kgCubic metre0.001296 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature100 °CMin. pH-value in usage concentration2 pH	Length	160 mm
Net Weight0.14 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0063 kgWeight cardboard (Recycling symbol "20" PAP)0.0283 kgTare total0.0346 kgGross Weight0.17 kgCubic metre0.001296 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax. usage temperature (non food contact)100 °CMin. usage temperature100 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Width	90 mm
Weight bag (Recycling Symbol "4" Low Density Polyethylene0.0063 kgWeight cardboard (Recycling symbol "20" PAP)0.0283 kgTare total0.0346 kgGross Weight0.17 kgCubic metre0.001296 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature100 °CMin. usage temperature100 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Height	90 mm
(LDPE)0.0283 kgWeight cardboard (Recycling symbol "20" PAP)0.0283 kgTare total0.0346 kgGross Weight0.17 kgCubic metre0.001296 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Net Weight	0.14 kg
Tare total0.0346 kgGross Weight0.17 kgCubic metre0.001296 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature100 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH		0.0063 kg
Gross Weight0.17 kgCubic metre0.001296 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Weight cardboard (Recycling symbol "20" PAP)	0.0283 kg
Cubic metre0.001296 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Tare total	0.0346 kg
Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Gross Weight	0.17 kg
Max. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Cubic metre	0.001296 M3
Max usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Recommended sterilisation temperature (Autoclave)	121 °C
Max usage temperature (non food contact)100 °CMin. usage temperature3-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Max. cleaning temperature (Dishwasher)	93 °C
Min. usage temperature³-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Max usage temperature (food contact)	80 °C
Max. drying temperature100 °CMin. pH-value in usage concentration2 pH	Max usage temperature (non food contact)	100 °C
Min. pH-value in usage concentration2 pH	Min. usage temperature ³	-20 °C
	Max. drying temperature	100 °C
Max. pH-value in Usage Concentration10.5 pH	Min. pH-value in usage concentration	2 pH
	Max. pH-value in Usage Concentration	10.5 pH

Gtin-13 Number	5705025380490
GTIN-14 Number (Box quantity)	15705025380497
Customs Tariff No.	96039099
Country of origin	Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

3. Do not store the product below 0° Celsius.