5381903

Pipe Brush w/handle, one piece, 430 mm, Medium/hard, Blue







Effectively remove stubborn dirt and food deposits from pipework with this robust, one-piece Pipe Brush. With no joint between the handle and brush head and extrastiff filaments, this brush delivers excellent cleaning results.

Technical Data

Bristle stiffness Medium/hard Visible bristle length 32 mm Material Polypropylene Polyester Stainless Steel (AISI 3004) Complies with (EC) 1935/2004 on food contact materials' Yes Complies with FDA Regulation 2023/2006/EC of Good Yes Complies with FDA Regulation 1CFR 21' Yes Complies with KEACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Alal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Box Quantity 15 Fcs. Quantity Per Pallet (80 x 120 x 180-200 cm) 540 Pcs Box Length 600 Pms Box Vidth 295 mm Box Vidth 295 mm Box Width 90 mm Length 000 mm Product Diameter 90 mm Leight 0.177 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LOPE) 0.00215 kg Weight bag (Recycling Symbol "20" PAP) 0.0215 kg Tare total 0.03 kg 0.03483 M3 Recommended sterilisation temperat	Item Number	5381903
Visible bristle length 32 mm Material Polypropylene Polyester Stainless Steel (AISI 3004) Complies with (EC) 1935/2004 on food contact materials1 Yes Complies with EU Regulation 2023/2006/EC of Good Yes Complies with EU Regulation 2023/2006/EC of Good Yes Complies with KEACH Regulation ICFR 211 Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes Complies with Halal and Kosher Yes Quantity 15 Pcs. Quantity Per Pallet (80 x 120 x 180-200 cm) 540 Pcs. Box Length 600 pms Box Length 600 pms Box Width 295 mm Box Width 295 mm Box Height 0.01 mk Product Diameter 90 mm Height 0.017 kg Weight bag (Recycling symbol "20" PAP) 0.0215 kg Tare total 0.033 kg Gross Weight 0.2 kg Cubic metre 0.003483 M3 Recommended sterilisation temperature (Autoclave) 121 °C M		
Material Polypropylene Polyester Stainless Steel (AISI 304) Complies with (EC) 1935/2004 on food contact materials' Yes Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes Complies with FDA Regulation 1CFR 21' Yes Complies with K2019 No. 704 on food contact materials Yes Complies with California Proposition 65 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Box Quantity 15 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 600 Pcs. Box Length 600 mm Box Keight 210 mm Product Diameter 90 mm Length 430 mm Weight 0.17 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0085 kg Weight cardboard (Recycling symbol "20" PAP) 0.0216 kg Gross Weight 0.2 kg Cubic metre 0.003483 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (food contact)		
Complies with EU Regulation 2023/2006/EC of Good Manufacturing PracticeYesComplies with FDA Regulation I CFR 211YesComplies with WK 2019 No. 704 on food contact materialsYesComplies with REACH Regulation (EC) No. 1907/2006YesComplies with California Proposition 65YesComplies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoBox Quantity15 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)540 PcsQuantity Per Layer (Pallet)60 Pcs.Box Length600 nmBox Width295 nmBox Height210 nmProduct Diameter90 nmHeight00 nmNet Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0085 kgWeight cardboard (Recycling symbol "20" PAP)0.0215 kgTare total0.03 kgGross Weight0.2 kgCubic metre0.003483 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMin. usage temperature (non food contact)100 °CMin. usage temperature (non food contact)100 °CMin. usage temperature *-20 °C	•	Polypropylene Polyester Stainless Steel (AISI
Manufacturing Practice Complies with FDA RegulationI CFR 21' Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Box Quantity 15 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 540 Pcs Quantity Per Layer (Pallet) 600 Pcs. Box Length 600 mm Box Vidth 295 mm Box Height 210 mm Product Diameter 90 mm Length 430 mm Width 90 mm Height 0.17 kg Weight cardboard (Recycling Symbol "20" PAP) 0.0215 kg Tare total 0.03 kg Gross Weight 0.2 kg Cubic metre 0.03483 M3 Recommended sterillisation temperature (Autoclave) 121 °C Max usage temperature (Iosh contact) 80 °C Max usage temperature (non food contact) 80 °C	Complies with (EC) 1935/2004 on food contact materials ¹	Yes
Complies with UK 2019 No. 704 on food contact materialsYesComplies with REACH Regulation (EC) No. 1907/2006YesComplies with California Proposition 65YesComplies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoBox Quantity15 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)540 PcsQuantity Per Layer (Pallet)60 Pcs.Box Length600 mmBox Width295 mmBox Height210 mmProduct Diameter90 mmLength430 mmWidth90 mmLength0.0285 kg(LDPE)0.0215 kgTare total0.03 kgGross Weight0.2 kgCubic metre0.003483 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (Dishwasher)93 °CMax usage temperature (non food contact)00 °CMin. usage temperature ⁶ -20 °C		Yes
Complies with REACH Regulation (EC) No. 1907/2006YesComplies with California Proposition 65YesComplies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoBox Quantity15 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)540 PcsQuantity Per Layer (Pallet)60 Pcs.Box Length600 mmBox Width295 mmBox Height210 mmProduct Diameter90 mmLength430 mmWidth90 mmHeight0.17 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0085 kgCubic metre0.003483 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (fod contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Complies with FDA RegulationI CFR 21 ¹	Yes
Complies with California Proposition 65YesComplies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoBox Quantity15 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)540 Pcs.Quantity Per Layer (Pallet)60 Pcs.Box Length600 mmBox Width295 mmBox Height210 mmProduct Diameter90 mmLength430 mmWidth90 mmLength0.17 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0085 kgCubic metre0.003483 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Complies with UK 2019 No. 704 on food contact materials	Yes
Complies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoBox Quantity15 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)540 Pcs.Quantity Per Layer (Pallet)60 Pcs.Box Length600 mmBox Width295 mmBox Height210 mmProduct Diameter90 mmLength430 mmWidth90 mmLength0.17 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0085 kgCubic metre0.003483 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (food contact)80 °CMax usage temperatures-20 °CWin usage temperatures-20 °C	Complies with REACH Regulation (EC) No. 1907/2006	Yes
PFAS, Phthalates and BPA intentionally added No Box Quantity 15 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 540 Pcs Quantity Per Layer (Pallet) 60 Pcs. Box Length 600 mm Box Width 295 mm Box Height 210 mm Product Diameter 90 mm Length 430 mm Width 90 mm Height 0.017 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0215 kg Tare total 0.03 kg Gross Weight 0.2 kg Cubic metre 0.003483 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 80 °C Max usage temperature a -20 °C	Complies with California Proposition 65	Yes
Box Quantity15 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)540 PcsQuantity Per Layer (Pallet)60 Pcs.Box Length600 mmBox Width295 mmBox Height210 mmProduct Diameter90 mmLength430 mmWidth90 mmHeight0.17 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0215 kgTare total0.03 kgGross Weight0.2 kgCubic metre0.003483 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (food contact)80 °CMax usage temperature³-20 °C	Complies with Halal and Kosher	Yes
Quantity per Pallet (80 x 120 x 180-200 cm)540 PcsQuantity Per Layer (Pallet)60 Pcs.Box Length600 mmBox Width295 mmBox Height210 mmProduct Diameter90 mmLength430 mmWidth90 mmHeight00 mmHeight90 mmNet Weight0.17 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0085 kgWeight cardboard (Recycling symbol "20" PAP)0.0215 kgTare total0.03 kgGross Weight0.2 kgCubic metre0.003483 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperatures-20 °C	PFAS, Phthalates and BPA intentionally added	No
Quantity Per Layer (Pallet)60 Pcs.Box Length600 mmBox Width295 mmBox Height210 mmProduct Diameter90 mmLength430 mmWidth90 mmHeight90 mmNet Weight0.17 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0085 kgWeight cardboard (Recycling symbol "20" PAP)0.0215 kgTare total0.03 kgGross Weight0.2 kgCubic metre0.003483 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °C	Box Quantity	15 Pcs.
Box Length600 mmBox Width295 mmBox Height210 mmProduct Diameter90 mmLength430 mmWidth90 mmHeight90 mmNet Weight0.17 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0085 kgWeight cardboard (Recycling symbol "20" PAP)0.0215 kgTare total0.03 kgGross Weight0.2 kgCubic metre0.003483 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)80 °CMin. usage temperature a-20 °C	Quantity per Pallet (80 x 120 x 180-200 cm)	540 Pcs
Box Width295 mmBox Height210 mmProduct Diameter90 mmLength430 mmWidth90 mmHeight90 mmNet Weight0.17 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0085 kgWeight cardboard (Recycling symbol "20" PAP)0.0215 kgTare total0.03 kgGross Weight0.2 kgCubic metre0.003483 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)80 °CMin. usage temperature3-20 °C	Quantity Per Layer (Pallet)	60 Pcs.
Box Height210 mmProduct Diameter90 mmLength430 mmWidth90 mmHeight90 mmNet Weight0.17 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0085 kgWeight cardboard (Recycling symbol "20" PAP)0.0215 kgTare total0.03 kgGross Weight0.2 kgCubic metre0.003483 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMin. usage temperature a-20 °C	Box Length	600 mm
Product Diameter90 mmLength430 mmWidth90 mmHeight90 mmNet Weight0.17 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0085 kgWeight cardboard (Recycling symbol "20" PAP)0.0215 kgTare total0.03 kgGross Weight0.2 kgCubic metre0.003483 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °C	Box Width	295 mm
Length430 mmWidth90 mmHeight90 mmNet Weight0.17 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0085 kgWeight cardboard (Recycling symbol "20" PAP)0.0215 kgTare total0.03 kgGross Weight0.2 kgCubic metre0.003483 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMin. usage temperature (non food contact)100 °CMin. usage temperature3-20 °C	Box Height	210 mm
Width90 mmHeight90 mmNet Weight0.17 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0085 kgWeight cardboard (Recycling symbol "20" PAP)0.0215 kgTare total0.03 kgGross Weight0.2 kgCubic metre0.003483 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °C	Product Diameter	90 mm
Height90 mmNet Weight0.17 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0085 kgWeight cardboard (Recycling symbol "20" PAP)0.0215 kgTare total0.03 kgGross Weight0.2 kgCubic metre0.003483 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMin. usage temperature3-20 °C	Length	430 mm
Net Weight0.17 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0085 kgWeight cardboard (Recycling symbol "20" PAP)0.0215 kgTare total0.03 kgGross Weight0.2 kgCubic metre0.003483 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °C	Width	90 mm
Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0085 kgWeight cardboard (Recycling symbol "20" PAP)0.0215 kgTare total0.03 kgGross Weight0.2 kgCubic metre0.003483 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °C	Height	90 mm
(LDPE)0.0215 kgWeight cardboard (Recycling symbol "20" PAP)0.0215 kgTare total0.03 kgGross Weight0.2 kgCubic metre0.003483 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °C	Net Weight	0.17 kg
Tare total0.03 kgGross Weight0.2 kgCubic metre0.003483 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C		0.0085 kg
Gross Weight0.2 kgCubic metre0.003483 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Weight cardboard (Recycling symbol "20" PAP)	0.0215 kg
Cubic metre0.003483 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Tare total	0.03 kg
Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Gross Weight	0.2 kg
Max. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Cubic metre	0.003483 M3
Max usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Recommended sterilisation temperature (Autoclave)	121 °C
Max usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Max. cleaning temperature (Dishwasher)	93 °C
Min. usage temperature³-20 °C	Max usage temperature (food contact)	80 °C
	Max usage temperature (non food contact)	100 °C
Max. drying temperature100 °C	Min. usage temperature ³	-20 °C
	Max. drying temperature	100 °C

Min. pH-value in usage concentration	2 pH
Max. pH-value in Usage Concentration	10.5 pH
Gtin-13 Number	5705022000971
GTIN-14 Number (Box quantity)	15705028000989
Customs Tariff No.	96039099
Country of origin	Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

1. See Declaration of Compliance for further details on food contact

3. Do not store the product below 0° Celsius.