5381905

Pipe Brush w/handle, one piece, 430 mm, Medium/hard, White







Effectively remove stubborn dirt and food deposits from pipework with this robust, one-piece Pipe Brush. With no joint between the handle and brush head and extrastiff filaments, this brush delivers excellent cleaning results.

Technical Data

Biristie stiffness Medium/hard Visible bristle length 32 mm Material Polypropylene Polyester (PBT) Stainless Steel (AISI 304) Complies with (EC) 1935/2004 on food contact materials' Yes Complies with FDA Regulation 2023/2006/EC of Good Yes Complies with TDA Regulation 2023/2006/EC of Good Yes Complies with TDA Regulation (EC) No. 1907/2006 Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with Alal and Kosher Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Box Quantity 15 Pcs. Quantity Per Pallet (80 x 120 x 180-200 cm) 540 Pcs. Box Length 600 mm Box Witth 295 mm Box Length 90 mm Length 430 mm Width 90 mm Length 0.017 kg Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.0085 kg Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.003483 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (Dishwasher) 93 °C	Item Number	5381905
Visible bristie length 32 mm Material Polypropylene Polyester (PET) Stainless Steel (AISI 304) Complies with (EC) 1935/2004 on food contact materials' Yes Complies with EU Regulation 2023/2006/EC of Good Yes Complies with FDA Regulation 1 CFR 21' Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes Outlity 15 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 540 Pcs. Box Length 600 nm Box Length 600 nm Box Height 210 nm Product Diameter 90 mm Length 430 mm Width 90 mm Length 0.17 kg Weight 0.17 kg Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.0085 kg Weight cardboard (Recycling symbol "20" PAP) 0.2215 kg Tare total 0.03 kg Gross Weight 0.2 kg Cubic metre 0.003483 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temp		
Material Polypropylene Polyester (PET) Stainless Steel (AISI 304) Complies with (EC) 1935/2004 on food contact materials ¹ Yes Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes Complies with FDA Regulation 1CFR 21 ¹ Yes Complies with RLX Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Box Quantity 15 Pcs. Quantity per Pallet (80 × 120 x 180-200 cm) 540 Pcs. Quantity Per Layer (Pallet) 600 rms Box Vidth 295 mm Box Height 210 mm Product Diameter 90 mm Length 430 mm Weight 0.17 kg Weight Cardboard (Recycling Symbol "4") LDPE ≥ PCR 30% 0.008458 kg Weight Cardboard (Recycling Symbol "20" PAP) 0.0215 kg Tare total 0.03 kg 0.2 kg Complic contact 80 °C Max cleaning temperature (Dishwasher) 93 °C Max usage temperature (non food contact		
Complies with EU Regulation 2023/2006/EC of Good Manufacturing PracticeYesComplies with FDA Regulation CFR 211YesComplies with WX 2019 No. 704 on food contact materialsYesComplies with REACH Regulation (EC) No. 1907/2006YesComplies with REACH Regulation (EC) No. 1907/2006YesComplies with Halal and KosherYesPFAS, Phthalates and BPA Intentionally addedNoBox Quantity15 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)540 PcsQuantity Per Layer (Pallet)60 Pcs.Box Length600 mmBox Kidth295 mmBox Height210 mmProduct Diameter90 mmLength0.17 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0085 kgWeight cardboard (Recycling symbol "20" PAP)0.215 kgTare total0.03 kgGross Weight0.2 kgCubic metre0.003483 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMax. drying temperature-20 °CMax. drying temperature100 °C	•	Polypropylene Polyester (PBT) Stainless Steel
Manufacturing Practice Complies with FDA Regulation ICFR 21' Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Box Quantity 15 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 540 Pcs. Quantity Per Layer (Pallet) 60 Pcs. Box Length 600 nm Box Vidth 295 nm Box Height 210 nm Product Diameter 90 nm Length 90 nm Height 91 nm No 90 nm Keight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.0085 kg Weight cardboard (Recycling symbol "20" PAP) 0.0215 kg Tare total 0.03 kg Gross Weight 0.2 kg Cubic metre 0.03483 M3 Recommended sterillisation temperature (Autoclave) 121 °C Max usage temperature (Iosh contact) 80 °C Max usage temperature (non food contact)	Complies with (EC) 1935/2004 on food contact materials ¹	Yes
Complies with UK 2019 No. 704 on food contact materialsYesComplies with REACH Regulation (EC) No. 1907/2006YesComplies with California Proposition 65YesComplies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoBox Quantity15 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)540 Pcs.Guantity Per Layer (Pallet)60 Pcs.Box Length600 mmBox Width295 mmBox Height210 mmProduct Diameter90 mmLength430 mmWidth90 mmHeight0.17 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0085 kgWeight cardboard (Recycling symbol "20" PAP)0.215 kgTare total0.23 kgCubic metre0.003483 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (Ios contact)80 °CMax usage temperature (non food contact)100 °CMax. drying temperature-20		Yes
Complies with REACH Regulation (EC) No. 1907/2006YesComplies with California Proposition 65YesComplies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoBox Quantity15 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)540 Pcs.Quantity Per Layer (Pallet)60 Pcs.Box Length600 mmBox Width295 mmBox Height210 mmProduct Diameter90 mmLength430 mmWidth90 mmLength0.17 kgWeight dag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0085 kgWeight cardboard (Recycling symbol "20" PAP)0.21 kgTare total0.034 kgGross Weight0.2 kgCubic metre0.003483 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (food contact)80 °CMax. usage temperature (non food contact)100 °CMax. drying temperature-20 °CMax. drying temperature-20 °CMax. drying temperature100 °C	Complies with FDA RegulationI CFR 21 ¹	Yes
Complies with California Proposition 65YesComplies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoBox Quantity15 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)540 PcsQuantity Per Layer (Pallet)60 Pcs.Box Length600 mmBox Width295 mmBox Height210 mmProduct Diameter90 mmLength430 mmWidth90 mmHeight0.17 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0085 kgWeight cardboard (Recycling symbol "20" PAP)0.215 kgTare total0.03 kgGross Weight0.2 kgCubic metre0.003483 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (Ioshwasher)93 °CMax usage temperature (non food contact)100 °CMax. drying temperature100 °CMax. drying temperature100 °C	Complies with UK 2019 No. 704 on food contact materials	Yes
Complies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoBox Quantity15 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)540 PcsQuantity Per Layer (Pallet)60 Pcs.Box Length600 mmBox Width295 mmBox Height210 mmProduct Diameter90 mmLength430 mmWidth90 mmHeight0.17 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0085 kgWeight cardboard (Recycling symbol "20" PAP)0.215 kgTare total0.03 kgGross Weight0.2 kgCubic metre0.003483 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMax. drying temperature-20 °CMax. drying temperature100 °C	Complies with REACH Regulation (EC) No. 1907/2006	Yes
PFAS, Phthalates and BPA intentionally added No Box Quantity 15 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 540 Pcs Quantity Per Layer (Pallet) 60 Pcs. Box Length 600 mm Box Width 295 mm Box Height 210 mm Product Diameter 90 mm Length 430 mm Width 90 mm Net Weight 0.17 kg Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.0085 kg Weight cardboard (Recycling symbol "20" PAP) 0.0215 kg Tare total 0.03 kg Gross Weight 0.2 kg Cubic metre 0.003483 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 3 -20 °C Max. drying temperature 100 °C	Complies with California Proposition 65	Yes
Box Quantity15 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)540 PcsQuantity Per Layer (Pallet)60 Pcs.Box Length600 mmBox Width295 mmBox Height210 mmProduct Diameter90 mmLength430 mmWidth90 mmLength0.17 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0085 kgWeight cardboard (Recycling symbol "20" PAP)0.215 kgTare total0.03 kgGross Weight0.2 kgCubic metre0.003483 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (food contact)80 °CMax usage temperature (food contact)100 °CMax. drying temperature100 °CMax. drying temperature100 °C	Complies with Halal and Kosher	Yes
Quantity per Pallet (80 x 120 x 180-200 cm)540 PcsQuantity Per Layer (Pallet)60 Pcs.Box Length600 mmBox Width295 mmBox Height210 mmProduct Diameter90 mmLength430 mmWidth90 mmLength0.0 mmWidth90 mmNet Weight0.17 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0085 kgWeight cardboard (Recycling symbol "20" PAP)0.0215 kgTare total0.03 kgGross Weight0.2 kgCubic metre0.003483 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °CMax. drying temperature100 °C	PFAS, Phthalates and BPA intentionally added	No
Quantity Per Layer (Pallet)60 Pcs.Box Length600 mmBox Width295 mmBox Height210 mmProduct Diameter90 mmLength430 mmWidth90 mmHeight00 mmNet Weight0.17 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0085 kgWeight cardboard (Recycling symbol "20" PAP)0.0215 kgTare total0.03 kgGross Weight0.2 kgCubic cmetre0.003483 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMax. drying temperature100 °C	Box Quantity	15 Pcs.
Box Length600 mmBox Width295 mmBox Height210 mmProduct Diameter90 mmLength430 mmWidth90 mmHeight90 mmNet Weight0.17 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0085 kgWeight cardboard (Recycling symbol "20" PAP)0.0215 kgTare total0.03 kgGross Weight0.2 kgCubic metre0.003483 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °CMax. drying temperature100 °C	Quantity per Pallet (80 x 120 x 180-200 cm)	540 Pcs
Box Width295 mmBox Height210 mmProduct Diameter90 mmLength430 mmWidth90 mmHeight90 mmNet Weight0.17 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0085 kgWeight cardboard (Recycling symbol "20" PAP)0.0215 kgTare total0.03 kgGross Weight0.2 kgCubic metre0.003483 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMin. usage temperature3-20 °CMax. drying temperature100 °C	Quantity Per Layer (Pallet)	60 Pcs.
Box Height210 mmProduct Diameter90 mmLength430 mmWidth90 mmHeight90 mmNet Weight0.17 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0085 kgWeight cardboard (Recycling symbol "20" PAP)0.0215 kgTare total0.03 kgGross Weight0.2 kgCubic metre0.003483 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °CMax. drying temperature100 °C	Box Length	600 mm
Product Diameter90 mmLength430 mmWidth90 mmHeight90 mmHeight90 mmNet Weight0.17 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0085 kgWeight cardboard (Recycling symbol "20" PAP)0.0215 kgTare total0.03 kgGross Weight0.2 kgCubic metre0.003483 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °CMax. drying temperature100 °C	Box Width	295 mm
Length430 mmWidth90 mmHeight90 mmNet Weight0.17 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0085 kgWeight cardboard (Recycling symbol "20" PAP)0.0215 kgTare total0.03 kgGross Weight0.2 kgCubic metre0.003483 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °CMax. drying temperature100 °C	Box Height	210 mm
Width90 mmHeight90 mmNet Weight0.17 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0085 kgWeight cardboard (Recycling symbol "20" PAP)0.0215 kgTare total0.03 kgGross Weight0.2 kgCubic metre0.003483 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)80 °CMin. usage temperature3-20 °CMax. drying temperature100 °C	Product Diameter	90 mm
Height90 mmNet Weight0.17 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0085 kgWeight cardboard (Recycling symbol "20" PAP)0.0215 kgTare total0.03 kgGross Weight0.2 kgCubic metre0.003483 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature100 °CMax. drying temperature100 °C	Length	430 mm
Net Weight 0.17 kg Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.0085 kg Weight cardboard (Recycling symbol "20" PAP) 0.0215 kg Tare total 0.03 kg Gross Weight 0.2 kg Cubic metre 0.003483 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Min. usage temperature a -20 °C Max. drying temperature 100 °C	Width	90 mm
Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0085 kgWeight cardboard (Recycling symbol "20" PAP)0.0215 kgTare total0.03 kgGross Weight0.2 kgCubic metre0.003483 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax. usage temperature (non food contact)100 °CMin. usage temperature3-20 °CMax. drying temperature100 °C	Height	90 mm
Weight cardboard (Recycling symbol "20" PAP)0.0215 kgTare total0.03 kgGross Weight0.2 kgCubic metre0.003483 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °CMax. drying temperature100 °C	Net Weight	0.17 kg
Tare total0.03 kgGross Weight0.2 kgCubic metre0.003483 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °C	Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30%	0.0085 kg
Gross Weight0.2 kgCubic metre0.003483 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °C	Weight cardboard (Recycling symbol "20" PAP)	0.0215 kg
Cubic metre0.003483 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °C	Tare total	0.03 kg
Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °C	Gross Weight	0.2 kg
Max. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °C	Cubic metre	0.003483 M3
Max usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °C	Recommended sterilisation temperature (Autoclave)	121 °C
Max usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °C	Max. cleaning temperature (Dishwasher)	93 °C
Min. usage temperature³-20 °CMax. drying temperature100 °C	Max usage temperature (food contact)	80 °C
Max. drying temperature100 °C	Max usage temperature (non food contact)	100 °C
	Min. usage temperature ³	-20 °C
Min. pH-value in usage concentration2 pH	Max. drying temperature	100 °C
	Min. pH-value in usage concentration	2 pH

Max. pH-value in Usage Concentration	10.5 pH
GTIN-13 Number	5705022001015
GTIN-14 Number (Box quantity)	15705028001023
Customs Tariff No.	96039099
Country of origin	Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

1. See Declaration of Compliance for further details on food contact

3. Do not store the product below 0° Celsius.