5551302 UST Detail Brush, 30 mm, Soft, Green







The UST Detail Brush is designed for detail cleaning in dry environments where soft bristles are useful and hygiene is critical, such as when allergens are a risk. Also useful as a pastry or glazing brush in food handling applications, this brush delivers all the advanced benefits of Vikan's other Ultra Safe Technology (UST) cleaning tools.

## **Technical Data**

| Item Number  | 5551302  |
|--|--|
| Bristle stiffness  | Soft   |
| Visible bristle length   | 57 mm  |
| Material   | Polypropylene Polyester  |
| Recycling Symbol "7", Miscellaneous Plastics                               | Yes  |
| Complies with (EC) 1935/2004 on food contact materials <sup>1</sup>        | Yes  |
| Complies with EU Regulation 2023/2006/EC of Good<br>Manufacturing Practice | Yes  |
| Complies with FDA RegulationI CFR 21 <sup>1</sup>                          | Yes  |
| Complies with UK 2019 No. 704 on food contact materials                    | Yes  |
| Complies with REACH Regulation (EC) No. 1907/2006                          | Yes  |
| Complies with California Proposition 65                                    | Yes  |
| Complies with Halal and Kosher   | Yes  |
| PFAS, Phthalates and BPA intentionally added                               | No   |
| Design Registration No.  | EU 002189654-0001  |
| Pat. Pending/Patent No.  | EP2816930 validated in<br>DE, FR, GB and DK.<br>US9204712<br>EP2816929 validated in<br>DE, FR, GB and DK.<br>US9357831 |
| Box Quantity   | 10 Pcs.  |
| Quantity per Pallet (80 x 120 x 180-200 cm)                                | 4600 Pcs   |
| Quantity Per Layer (Pallet)  | 360 Pcs.   |
| Box Length   | 260 mm   |
| Box Width  | 150 mm   |
| Box Height   | 75 mm  |
| Length   | 205 mm   |
| Width  | 30 mm  |
| Height   | 10 mm  |
| Net Weight   | 0.03 kg  |
| Weight bag (Recycling Symbol "4" Low Density Polyethylene<br>(LDPE)        | 0.0017 kg  |
| Weight cardboard (Recycling symbol "20" PAP)                               | 0.0083 kg  |
| Tare total   | 0.01 kg  |
| Gross Weight   | 0.04 kg  |
| Cubic metre  | 6.1E-05 M3   |
| Max usage temperature (food contact)                                       | 80 °C  |
| Max usage temperature (non food contact)                                   | 100 °C   |
|  |  |

| Recommended sterilisation temperature (Autoclave) | 121 °C         |
|---|----------------|
| Max. cleaning temperature (Dishwasher)            | 93 °C          |
| Max. drying temperature                           | 100 °C         |
| Min. usage temperature <sup>3</sup>               | -20 °C         |
| Max. pH-value in Usage Concentration              | 10.5 pH        |
| Min. pH-value in usage concentration              | 2 pH           |
| Gtin-13 Number                                    | 5705022009202  |
| GTIN-14 Number (Box quantity)                     | 15705028009289 |
| Customs Tariff No.                                | 96039099       |
| Country of origin                                 | Denmark        |

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

- 1. See Declaration of Compliance for further details on food contact
- 3. Do not store the product below  $0^{\circ}$  Celsius.