## Ergonomic shovel with drain holes, 350 mm, Black







Suitable for all industries, this Ergonomic Shovel features drain holes that enable rapid drainage of water and other liquids from food products.

## **Technical Data**

Item Number	56049
Shovel Blade Size, L x W x H	380 x 340 x 90 mm
Material	Polypropylene Anodised Aluminium
Complies with (EC) 1935/2004 on food contact materials <sup>1</sup>	Yes
Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice	Yes
Complies with FDA RegulationI CFR 21 <sup>1</sup>	Yes
Complies with UK 2019 No. 704 on food contact materials	Yes
Complies with REACH Regulation (EC) No. 1907/2006	Yes
Complies with California Proposition 65	Yes
Complies with Halal and Kosher	Yes
PFAS, Phthalates and BPA intentionally added	No
Box Quantity	1 Pcs.
Quantity per Pallet (80 x 120 x 180-200 cm)	60 Pcs
Quantity Per Layer (Pallet)	0 Pcs.
Box Length	1145 mm
Box Width	350 mm
Box Height	220 mm
Length	1305 mm
Width	350 mm
Height	220 mm
Net Weight	1.69 kg
Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)	0.053 kg
Weight cardboard (Recycling symbol "20" PAP)	0.1748 kg
Tare total	0.2278 kg
Gross Weight	1.92 kg
Cubic metre	0.100485 M3
Recommended sterilisation temperature (Autoclave)	121 °C
Max. cleaning temperature (Dishwasher)	93 °C
Max usage temperature (food contact)	100 °C
Max usage temperature (non food contact)	100 °C
Min. usage temperature <sup>3</sup>	-20 °C
Max. drying temperature	120 °C
Min. pH-value in usage concentration	2 pH
Max. pH-value in Usage Concentration	10.5 pH
Gtin-13 Number	5705020560491

Customs Tariff No. 39241000

Country of origin Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

1. See Declaration of Compliance for further details on food contact