Ergonomic shovel, 271 mm, White







Use this durable Ergonomic Shovel to move large amounts of food waste or food ingredients. Ergonomically designed with the user's working position in mind, this product is ideal for working at floor level as well as shovelling from container to container.

Technical Data

Shovel Blade Size, L x W x H 340 x 270 x 75 mm Material Pollypropylene Anodised Aluminium Compiles with (EC) 1935/2004 on food contact materials¹ Yes Compiles with EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes Compiles with FDA Regulation I CFR 21¹ Yes Complies with W X 2019 No. 704 on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with Halal and Kosher Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Box Quantity 1 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 60 Pcs. Box Length 1280 mm Box Width 271 mm Box Height 200 mm Box Height 200 mm Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.53 kg Weight cardboard (Recycling symbol "20" PAP) 0.1748 kg Gross Weight 1.79 kg Cubic metre 0.069376 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Tool co	Item Number	56115
Complies with (EC) 1935/2004 on food contact materials¹ Yes Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Complies with FDA Regulation 1CFR 21¹ Yes Complies with FDA Regulation (EC) No. 1907/2006 Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Box Quantity 1 Pcs. Quantity Per Pallet (80 x 120 x 180-200 cm) 60 Pcs Box Length 1280 mm Box Width 271 mm Box Width 271 mm Box Height 200 mm Width 1280 mm Width 1280 mm Width 1280 mm Width 156 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight cardboard (Recycling symbol "20" PAP) 0.1748 kg Tare total 0.2278 kg Gross Weight 1.79 kg Cubic metre 0.069376 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature (Tool contact) 100 °C Min. usage temperature (Tool contact) 100 °C Min. usage temperature (Tool contact) 100 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH	Shovel Blade Size, L x W x H	340 x 270 x 75 mm
Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Complies with FDA Regulation I CFR 211	Material	31 13
Manufacturing Practice Complies with FDA Regulation (FR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Complies with Lalal and Kosher FAS, Phthalates and BPA intentionally added No Box Quantity 1 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 60 Pcs Quantity Per Layer (Pallet) 0 Pcs. Box Length 1280 mm Box Width 271 mm Box Height 200 mm Length 1280 mm Net Weight Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight cardboard (Recycling symbol "20" PAP) Cubic metre 0.069376 M3 Recommended sterilisation temperature (Autoclave) Max usage temperature (Dishwasher) Max usage temperature (non food contact) Min. usage temperature Min. pH-value in usage Concentration 10.5 pH Max. pH-value in Usage Concentration 10.5 pH	Complies with (EC) 1935/2004 on food contact materials ¹	Yes
Complies with UK 2019 No. 704 on food contact materials Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added No Box Quantity 1 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 60 Pcs Quantity Per Layer (Pallet) 80x Length 1280 mm Box Width 271 mm Box Height 200 mm Length 1280 mm Width 271 mm Height 200 mm Net Weight 1,56 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight cardboard (Recycling symbol "20" PAP) 7 Tare total 7 Cubic metre 1,79 kg Cubic metre 1,79 kg Cubic metre 1,79 kg Cubic metre 1,70 kg Cubic m		Yes
Complies with REACH Regulation (EC) No. 1907/2006 Complies with California Proposition 65 Yes Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added No Box Quantity 1 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 60 Pcs Quantity Per Layer (Pallet) 0 Pcs. Box Length 1280 mm Box Width 271 mm Box Height 200 mm Length 1280 mm Width 271 mm Width 271 mm Weight 200 mm Net Weight 1.56 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight cardboard (Recycling symbol "20" PAP) 7 Tare total 7 Cubic metre 7 Cubic metre 8 Cubic metre 9 Cubic metre 10 Cubi	Complies with FDA RegulationI CFR 21 ¹	Yes
Complies with California Proposition 65 Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added No Box Quantity 1 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 60 Pcs Quantity Per Layer (Pallet) 0 Pcs. Box Length 1280 mm Box Width 271 mm Box Height 200 mm Length 1280 mm Width 271 mm Height 200 mm Net Weight 1280 mm Net Weight 1280 mm Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight cardboard (Recycling symbol "20" PAP) 7 Tare total 7 Cubic metre 0.069376 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 120 °C Max usage temperature (non food contact) Min. usage temperature 120 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 10.5 pH Max. pH-value in Usage Concentration 10.5 pH	Complies with UK 2019 No. 704 on food contact materials	Yes
Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Box Quantity 1 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 60 Pcs Quantity Per Layer (Pallet) 0 Pcs. Box Length 1280 mm Box Width 271 mm Box Height 200 mm Length 1280 mm Width 271 mm Height 200 mm Net Weight 1.56 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.053 kg Weight cardboard (Recycling symbol "20" PAP) 0.1748 kg Tare total 0.2278 kg Gross Weight 1.79 kg Cubic metre 0.069376 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 20 °C Max. dyring temperature 20 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 1	Complies with REACH Regulation (EC) No. 1907/2006	Yes
PFAS, Phthalates and BPA intentionally added Box Quantity Quantity per Pallet (80 x 120 x 180-200 cm) 60 Pcs Quantity Per Layer (Pallet) 0 Pcs. Box Length 1280 mm Box Width 271 mm Box Height 200 mm Length 1280 mm Width 271 mm Height 200 mm Net Weight 1260 mm Net Weight 1.56 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight cardboard (Recycling symbol "20" PAP) 7 Tare total 7 Cubic metre 8 Cubic metre 9 Cubic	Complies with California Proposition 65	Yes
Box Quantity 1 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 60 Pcs Quantity Per Layer (Pallet) 0 Pcs. Box Length 1280 mm Box Width 271 mm Box Height 200 mm Length 1280 mm Width 271 mm Height 200 mm Net Weight 1.56 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.053 kg Weight cardboard (Recycling symbol "20" PAP) 0.1748 kg Tare total 0.2278 kg Gross Weight 1.79 kg Cubic metre 0.069376 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 100 °C Min. usage temperature³ -20 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH	Complies with Halal and Kosher	Yes
Quantity per Pallet (80 x 120 x 180-200 cm)60 PcsQuantity Per Layer (Pallet)0 Pcs.Box Length1280 mmBox Width271 mmBox Height200 mmLength1280 mmWidth271 mmHeight200 mmNet Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.053 kgWeight cardboard (Recycling symbol "20" PAP)0.1748 kgTare total0.2278 kgGross Weight1.79 kgCubic metre0.069376 M³Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMin. usage temperature (non food contact)100 °CMin. usage temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pH	PFAS, Phthalates and BPA intentionally added	No
Quantity Per Layer (Pallet) 0 Pcs. Box Length 1280 mm Box Width 271 mm Box Height 200 mm Length 1280 mm Width 271 mm Height 200 mm Net Weight 1.56 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.053 kg Weight cardboard (Recycling symbol "20" PAP) 0.1748 kg Tare total 0.2278 kg Gross Weight 1.79 kg Cubic metre 0.069376 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Min. usage temperature (non food contact) 100 °C Min. usage temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH	Box Quantity	1 Pcs.
Box Length 1280 mm Box Width 271 mm Box Height 200 mm Length 1280 mm Width 271 mm Height 200 mm Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.53 kg Weight cardboard (Recycling symbol "20" PAP) 0.1748 kg Tare total 0.2278 kg Gross Weight 1.79 kg Cubic metre 0.069376 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature -20 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH	Quantity per Pallet (80 x 120 x 180-200 cm)	60 Pcs
Box Width 271 mm Box Height 200 mm Length 1280 mm Width 271 mm Height 200 mm Net Weight 200 mm Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight cardboard (Recycling symbol "20" PAP) 0.1748 kg Tare total 0.2278 kg Gross Weight 1.79 kg Cubic metre 0.069376 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 100 °C Min. usage temperature Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH	Quantity Per Layer (Pallet)	0 Pcs.
Box Height200 mmLength1280 mmWidth271 mmHeight200 mmNet Weight1.56 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.053 kgWeight cardboard (Recycling symbol "20" PAP)0.1748 kgTare total0.2278 kgGross Weight1.79 kgCubic metre0.069376 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature120 °CMin. usage temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pH	Box Length	1280 mm
Length1280 mmWidth271 mmHeight200 mmNet Weight1.56 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.053 kgWeight cardboard (Recycling symbol "20" PAP)0.1748 kgTare total0.2278 kgGross Weight1.79 kgCubic metre0.069376 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature120 °CMin. usage temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pH	Box Width	271 mm
Width 271 mm Height 200 mm Net Weight 1.56 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight cardboard (Recycling symbol "20" PAP) 0.1748 kg Tare total 0.2278 kg Gross Weight 1.79 kg Cubic metre 0.069376 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature (120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH	Box Height	200 mm
Height200 mmNet Weight1.56 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.053 kgWeight cardboard (Recycling symbol "20" PAP)0.1748 kgTare total0.2278 kgGross Weight1.79 kgCubic metre0.069376 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMin. usage temperature (non food contact)100 °CMin. usage temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pH	Length	1280 mm
Net Weight1.56 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.053 kgWeight cardboard (Recycling symbol "20" PAP)0.1748 kgTare total0.2278 kgGross Weight1.79 kgCubic metre0.069376 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pH	Width	271 mm
Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight cardboard (Recycling symbol "20" PAP) O.1748 kg Tare total O.2278 kg Gross Weight 1.79 kg Cubic metre O.069376 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Max usage temperature (non food contact) Min. usage temperature Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration	Height	200 mm
Weight cardboard (Recycling symbol "20" PAP) Tare total O.2278 kg Gross Weight 1.79 kg Cubic metre O.069376 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Max usage temperature (non food contact) Min. usage temperature Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH	Net Weight	1.56 kg
Tare total0.2278 kgGross Weight1.79 kgCubic metre0.069376 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pH		0.053 kg
Gross Weight 1.79 kg Cubic metre 0.069376 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature³ -20 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH	Weight cardboard (Recycling symbol "20" PAP)	0.1748 kg
Cubic metre0.069376 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pH	Tare total	0.2278 kg
Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pH	Gross Weight	1.79 kg
Max. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pH	Cubic metre	0.069376 M3
Max usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pH	Recommended sterilisation temperature (Autoclave)	121 °C
Max usage temperature (non food contact)100 °CMin. usage temperature3-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pH	Max. cleaning temperature (Dishwasher)	93 °C
Min. usage temperature3-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pH	Max usage temperature (food contact)	100 °C
Max. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pH	Max usage temperature (non food contact)	100 °C
Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH	Min. usage temperature ³	-20 °C
Max. pH-value in Usage Concentration 10.5 pH	Max. drying temperature	120 °C
	Min. pH-value in usage concentration	2 pH
Gtin-13 Number 5705020561153	Max. pH-value in Usage Concentration	10.5 pH
	Gtin-13 Number	5705020561153

Customs Tariff No. 39241000

Country of origin Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

- 1. See Declaration of Compliance for further details on food contact
- 3. Do not store the product below 0° Celsius.