56673 Hand Scoop, Metal Detectable, 2 Litre, Blue







This ergonomically designed metal-detectable Hand Scoop is lightweight and durable. A one-piece construction prevents bacterial contamination, and a smooth surface allows for easy cleaning. Ideal for moving ingredients in food production areas. Metal detection can be tested using Vikan test kit (11113).

Technical Data

Content2 LitreMaterialPolypropylene Metal & X -Ray detectable additiveComplies with (EC) 1935/2004 on food contact materials'YesComplies with EU Regulation 2023/2006/EC of GoodYesComplies with EU Regulation 1CFR 21'YesComplies with CA190 No. 704 on food contact materialsYesComplies with CA190 No. 704 on food contact materialsYesComplies with CA190 No. 704 on food contact materialsYesComplies with California Proposition 65YesComplies with Halal and KosherYesPFAS, Phthalates and BPA Intentionally addedNoBox Quantity10 Pcs.Quantity Per Layer (Pallet)40 Pcs.Box Length600 mmBox Vidth375 mmBox Height285 mmLength390 mmWidth130 mmHeight0.35 kgGross Weight0.35 kgGuiz entre0.006591 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Ios contact)100 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMax. usage temperature (non food contact)20 PcsMax Direy Contaction32 PHMax. Direy Contaction32 PHMax. Direy Contaction32 PHMax Direy Contaction32 PH<	Item Number	56673
-Ray detectable additive Complies with (EC) 1935/2004 on food contact materials' Yes Complies with EU Regulation 2023/2006/EC of Good Yes Manufacturing Practice Yes Complies with FDA Regulation ICFR 21' Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Box Quantity 10 Pcs. Quantity Per Layer (Pallet) 40 Pcs. Box Length 600 mm Box Vidth 375 mm Box Height 285 mm Length 390 mm With 130 mm Height 0.35 kg Gross Weight 0.35 kg Cubic metre 0.00651 M3 Recommended sterilisation temperature (Autoclave) 121° C Max. cleaning temperature (Dishwasher) 93° C Max. sage temperature (non food contact) 100° C Min. usage temperature (non food contact) 100° C Min. usage temperature in usage concentration 2 pH Max. pH-value in usag	Content	2 Litre
Complies with EU Regulation 2023/2006/EC of Good Manufacturing PracticeYesComplies with FDA Regulation1 CFR 211YesComplies with UK 2019 No. 704 on food contact materialsYesComplies with California Proposition 65YesComplies with California Proposition 65YesComplies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoBox Quantity10 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)240 PcsQuantity Per Layer (Pallet)40 Pcs.Box Length600 mmBox With375 mmBox Height285 mmLength390 mmWidth130 mmNet Weight0.35 kgWidth0.35 kgCubic metre0.006591 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMin. usage temperature (non food contact)100 °CMin. usage temperature (non food contact)100 °CMax. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration2 pHMax. pH-value in Usage Concentration2 pHMetal DetectableYesGtin-13 Number5705022032118	Material	
Manufacturing Practice Complies with FDA RegulationI CFR 21' Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 240 Pcs Box Length 600 mm Box Kidth 375 mm Box Height 285 mm Length 390 mm Width 130 mm Weight 0.35 kg Weight 0.35 kg Couse weight 0.35 kg Couse temperature (Dishwasher) 93° °C Max usage temperature (non food contact) 100 °C Max usage temperature (non food contact) 100 °C Max usage temperature (Dishwasher) 23° °C Max usage temperature (Not contact) 100 °C Max ngH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 2 pH Max. pH-value in Usage Concentration	Complies with (EC) 1935/2004 on food contact materials ¹	Yes
Complies with UK 2019 No. 704 on food contact materialsYesComplies with REACH Regulation (EC) No. 1907/2006YesComplies with California Proposition 65YesComplies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoBox Quantity10 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)240 Pcs.Quantity Per Layer (Pallet)40 Pcs.Box Length600 mmBox Width375 mmBox Height285 mmLength390 mmWidth130 mmHeight0.3 kgWeight cardboard (Recycling symbol "20" PAP)0.055 kgTare total0.055 kgCubic metre0.006591 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMin. usage temperature (non food contact)100 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration2 pHMetal DetectableYesGtin-13 Number5705022032118		Yes
Complies with REACH Regulation (EC) No. 1907/2006YesComplies with California Proposition 65YesComplies with Halal and KosherYesPFAS, Phthalates and BPA Intentionally addedNoBox Quantity10 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)240 Pcs.Quantity Per Layer (Pallet)40 Pcs.Box Length600 mmBox Width375 mmBox Height285 mmLength390 mmWidth130 mmHeight0.3 kgWeight cardboard (Recycling symbol "20" PAP)0.055 kgCubic metre0.006591 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (food contact)100 °CMin. usage temperature (food contact)100 °CMin. usage temperature food contact)100 °CMin. usage temperature (food contact)100 °CMin. usage temperature (food contact)100 °CMin. usage temperature food contact)100 °CMin. usage temperature (food contact)100 °CMin. usage temperature (food contact)100 °CMin. usage temperature food contact)100 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration2 pHMax. pH-value in Usage Concentration5 pHMetal DetectableYesGtin-13 Number5705022032118	Complies with FDA RegulationI CFR 21 ¹	Yes
Complies with California Proposition 65YesComplies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoBox Quantity10 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)240 PcsQuantity Per Layer (Pallet)40 Pcs.Box Length600 mmBox Width375 mmBox Height285 mmLength390 mmWidth130 mmHeight0.35 kgWeight cardboard (Recycling symbol "20" PAP)0.055 kgGross Weight0.35 kgCubic metre0.006591 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature (non food contact)100 °CMin. pH-value in usage Concentration2 pHMax. pH-value in Usage Concentration2 pHMetal DetectableYesGtin-13 Number5705022032118	Complies with UK 2019 No. 704 on food contact materials	Yes
Complies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoBox Quantity10 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)240 PcsQuantity Per Layer (Pallet)40 Pcs.Box Length600 mmBox Width375 mmBox Height285 mmLength390 mmWidth130 mmHeight0.3 kgWeight0.3 kgWeight0.055 kgGross Weight0.35 kgCubic metre0.006591 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMin. usage temperature (non food contact)100 °CMax. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration2 pHMetal DetectableYesGtin-13 Number5705022032118	Complies with REACH Regulation (EC) No. 1907/2006	Yes
PFAS, Phthalates and BPA intentionally addedNoBox Quantity10 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)240 Pcs.Quantity Per Layer (Pallet)40 Pcs.Box Length600 mmBox Width375 mmBox Height285 mmLength390 mmWidth130 mmHeight0.3 kgWeight cardboard (Recycling symbol "20" PAP)0.055 kgGross Weight0.35 kgCubic metre0.0006591 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (food contact)100 °CMin. usage temperature (non food contact)100 °CMin. usage concentration2 pHMax. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHMetal DetectableYesGtin-13 Number5705022032118	Complies with California Proposition 65	Yes
Box Quantity10 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)240 PcsQuantity Per Layer (Pallet)40 Pcs.Box Length600 mmBox Width375 mmBox Height285 mmLength390 mmWidth130 mmHeight130 mmNet Weight0.3 kgWeight cardboard (Recycling symbol "20" PAP)0.055 kgGross Weight0.35 kgCubic metre0.006591 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMin. usage temperatures-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHMetal DetectableYesGtin-13 Number5705022032118	Complies with Halal and Kosher	Yes
Quantity per Pallet (80 x 120 x 180-200 cm)240 PcsQuantity Per Layer (Pallet)40 Pcs.Box Length600 mmBox Width375 mmBox Height285 mmLength390 mmWidth130 mmHeight0.3 kgWeight cardboard (Recycling symbol "20" PAP)0.055 kgTare total0.006591 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMin. usage temperature3-20 °CMin. usage temperature3-20 °CMax. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration2 pHMax. 13 Number5705022032118	PFAS, Phthalates and BPA intentionally added	No
Quantity Per Layer (Pallet)40 Pcs.Box Length600 mmBox Width375 mmBox Height285 mmLength390 mmWidth130 mmHeight130 mmNet Weight0.3 kgWeight cardboard (Recycling symbol "20" PAP)0.055 kgTare total0.055 kgGross Weight0.35 kgCubic metre0.006591 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHMetal DetectableYesGtin-13 Number5705022032118	Box Quantity	10 Pcs.
Box Length600 mmBox Width375 mmBox Height285 mmLength390 mmWidth130 mmHeight130 mmNet Weight0.3 kgWeight cardboard (Recycling symbol "20" PAP)0.055 kgTare total0.055 kgGross Weight0.35 kgCubic metre0.006591 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHMetal DetectableYesGtin-13 Number5705022032118	Quantity per Pallet (80 x 120 x 180-200 cm)	240 Pcs
Box Width375 mmBox Height285 mmLength390 mmWidth130 mmHeight130 mmNet Weight0.3 kgWeight cardboard (Recycling symbol "20" PAP)0.055 kgTare total0.055 kgGross Weight0.35 kgCubic metre0.006591 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMin. pH-value in usage Concentration2 pHMax. pH-value in Usage Concentration10.5 pHMetal DetectableYesGtin-13 Number5705022032118	Quantity Per Layer (Pallet)	40 Pcs.
Box Height285 mmLength390 mmWidth130 mmHeight130 mmNet Weight0.3 kgWeight cardboard (Recycling symbol "20" PAP)0.055 kgTare total0.055 kgGross Weight0.35 kgCubic metre0.006591 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMin. usage temperatures-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHMetal DetectableYesGtin-13 Number5705022032118	Box Length	600 mm
Length390 mmWidth130 mmHeight130 mmNet Weight0.3 kgWeight cardboard (Recycling symbol "20" PAP)0.055 kgTare total0.055 kgGross Weight0.35 kgCubic metre0.006591 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMin. usage temperatures-20 °CMin. usage temperatures2 pHMax. pH-value in Usage Concentration10.5 pHMetal DetectableYesGtin-13 Number5705022032118	Box Width	375 mm
Width130 mmHeight130 mmNet Weight0.3 kgWeight cardboard (Recycling symbol "20" PAP)0.055 kgTare total0.055 kgGross Weight0.35 kgCubic metre0.006591 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMin. usage temperature (non food contact)100 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHMetal DetectableYesGtin-13 Number5705022032118	Box Height	285 mm
Height130 mmNet Weight0.3 kgWeight cardboard (Recycling symbol "20" PAP)0.055 kgTare total0.055 kgGross Weight0.35 kgCubic metre0.006591 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMin. usage temperature a-20 °CMin. usage temperature a-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHMetal DetectableYesGtin-13 Number5705022032118	Length	390 mm
Net Weight0.3 kgWeight cardboard (Recycling symbol "20" PAP)0.055 kgTare total0.055 kgGross Weight0.35 kgCubic metre0.006591 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHMetal DetectableYesGtin-13 Number5705022032118	Width	130 mm
Weight cardboard (Recycling symbol "20" PAP)0.055 kgTare total0.055 kgGross Weight0.35 kgCubic metre0.006591 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHMetal DetectableYesGtin-13 Number5705022032118	Height	130 mm
Tare total0.055 kgGross Weight0.35 kgCubic metre0.006591 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHMetal DetectableYesGtin-13 Number5705022032118	Net Weight	0.3 kg
Gross Weight0.35 kgCubic metre0.006591 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHMetal DetectableYesGtin-13 Number5705022032118	Weight cardboard (Recycling symbol "20" PAP)	0.055 kg
Cubic metre0.006591 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHMetal DetectableYesGtin-13 Number5705022032118	Tare total	0.055 kg
Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHMetal DetectableYesGtin-13 Number5705022032118	Gross Weight	0.35 kg
Max. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHMetal DetectableYesGtin-13 Number5705022032118	Cubic metre	0.006591 M3
Max usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHMetal DetectableYesGtin-13 Number5705022032118	Recommended sterilisation temperature (Autoclave)	121 °C
Max usage temperature (non food contact)100 °CMin. usage temperature3-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHMetal DetectableYesGtin-13 Number5705022032118	Max. cleaning temperature (Dishwasher)	93 °C
Min. usage temperature³-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHMetal DetectableYesGtin-13 Number5705022032118	Max usage temperature (food contact)	100 °C
Min. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHMetal DetectableYesGtin-13 Number5705022032118	Max usage temperature (non food contact)	100 °C
Max. pH-value in Usage Concentration10.5 pHMetal DetectableYesGtin-13 Number5705022032118	Min. usage temperature ³	-20 °C
Metal DetectableYesGtin-13 Number5705022032118	Min. pH-value in usage concentration	2 pH
Gtin-13 Number 5705022032118	Max. pH-value in Usage Concentration	10.5 pH
	Metal Detectable	Yes
GTIN-14 Number (Box quantity) 15705028032126	Gtin-13 Number	5705022032118
	GTIN-14 Number (Box quantity)	15705028032126

Customs Tariff No.	39241000
Country of origin	Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

- 1. See Declaration of Compliance for further details on food contact
- 3. Do not store the product below 0° Celsius.