## Hand shovel, 275 mm, Red





Lightweight and durable, this Hand Shovel features a one-piece construction that eliminates areas where bacteria can gather. Its smooth surface allows for easy cleaning, which makes it ideal for moving food ingredients or large quantities of food waste.

## **Technical Data**

Shovel Blade Size, L x W x H         327 x 271 x 50 mm           Material         Polypropylene           Recycling Symbol "5", Polypropylene (PP)         Yes           Complies with (EC) 1935/2004 on food contact materials'         Yes           Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice         Yes           Complies with FDA Regulation ICFR 21'         Yes           Complies with California Proposition 65         Yes           Complies with California Proposition 65         Yes           Complies with ADR regulations regarding transport of dangerous goods         Yes           PFAS, Phthalates and BPA intentionally added         No           Box Quantity         12 Pcs.           Quantity Per Layer (Pallet)         48 Pcs.           Box Length         600 mm           Box Height         320 mm           Width         335 mm           Box Height         320 mm           Width         275 mm           Height         110 mm           Not Weight cardboard (Recycling symbol "20" PAP)         0.0379 kg           Gross Weight         0.55 kg           Cubic metre         0.016638 M3           Recommended sterilisation temperature (Autoclave)         121 °C           Max. cleaning temperature (Dishwasher)	Item Number	56734
Recycling Symbol "5", Polypropylene (PP) Yes Complies with (EC) 1935/2004 on food contact materials¹ Yes Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Complies with FDA Regulation I CFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with ADR regulations regarding transport of dangerous goods PFAS, Phthalates and BPA intentionally added No Box Quantity 12 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 240 Pcs Quantity Per Layer (Pallet) 8bx Length 600 mm Box Width 335 mm Box Height 320 mm Length Width 110 mm Net Weight 0.51 kg Weight cardboard (Recycling symbol "20" PAP) 1 0.0379 kg Gross Weight 0.55 kg Cubic metre 0.016638 M3 Recommended sterilisation temperature (Autoclave) 112 °C Max usage temperature (Dishwasher) 93 °C Max usage temperature (Inc) food contact) 100 °C Min. usage temperature 100 °C Min. pH-value in usage concentration 2 pH	Shovel Blade Size, L x W x H	327 x 271 x 50 mm
Complies with (EC) 1935/2004 on food contact materials¹       Yes         Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice       Yes         Complies with FDA Regulation (ER 21¹       Yes         Complies with UK 2019 No. 704 on food contact materials       Yes         Complies with REACH Regulation (EC) No. 1907/2006       Yes         Complies with California Proposition 65       Yes         Complies with ADR regulations regarding transport of dangerous goods       Yes         PFAS, Phthalates and BPA intentionally added       No         Box Quantity       12 Pcs.         Quantity per Pallet (80 x 120 x 180-200 cm)       240 Pcs         Quantity Per Layer (Pallet)       48 Pcs.         Box Length       600 mm         Box Width       335 mm         Box Height       320 mm         Length       550 mm         Width       275 mm         Weight cardboard (Recycling symbol "20" PAP)       0.0379 kg         Gross Weight       0.51 kg         Cubic metre       0.016638 M3         Recommended sterilisation temperature (Autoclave)       121 °C         Max. cleaning temperature (Dishwasher)       93 °C         Max usage temperature (non food contact)       100 °C         Min. usage temperature       20 °	Material	Polypropylene
Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice  Complies with FDA Regulation (FR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Complies with UK 2019 No. 704 on food contact materials Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Alal and Kosher Complies with ADR regulations regarding transport of dangerous goods PFAS, Phthalates and BPA intentionally added No Box Quantity 12 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 240 Pcs Quantity Per Layer (Pallet) 8bx Length 600 mm Box Width 335 mm Box Height 100 mm Net Weight 110 mm Net Weight 110 mm Net Weight 110 mm Net Weight 10.51 kg Weight cardboard (Recycling symbol "20" PAP) 0.0379 kg Gross Weight 0.55 kg Cubic metre 0.016638 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 100 °C Min. usage temperature 110 °C Min. usage temperature 110 °C Min. pH-value in usage concentration 2 pH	Recycling Symbol "5", Polypropylene (PP)	Yes
Manufacturing Practice         Complies with FDA RegulationI CFR 21¹       Yes         Complies with UK 2019 No. 704 on food contact materials       Yes         Complies with REACH Regulation (EC) No. 1907/2006       Yes         Complies with California Proposition 65       Yes         Complies with ADR regulations regarding transport of dangerous goods       Yes         PFAS, Phthalates and BPA intentionally added       No         Box Quantity       12 Pcs.         Quantity per Pallet (80 x 120 x 180-200 cm)       240 Pcs         Quantity Per Layer (Pallet)       48 Pcs.         Box Length       600 mm         Box Width       335 mm         Box Height       320 mm         Length       550 mm         Width       275 mm         Height       110 mm         Net Weight       0.51 kg         Weight cardboard (Recycling symbol "20" PAP)       0.0379 kg         Gross Weight       0.55 kg         Cubic metre       0.016638 M3         Recommended sterilisation temperature (Autoclave)       121 °C         Max. cleaning temperature (Dishwasher)       93 °C         Max usage temperature (non food contact)       100 °C         Min. usage temperature       20 °C         Max. dryi	Complies with (EC) 1935/2004 on food contact materials <sup>1</sup>	Yes
Complies with UK 2019 No. 704 on food contact materials       Yes         Complies with REACH Regulation (EC) No. 1907/2006       Yes         Complies with California Proposition 65       Yes         Complies with Halal and Kosher       Yes         Complies with ADR regulations regarding transport of dangerous goods       Yes         PFAS, Phthalates and BPA intentionally added       No         Box Quantity       12 Pcs.         Quantity per Pallet (80 x 120 x 180-200 cm)       240 Pcs         Quantity Per Layer (Pallet)       48 Pcs.         Box Length       600 mm         Box Width       335 mm         Box Height       320 mm         Length       550 mm         Width       275 mm         Height       110 mm         Net Weight       0.51 kg         Weight cardboard (Recycling symbol "20" PAP)       0.0379 kg         Gross Weight       0.55 kg         Cubic metre       0.016638 M3         Recommended sterilisation temperature (Autoclave)       121 °C         Max. cleaning temperature (Dishwasher)       93 °C         Max usage temperature (non food contact)       100 °C         Min. usage temperature       20 °C         Min. usage temperature       20 °C	· · · · · · · · · · · · · · · · · · ·	Yes
Complies with REACH Regulation (EC) No. 1907/2006YesComplies with California Proposition 65YesComplies with Halal and KosherYesComplies with ADR regulations regarding transport of dangerous goodsYesPFAS, Phthalates and BPA intentionally addedNoBox Quantity12 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)240 PcsQuantity Per Layer (Pallet)48 Pcs.Box Length600 mmBox Width335 mmBox Height320 mmLength550 mmWidth275 mmHeight110 mmNet Weight cardboard (Recycling symbol "20" PAP)0.0379 kgTare total0.0379 kgGross Weight0.55 kgCubic metre0.016638 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pH	Complies with FDA RegulationI CFR 21 <sup>1</sup>	Yes
Complies with California Proposition 65         Yes           Complies with Halal and Kosher         Yes           Complies with ADR regulations regarding transport of dangerous goods         Yes           PFAS, Phthalates and BPA intentionally added         No           Box Quantity         12 Pcs.           Quantity per Pallet (80 x 120 x 180-200 cm)         240 Pcs           Quantity Per Layer (Pallet)         48 Pcs.           Box Length         600 mm           Box Width         335 mm           Box Height         320 mm           Length         550 mm           Width         275 mm           Height         110 mm           Net Weight cardboard (Recycling symbol "20" PAP)         0.379 kg           Gross Weight         0.55 kg           Cubic metre         0.016638 M3           Recommended sterillisation temperature (Autoclave)         121 °C           Max. cleaning temperature (Dishwasher)         93 °C           Max usage temperature (food contact)         100 °C           Min. usage temperature         20 °C           Max. drying temperature         120 °C           Min. pH-value in usage concentration         2 pH	Complies with UK 2019 No. 704 on food contact materials	Yes
Complies with Halal and Kosher         Yes           Complies with ADR regulations regarding transport of dangerous goods         Yes           PFAS, Phthalates and BPA intentionally added         No           Box Quantity         12 Pcs.           Quantity per Pallet (80 x 120 x 180-200 cm)         240 Pcs           Quantity Per Layer (Pallet)         48 Pcs.           Box Length         600 mm           Box Width         335 mm           Box Height         320 mm           Length         550 mm           Width         275 mm           Height         110 mm           Net Weight         0.51 kg           Weight cardboard (Recycling symbol "20" PAP)         0.0379 kg           Tare total         0.0379 kg           Gross Weight         0.55 kg           Cubic metre         0.016638 M3           Recommended sterilisation temperature (Autoclave)         121 °C           Max. cleaning temperature (Dishwasher)         93 °C           Max usage temperature (food contact)         100 °C           Min. usage temperature (non food contact)         100 °C           Min. usage temperature         20 °C           Min. pH-value in usage concentration         2 pH	Complies with REACH Regulation (EC) No. 1907/2006	Yes
Complies with ADR regulations regarding transport of dangerous goods  PFAS, Phthalates and BPA intentionally added  Box Quantity  12 Pcs.  Quantity per Pallet (80 x 120 x 180-200 cm)  Quantity Per Layer (Pallet)  80 x Length  80 x Length  80 x Height  80 x Height	Complies with California Proposition 65	Yes
dangerous goods         PFAS, Phthalates and BPA intentionally added         No           Box Quantity         12 Pcs.           Quantity per Pallet (80 x 120 x 180-200 cm)         240 Pcs           Quantity Per Layer (Pallet)         48 Pcs.           Box Length         600 mm           Box Width         335 mm           Box Height         320 mm           Length         550 mm           Width         275 mm           Height         110 mm           Net Weight cardboard (Recycling symbol "20" PAP)         0.0379 kg           Gross Weight         0.55 kg           Cubic metre         0.016638 M3           Recommended sterilisation temperature (Autoclave)         121 °C           Max. cleaning temperature (Dishwasher)         93 °C           Max usage temperature (food contact)         100 °C           Min. usage temperature (non food contact)         100 °C           Min. usage temperature         20 °C           Max. drying temperature         120 °C           Min. pH-value in usage concentration         2 pH	Complies with Halal and Kosher	Yes
Box Quantity         12 Pcs.           Quantity per Pallet (80 x 120 x 180-200 cm)         240 Pcs           Quantity Per Layer (Pallet)         48 Pcs.           Box Length         600 mm           Box Width         335 mm           Box Height         320 mm           Length         550 mm           Width         275 mm           Height         110 mm           Net Weight         0.51 kg           Weight cardboard (Recycling symbol "20" PAP)         0.0379 kg           Gross Weight         0.55 kg           Cubic metre         0.016638 M3           Recommended sterilisation temperature (Autoclave)         121 °C           Max. cleaning temperature (Dishwasher)         93 °C           Max usage temperature (food contact)         100 °C           Max usage temperature (non food contact)         100 °C           Min. usage temperature         -20 °C           Max. drying temperature         120 °C           Min. pH-value in usage concentration         2 pH		Yes
Quantity per Pallet (80 x 120 x 180-200 cm)         240 Pcs           Quantity Per Layer (Pallet)         48 Pcs.           Box Length         600 mm           Box Width         335 mm           Box Height         320 mm           Length         550 mm           Width         275 mm           Height         110 mm           Net Weight cardboard (Recycling symbol "20" PAP)         0.0379 kg           Tare total         0.0379 kg           Gross Weight         0.55 kg           Cubic metre         0.016638 M3           Recommended sterilisation temperature (Autoclave)         121 °C           Max. cleaning temperature (Dishwasher)         93 °C           Max usage temperature (food contact)         100 °C           Max usage temperature (non food contact)         100 °C           Min. usage temperature         -20 °C           Max. drying temperature         120 °C           Min. pH-value in usage concentration         2 pH	PFAS, Phthalates and BPA intentionally added	No
Quantity Per Layer (Pallet)         48 Pcs.           Box Length         600 mm           Box Width         335 mm           Box Height         320 mm           Length         550 mm           Width         275 mm           Height         110 mm           Net Weight         0.51 kg           Weight cardboard (Recycling symbol "20" PAP)         0.0379 kg           Gross Weight         0.55 kg           Cubic metre         0.016638 M3           Recommended sterilisation temperature (Autoclave)         121 °C           Max. cleaning temperature (Dishwasher)         93 °C           Max usage temperature (food contact)         100 °C           Min. usage temperature (non food contact)         100 °C           Min. usage temperature         -20 °C           Max. drying temperature         120 °C           Min. pH-value in usage concentration         2 pH	Box Quantity	12 Pcs.
Box Length         600 mm           Box Width         335 mm           Box Height         320 mm           Length         550 mm           Width         275 mm           Height         110 mm           Net Weight         0.51 kg           Weight cardboard (Recycling symbol "20" PAP)         0.0379 kg           Tare total         0.0379 kg           Gross Weight         0.55 kg           Cubic metre         0.016638 M3           Recommended sterilisation temperature (Autoclave)         121 °C           Max. cleaning temperature (Dishwasher)         93 °C           Max usage temperature (food contact)         100 °C           Min. usage temperature (non food contact)         100 °C           Min. usage temperature         -20 °C           Max. drying temperature         120 °C           Min. pH-value in usage concentration         2 pH	Quantity per Pallet (80 x 120 x 180-200 cm)	240 Pcs
Box Width         335 mm           Box Height         320 mm           Length         550 mm           Width         275 mm           Height         110 mm           Net Weight         0.51 kg           Weight cardboard (Recycling symbol "20" PAP)         0.0379 kg           Tare total         0.0379 kg           Gross Weight         0.55 kg           Cubic metre         0.016638 M3           Recommended sterilisation temperature (Autoclave)         121 °C           Max. cleaning temperature (Dishwasher)         93 °C           Max usage temperature (non food contact)         100 °C           Min. usage temperature³         -20 °C           Max. drying temperature         120 °C           Min. pH-value in usage concentration         2 pH	Quantity Per Layer (Pallet)	48 Pcs.
Box Height320 mmLength550 mmWidth275 mmHeight110 mmNet Weight0.51 kgWeight cardboard (Recycling symbol "20" PAP)0.0379 kgTare total0.0379 kgGross Weight0.55 kgCubic metre0.016638 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pH	Box Length	600 mm
Length550 mmWidth275 mmHeight110 mmNet Weight0.51 kgWeight cardboard (Recycling symbol "20" PAP)0.0379 kgTare total0.0379 kgGross Weight0.55 kgCubic metre0.016638 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pH	Box Width	335 mm
Width275 mmHeight110 mmNet Weight0.51 kgWeight cardboard (Recycling symbol "20" PAP)0.0379 kgTare total0.0379 kgGross Weight0.55 kgCubic metre0.016638 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature120 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pH	Box Height	320 mm
Height110 mmNet Weight0.51 kgWeight cardboard (Recycling symbol "20" PAP)0.0379 kgTare total0.0379 kgGross Weight0.55 kgCubic metre0.016638 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature120 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pH	Length	550 mm
Net Weight0.51 kgWeight cardboard (Recycling symbol "20" PAP)0.0379 kgTare total0.0379 kgGross Weight0.55 kgCubic metre0.016638 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pH	Width	275 mm
Weight cardboard (Recycling symbol "20" PAP)0.0379 kgTare total0.0379 kgGross Weight0.55 kgCubic metre0.016638 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pH	Height	110 mm
Tare total0.0379 kgGross Weight0.55 kgCubic metre0.016638 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pH	Net Weight	0.51 kg
Gross Weight  Cubic metre  0.016638 M3  Recommended sterilisation temperature (Autoclave)  Max. cleaning temperature (Dishwasher)  93 °C  Max usage temperature (food contact)  100 °C  Max usage temperature (non food contact)  100 °C  Min. usage temperature  120 °C  Max. drying temperature  120 °C  Min. pH-value in usage concentration  2 pH	Weight cardboard (Recycling symbol "20" PAP)	0.0379 kg
Cubic metre0.016638 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pH	Tare total	0.0379 kg
Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pH	Gross Weight	0.55 kg
Max. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pH	Cubic metre	0.016638 M3
Max usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pH	Recommended sterilisation temperature (Autoclave)	121 °C
Max usage temperature (non food contact)100 °CMin. usage temperature3-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pH	Max. cleaning temperature (Dishwasher)	93 °C
Min. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pH	Max usage temperature (food contact)	100 °C
Max. drying temperature120 °CMin. pH-value in usage concentration2 pH	Max usage temperature (non food contact)	100 °C
Min. pH-value in usage concentration 2 pH	Min. usage temperature³	-20 °C
	Max. drying temperature	120 °C
Max. pH-value in Usage Concentration 10.5 pH	Min. pH-value in usage concentration	2 pH
	Max. pH-value in Usage Concentration	10.5 pH

Country of origin	Denmark
Customs Tariff No.	39241000
GTIN-14 Number (Box quantity)	15705020567343
Gtin-13 Number	5705020567346

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

- 1. See Declaration of Compliance for further details on food contact
- 3. Do not store the product below  $0^{\circ}$  Celsius.