56739 Hand shovel, 275 mm, Black





Lightweight and durable, this Hand Shovel features a one-piece construction that eliminates areas where bacteria can gather. Its smooth surface allows for easy cleaning, which makes it ideal for moving food ingredients or large quantities of food waste.

Technical Data

Shovel Blade Size, L x W x H327 x 271 x 50 mmMaterialPolypropyleneRecycling Symbol "S", Polypropylene (PP)YesComplies with EU Regulation 2023/2006/EC of GoodYesManufacturing PracticeYesComplies with EU Regulation 1CFR 211YesComplies with FDA Regulation (EC) No. 1907/2006YesComplies with California Proposition 65YesComplies with ADR regulation regarding transport of dangerous goodsYesComplies with ADR regulations regarding transport of dangerous goodsYesPFAS, Phthalates and BPA Intentionally addedNoBox Quantity12 Pcs.Quantity Per Layer (Pallet)48 Pcs.Box Length600 mmBox With Hight320 mmLength320 mmLength0.51 kgWidth275 mmHeight110 mmNet Weight0.51 kgWieght cardboard (Recycling symbol "20" PAP)0.0379 kgGross Weight0.55 kgCubic metre0.016838 M3Recommended sterilisation temperature (Autoclave)121 "CMax usage temperature (Dishwasher)93 "CMax usage temperature (Ion food contact)100 "CMax usage temperature120 "CMin. usage temperature20 "CMax. rpl-value in Usage Concentration2 pHMax. ph-value in Usage Concentration2 pH	Item Number	56739
Recycling Symbol "5", Polypropylene (PP)YesComplies with (EC) 1935/2004 on food contact materials'YesComplies with EU Regulation 2023/2006/EC of GoodYesManufacturing PracticeYesComplies with ED Regulation CFR 21'YesComplies with REACH Regulation (EC) No. 1907/2006YesComplies with California Proposition 65YesComplies with ADR regulations regarding transport of dangerous goodsYesPFAS, Phthalates and BPA intentionally addedNoBox Quantity12 Pcs.Quantity Per Layer (Pallet)48 Pcs.Box Length600 mmBox Width335 mmBox Height320 mmLength0.51 kgWidth275 mmHeight110 mmNet Weight0.51 kgWidth0.51 kgCross Weight0.55 kgCubic metre0.016638 M3Recommended sterillisation temperature (Autoclave)121 °CMax. cleaning temperature (Distwasher)93 °CMax usage temperature (non food contact)100 °CMax. usage temperature-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pH	Shovel Blade Size, L x W x H	327 x 271 x 50 mm
Complies with (EC) 1935/2004 on food contact materials'YesComplies with EU Regulation 2023/2006/EC of Good Manufacturing PracticeYesComplies with ED Regulation CFR 21'YesComplies with VE 2019 No. 704 on food contact materialsYesComplies with REACH Regulation (EC) No. 1907/2006YesComplies with California Proposition 65YesComplies with ADR regulations regarding transport of dangerous goodsYesPFAS, Phthalates and BPA intentionally addedNoBox Quantity12 Pcs.Quantity Per Layer (Pallet)48 Pcs.Box Length600 mmBox Width335 mmBox Height320 mmLength550 mmWidth275 mmHeight110 mmNet Weight0.51 kgWeight cardboard (Recycling symbol "20" PAP)0.0379 kgGross Weight0.55 kgCubic metre0.016638 M3Recommended sterillisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (no food contact)100 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pH	Material	Polypropylene
Complies with EU Regulation 2023/2006/EC of Good Manufacturing PracticeYesComplies with FDA Regulation1 CFR 211YesComplies with UK 2019 No. 704 on food contact materialsYesComplies with REACH Regulation (EC) No. 1907/2006YesComplies with California Proposition 65YesComplies with ADR regulations regarding transport of dangerous goodsYesPFAS, Phthalates and BPA intentionally addedNoBox Quantity12 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)240 PcsQuantity Per Layer (Pallet)48 Pcs.Box Length600 mmBox Width335 mmBox Height320 mmLength550 mmWidth275 mmHeight110 mmNet Weight0.551 kgCubic metre0.0379 kgGrass Weight0.55 kgCubic metre0.016638 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMax. drying temperature-20 °CMax. drying temperature2 pH	Recycling Symbol "5", Polypropylene (PP)	Yes
Manufacturing PracticeComplies with FDA RegulationI CFR 21'YesComplies with UK 2019 No. 704 on food contact materialsYesComplies with REACH Regulation (EC) No. 1907/2006YesComplies with California Proposition 65YesComplies with Halal and KosherYesComplies with ADR regulations regarding transport of dangerous goodsYesPFAS, Phthalates and BPA intentionally addedNoBox Quantity12 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)240 PcsQuantity Per Layer (Pallet)48 Pcs.Box Length600 mmBox Width335 mmBox Height320 mmLength550 mmWidth275 mmHeight110 mmNet Weight0.51 kgQubic cardboard (Recycling symbol "20" PAP)0.0379 kgGross Weight0.55 kgCubic metre0.016638 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pH	Complies with (EC) 1935/2004 on food contact materials ¹	Yes
Complies with UK 2019 No. 704 on food contact materialsYesComplies with REACH Regulation (EC) No. 1907/2006YesComplies with California Proposition 65YesComplies with ADR regulations regarding transport of dangerous goodsYesPFAS, Phthalates and BPA intentionally addedNoBox Quantity12 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)240 PcsQuantity Per Layer (Pallet)48 Pcs.Box Length600 mmBox Width335 mmBox Height320 mmLength550 mmWidth275 mmHeight110 mmNet Weight0.51 kgWeight cardboard (Recycling symbol "20" PAP)0.0379 kgCross Weight0.55 kgCubic metre0.016638 M3Recommended sterillisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMax. drying temperature-20 °CMax. drying temperature22 °CMin. usage concentration2 PH		Yes
Complies with REACH Regulation (EC) No. 1907/2006YesComplies with California Proposition 65YesComplies with Alal and KosherYesComplies with ADR regulations regarding transport of dangerous goodsYesPFAS, Phthalates and BPA intentionally addedNoBox Quantity12 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)240 PcsQuantity Per Layer (Pallet)48 Pcs.Box Length600 mmBox Width335 mmBox Height320 mmLength550 mmWidth275 mmHeight110 mmNet Weight0.51 kgWeight cardboard (Recycling symbol "20" PAP)0.0379 kgCuss Weight0.55 kgCubic metre0.016638 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (food contact)100 °CMax usage temperature (food contact)100 °CMax. drying temperature-20 °CMax. drying temperature20 °CMin. pH-value in usage concentration2 pH	Complies with FDA RegulationI CFR 21 ¹	Yes
Complies with California Proposition 65YesComplies with Halal and KosherYesComplies with ADR regulations regarding transport of dangerous goodsYesPFAS, Phthalates and BPA intentionally addedNoBox Quantity12 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)240 PcsQuantity Per Layer (Pallet)48 Pcs.Box Length600 mmBox Width335 mmBox Height320 mmLength550 mmWidth275 mmHeight110 mmNet Weight0.51 kgWeight cardboard (Recycling symbol "20" PAP)0.0379 kgGross Weight0.55 kgCubic metre0.016638 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax. usage temperature (food contact)100 °CMax. drying temperature-20 °CMax. drying temperature2p H	Complies with UK 2019 No. 704 on food contact materials	Yes
Complies with Halal and KosherYesComplies with ADR regulations regarding transport of dangerous goodsYesPFAS, Phthalates and BPA intentionally addedNoBox Quantity12 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)240 PcsQuantity Per Layer (Pallet)48 Pcs.Box Length600 mmBox Height335 mmBox Height320 mmLength550 mmWidth275 mmHeight110 mmNet Weight0.51 kgWeight cardboard (Recycling symbol "20" PAP)0.0379 kgGross Weight0.55 kgCubic metre0.016638 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (food contact)100 °CMax usage temperature food contact)100 °CMax. drying temperature-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pH	Complies with REACH Regulation (EC) No. 1907/2006	Yes
Complies with ADR regulations regarding transport of dangerous goodsYesPFAS, Phthalates and BPA intentionally addedNoBox Quantity12 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)240 PcsQuantity Per Layer (Pallet)48 Pcs.Box Length600 mmBox Width335 mmBox Height220 mmLength550 mmWidth275 mmHeight110 mmNet Weight0.51 kgWeight cardboard (Recycling symbol "20" PAP)0.0379 kgTare total0.0379 kgGross Weight0.55 kgCubic metre0.016638 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pH	Complies with California Proposition 65	Yes
dangerous goodsPFAS, Phthalates and BPA intentionally addedNoBox Quantity12 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)240 PcsQuantity Per Layer (Pallet)48 Pcs.Box Length600 mmBox Width335 mmBox Height320 mmLength550 mmWidth275 mmHeight110 mmNet Weight0.51 kgWeight cardboard (Recycling symbol "20" PAP)0.0379 kgGross Weight0.55 kgCubic metre0.016638 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMax. drying temperature120 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pH	Complies with Halal and Kosher	Yes
Box Quantity12 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)240 PcsQuantity Per Layer (Pallet)48 Pcs.Box Length600 mmBox Width335 mmBox Height320 mmLength550 mmWidth275 mmHeight110 mmNet Weight0.51 kgWeight cardboard (Recycling symbol "20" PAP)0.0379 kgTare total0.0379 kgGross Weight0.55 kgCubic metre0.016638 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMax. drying temperature-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pH		Yes
Quantity per Pallet (80 x 120 x 180-200 cm)240 PcsQuantity Per Layer (Pallet)48 Pcs.Box Length600 mmBox Width335 mmBox Height320 mmLength550 mmWidth275 mmHeight110 mmNet Weight0.51 kgWeight cardboard (Recycling symbol "20" PAP)0.0379 kgTare total0.016638 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMin. usage temperature120 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pH	PFAS, Phthalates and BPA intentionally added	No
Quantity Per Layer (Pallet)48 Pcs.Box Length600 mmBox Width335 mmBox Width335 mmBox Height320 mmLength550 mmWidth275 mmHeight110 mmNet Weight0.51 kgWeight cardboard (Recycling symbol "20" PAP)0.0379 kgGross Weight0.55 kgCubic metre0.016638 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMin. usage temperature120 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pH	Box Quantity	12 Pcs.
Box Length600 mmBox Width335 mmBox Height320 mmLength550 mmWidth275 mmHeight110 mmNet Weight0.51 kgWeight cardboard (Recycling symbol "20" PAP)0.0379 kgTare total0.0379 kgGross Weight0.55 kgCubic metre0.016638 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMin. usage temperatures-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pH	Quantity per Pallet (80 x 120 x 180-200 cm)	240 Pcs
Box Width335 mmBox Height320 mmLength550 mmWidth275 mmHeight110 mmNet Weight0.51 kgWeight cardboard (Recycling symbol "20" PAP)0.0379 kgTare total0.0379 kgGross Weight0.55 kgCubic metre0.016638 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMin. usage temperature120 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pH	Quantity Per Layer (Pallet)	48 Pcs.
Box Height320 mmLength550 mmWidth275 mmHeight110 mmNet Weight0.51 kgWeight cardboard (Recycling symbol "20" PAP)0.0379 kgTare total0.0379 kgGross Weight0.55 kgCubic metre0.016638 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pH	Box Length	600 mm
Length550 mmWidth275 mmHeight110 mmNet Weight0.51 kgWeight cardboard (Recycling symbol "20" PAP)0.0379 kgTare total0.0379 kgGross Weight0.55 kgCubic metre0.016638 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMin. usage temperature a-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pH	Box Width	335 mm
Width275 mmHeight110 mmNet Weight0.51 kgWeight cardboard (Recycling symbol "20" PAP)0.0379 kgTare total0.0379 kgGross Weight0.55 kgCubic metre0.016638 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax. usage temperature (non food contact)100 °CMin. usage temperature120 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pH	Box Height	320 mm
Height110 mmNet Weight0.51 kgWeight cardboard (Recycling symbol "20" PAP)0.0379 kgTare total0.0379 kgGross Weight0.55 kgCubic metre0.016638 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature120 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pH	Length	550 mm
Net Weight0.51 kgWeight cardboard (Recycling symbol "20" PAP)0.0379 kgTare total0.0379 kgGross Weight0.55 kgCubic metre0.016638 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMin. usage temperature a-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pH	Width	275 mm
Weight cardboard (Recycling symbol "20" PAP)0.0379 kgTare total0.0379 kgGross Weight0.55 kgCubic metre0.016638 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pH	Height	110 mm
Tare total0.0379 kgGross Weight0.55 kgCubic metre0.016638 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pH	Net Weight	0.51 kg
Gross Weight0.55 kgCubic metre0.016638 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pH	Weight cardboard (Recycling symbol "20" PAP)	0.0379 kg
Cubic metre0.016638 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pH	Tare total	0.0379 kg
Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pH	Gross Weight	0.55 kg
Max. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pH	Cubic metre	0.016638 M3
Max usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pH	Recommended sterilisation temperature (Autoclave)	121 °C
Max usage temperature (non food contact)100 °CMin. usage temperature3-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pH	Max. cleaning temperature (Dishwasher)	93 °C
Min. usage temperature3-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pH	Max usage temperature (food contact)	100 °C
Max. drying temperature120 °CMin. pH-value in usage concentration2 pH	Max usage temperature (non food contact)	100 °C
Min. pH-value in usage concentration2 pH	Min. usage temperature ³	-20 °C
	Max. drying temperature	120 °C
Max. pH-value in Usage Concentration10.5 pH	Min. pH-value in usage concentration	2 pH
	Max. pH-value in Usage Concentration	10.5 pH

Gtin-13 Number	5705020567391
GTIN-14 Number (Box quantity)	15705020567398
Customs Tariff No.	39241000
Country of origin	Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

- 1. See Declaration of Compliance for further details on food contact
- 3. Do not store the product below 0° Celsius.