Hand Scoop, 350 mm, , Purple







Lightweight and durable, this Hand Scoop features a one-piece construction that eliminates areas where bacteria can gather. Its smooth surface allows for easy cleaning, which makes it ideal for moving food ingredients or large quantities of food waste.

Technical Data

Material Polypropylene Recycling Symbol "5", Polypropylene (PP) Complies with (EC) 1935/2004 on food contact materials' Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Complies with FDA Regulation I CFR 21' Complies with FDA Regulation (EC) No. 1907/2006 Complies with FDA Regulation (EC) No. 1907/2006 Complies with REACH Regulation (EC) No. 1907/2006 Complies with California Proposition 65 Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added No Box Quantity 12 Pcs. Quantity Per Pallet (80 x 120 x 180-200 cm) G72 Pcs Quantity Per Layer (Pallet) Box Length Box Width 355 mm Box Height 1215 mm Length Width 120 mm Width 120 mm Width 115 mm Net Weight 0.17 kg Weight cardboard (Recycling symbol "20" PAP) 0.0267 kg Gross Weight 0.22 kg Cubic metre 0.00483 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Min. usage temperature (non food contact) Min. usage temperature Min. pH-value in usage concentration 10.5 pH Gtin-13 Number 5705020567582	Item Number	56758
Recycling Symbol "5", Polypropylene (PP) Complies with (EC) 1935/2004 on food contact materials' Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Complies with FDA Regulation I CFR 21' Complies with FDA Regulation (EC) No. 1907/2006 Complies with REACH Regulation (EC) No. 1907/2006 Complies with California Proposition 65 Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added Box Quantity 12 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 672 Pcs Quantity Per Layer (Pallet) Box Width 355 mm Box Width 355 mm Box Height Length Width 120 mm Height Net Weight 0.17 kg Weight cardboard (Recycling symbol "20" PAP) Cubic metre 0.00483 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (food contact) Min. usage temperature (food contact) Max. drying temperature Min. pH-value in usage concentration 10.5 pH Gtin-13 Number Soundation Application temperature Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number Soundation Application temperature Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number Soundation Application temperature Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number Soundation Application temperature Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number Soundation Application temperature Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number	Content	1 Litre
Complies with (EC) 1935/2004 on food contact materials¹ Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Complies with FDA Regulation CFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with REAIdfornia Proposition 65 Yes Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added Box Quantity Quantity per Pallet (80 x 120 x 180-200 cm) Gruphies With Halal and Kosher Quantity Per Layer (Pallet) Box Length Box Width Sos mm Box Width Sos mm Box Height Length Width 120 mm Height 115 mm Net Weight cardboard (Recycling symbol "20" PAP) Quable Cubic metre Quodes Weight Quibic metre Quodes Weight Quibic metre Quodes Weight Quantity Cubic metre Quodes Weight Quantity Max usage temperature (Dishwasher) Max usage temperature (non food contact) Min. usage temperature Min. usage temperature Min. pH-value in usage concentration Max. pH-value in Usage Concentration	Material	Polypropylene
Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Complies with FDA Regulation LCFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Box Quantity 12 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 672 Pcs Quantity Per Layer (Pallet) 48 Pcs. Box Length 405 mm Box Width 355 mm Box Height 215 mm Width 120 mm Width 120 mm Height 115 mm Net Weight cardboard (Recycling symbol "20" PAP) 0.0267 kg Gross Weight 0.17 kg Gross Weight 0.22 kg Cubic metre 0.00483 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 120 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020567582	Recycling Symbol "5", Polypropylene (PP)	Yes
Manufacturing Practice Complies with FDA Regulation CFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Box Quantity Per Pallet (80 x 120 x 180-200 cm) 672 Pcs Quantity Per Layer (Pallet) 80x Length 80x Width 80x Width 80x Width 80x Width 80x Height 80x	Complies with (EC) 1935/2004 on food contact materials ¹	Yes
Complies with UK 2019 No. 704 on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added Box Quantity 12 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 672 Pcs Quantity Per Layer (Pallet) 80x Length 80x Width 80x Width 80x Height 101 mm Height 115 mm Net Weight Weight cardboard (Recycling symbol "20" PAP) Cubic metre 0.00267 kg Gross Weight 0.17 kg Cubic metre 0.00483 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) 80x Complies with REACH Regulation (Park School) Max usage temperature 100 °C Max usage temperature 100 °C Max. drying temperature Min. usage temperature Min. pH-value in usage Concentration 10.5 pH Gtin-13 Number 5705020567582	Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice	Yes
Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added Box Quantity 12 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 672 Pcs Quantity Per Layer (Pallet) 80x Length 80x Width 80x Width 80x Height 1215 mm Length 350 mm Width 120 mm Height 115 mm Net Weight 0.17 kg Weight cardboard (Recycling symbol "20" PAP) 0.0267 kg Gross Weight 0.20 kg Cubic metre 0.00483 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) 80x CM Max usage temperature (Dishwasher) 80x CM Max usage temperature (non food contact) Min. usage temperature 100 °C Max. drying temperature Min. pH-value in usage Concentration 10.5 pH Gtin-13 Number 5705020567582	Complies with FDA RegulationI CFR 21 ¹	Yes
Complies with California Proposition 65 Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added Box Quantity 12 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) Graver Cause Caus	Complies with UK 2019 No. 704 on food contact materials	Yes
Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added Box Quantity 12 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 672 Pcs Quantity Per Layer (Pallet) 80 x Length 80 x Width 80 x Width 80 x Height 80 x	Complies with REACH Regulation (EC) No. 1907/2006	Yes
PFAS, Phthalates and BPA intentionally added Box Quantity Quantity per Pallet (80 x 120 x 180-200 cm) G72 Pcs Quantity Per Layer (Pallet) Box Length Box Width Box Width Box Height Length Width 120 mm Height 115 mm Net Weight Weight cardboard (Recycling symbol "20" PAP) Cubic metre 0.00483 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Min. usage temperature Min. pH-value in usage concentration Max. pH-value in usage Concentration 10.5 pH Gtin-13 Number 672 Pcs 12 Pcs. 12 Pcs. 12 Pcs. 13 Pcs. 14 Pcs. 15 pmm 16 72 Pcs 17 Pcs. 18 Pcs.	Complies with California Proposition 65	Yes
Box Quantity 12 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 672 Pcs Quantity Per Layer (Pallet) 48 Pcs. Box Length 405 mm Box Width 355 mm Box Height 215 mm Length 350 mm Width 120 mm Height 115 mm Net Weight 0.17 kg Weight cardboard (Recycling symbol "20" PAP) 0.0267 kg Gross Weight 0.2 kg Cubic metre 0.00483 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature³ -20 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020567582	Complies with Halal and Kosher	Yes
Quantity per Pallet (80 x 120 x 180-200 cm) Quantity Per Layer (Pallet) 80 X Length 80 X Width 80 X Width 80 X Height Length 80 X Height 120 mm Width 120 mm Weight 115 mm Net Weight 10.17 kg Weight cardboard (Recycling symbol "20" PAP) 10.267 kg Gross Weight 10.26 kg Cubic metre 10.00483 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 120 °C Max usage temperature (food contact) Min. usage temperature 100 °C Max. drying temperature 120 °C Max. drying temperature 120 °C Max. pH-value in usage Concentration 10.5 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020567582	PFAS, Phthalates and BPA intentionally added	No
Quantity Per Layer (Pallet) Box Length Box Width Box Height Length Somm Width Length Width Height 115 mm Net Weight Out of kg Weight cardboard (Recycling symbol "20" PAP) Cubic metre Cubic metre Out of kg	Box Quantity	12 Pcs.
Box Length Box Width 355 mm Box Height Length 350 mm Width 120 mm Width 115 mm Net Weight 0.17 kg Weight cardboard (Recycling symbol "20" PAP) 0.0267 kg Tare total 0.0267 kg Gross Weight 0.2 kg Cubic metre 0.00483 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 120 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020567582	Quantity per Pallet (80 x 120 x 180-200 cm)	672 Pcs
Box Width 355 mm Box Height 215 mm Length 350 mm Width 120 mm Height 115 mm Net Weight 0.17 kg Weight cardboard (Recycling symbol "20" PAP) 0.0267 kg Tare total 0.0267 kg Gross Weight 0.2 kg Cubic metre 0.00483 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 120 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020567582	Quantity Per Layer (Pallet)	48 Pcs.
Box Height 215 mm Length 350 mm Width 120 mm Height 115 mm Net Weight 0.17 kg Weight cardboard (Recycling symbol "20" PAP) 0.0267 kg Tare total 0.0267 kg Gross Weight 0.2 kg Cubic metre 0.00483 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020567582	Box Length	405 mm
Length350 mmWidth120 mmHeight115 mmNet Weight0.17 kgWeight cardboard (Recycling symbol "20" PAP)0.0267 kgTare total0.0267 kgGross Weight0.2 kgCubic metre0.00483 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMin. usage temperature (non food contact)100 °CMin. usage temperature120 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020567582	Box Width	355 mm
Width 120 mm Height 115 mm Net Weight 0.17 kg Weight cardboard (Recycling symbol "20" PAP) 0.0267 kg Tare total 0.0267 kg Gross Weight 0.2 kg Cubic metre 0.00483 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature (120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020567582	Box Height	215 mm
Net Weight 0.17 kg Weight cardboard (Recycling symbol "20" PAP) 0.0267 kg Tare total 0.0267 kg Gross Weight 0.2 kg Cubic metre 0.00483 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature (120 °C Min. usage temperature (120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020567582	Length	350 mm
Net Weight 0.17 kg Weight cardboard (Recycling symbol "20" PAP) 0.0267 kg Tare total 0.0267 kg Gross Weight 0.2 kg Cubic metre 0.00483 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 3 -20 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020567582	Width	120 mm
Weight cardboard (Recycling symbol "20" PAP) Tare total 0.0267 kg Gross Weight 0.0267 kg Cubic metre 0.00483 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Max usage temperature (non food contact) Min. usage temperature³ -20 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 5705020567582	Height	115 mm
Tare total 0.0267 kg Gross Weight 0.2 kg Cubic metre 0.00483 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 3 -20 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020567582	Net Weight	0.17 kg
Gross Weight Cubic metre 0.00483 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Max usage temperature (non food contact) Min. usage temperature Max. drying temperature 120 °C Max. drying temperature 120 °C Max. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 5705020567582	Weight cardboard (Recycling symbol "20" PAP)	0.0267 kg
Cubic metre0.00483 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020567582	Tare total	0.0267 kg
Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Max usage temperature (non food contact) Min. usage temperature³ -20 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number	Gross Weight	0.2 kg
Max. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020567582	Cubic metre	0.00483 M3
Max usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020567582	Recommended sterilisation temperature (Autoclave)	121 °C
Max usage temperature (non food contact) Min. usage temperature Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020567582	Max. cleaning temperature (Dishwasher)	93 °C
Min. usage temperature -20 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020567582	Max usage temperature (food contact)	100 °C
Max. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020567582	Max usage temperature (non food contact)	100 °C
Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020567582	Min. usage temperature ³	-20 °C
Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020567582	Max. drying temperature	120 °C
Gtin-13 Number 5705020567582	Min. pH-value in usage concentration	2 pH
	Max. pH-value in Usage Concentration	10.5 pH
GTIN-14 Number (Box quantity) 15705020567589	Gtin-13 Number	5705020567582
	GTIN-14 Number (Box quantity)	15705020567589

Customs Tariff No. 39241000

Country of origin Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

- 1. See Declaration of Compliance for further details on food contact
- 3. Do not store the product below 0° Celsius.