Hand Scoop, Metal Detectable, 0.5 Litre, Dark blue







This ergonomically designed metal-detectable Hand Scoop is lightweight and durable. A one-piece construction prevents bacterial contamination, and a smooth surface allows for easy cleaning. Ideal for moving ingredients in food production areas. Metal detection can be tested using Vikan test kit (111199).

Technical Data

Content 0.5 Litre Material Polypropylene Ferrous Additive Complies with (EC) 1935/2004 on food contact materials¹ Yes Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes Complies with FDA Regulation (EC) 1° Yes Complies with HUK 2019 No. 704 on food contact materials Yes Complies with Halal and Kosher Yes Complies with Halal and Kosher Yes Phthalates and bisphenol A intentionally added No Box Quantity 15 Pcs. Quantity Per Layer (Pallet) 120 Pcs. Box Length 380 mm Box Width 290 mm Box Height 180 mm Box Height 180 mm Width 85 mm Height 100 mm Not Weight 101 mm Not Weight 101 mm Not Weight 11 mm Gross Weight 0.15 mm 12 mm Guic metre 0.002635 mm 13 mm Recommended sterillisation temperature (Autoclave) 12 mm 12 mm Max usage	Item Number	567799
Complies with (EC) 1935/2004 on food contact materials¹ Yes Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes Complies with FDA Regulation 1CFR 21¹ Yes Complies with FDA Regulation (EC) No. 1907/2006 Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with Halal and Kosher Yes Phthalates and bisphenol A intentionally added No Box Quantity 15 Pcs. Quantity Per Pallet (80 x 120 x 180-200 cm) 1320 Pcs Quantity Per Layer (Pallet) 120 Pcs. Box Length 380 mm Box Width 290 mm Box Height 180 mm Box Height 180 mm Width 85 mm Height 100 mm Not Weight 0.14 kg Weight cardboard (Recycling symbol "20" PAP) 0.0157 kg Gross Weight 0.16 kg Cubic metre 0.002635 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (food contact) 100 °C Max usage temperature 20 °C		Polypropylene
Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Complies with FDA Regulation I CFR 211 Yes Complies with UK 2019 No. 704 on food contact materials Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with Halal and Kosher Phthalates and bisphenol A intentionally added No Box Quantity 15 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 1320 Pcs Box Length Box Width 290 mm Box Width 290 mm Box Height 180 mm Height 100 mm Net Weight 100 mm Net Weight 40.14 kg Weight cardboard (Recycling symbol "20" PAP) Cubic metre 0.002635 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (food contact) 100 °C Max usage temperature 100 °C Max usage temperature		
Manufacturing Practice Complies with FDA Regulation (FR 21¹ Yes Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with Halal and Kosher Yes Phthalates and bisphenol A intentionally added No Box Quantity 15 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 1320 Pcs Quantity Per Layer (Pallet) 120 Pcs. Box Length 380 mm Box Width 290 mm Box Height 180 mm Length 310 mm Width 85 mm Height 100 mm Net Weight 0.14 kg Weight cardboard (Recycling symbol "20" PAP) 0.0157 kg Gross Weight 0.16 kg Cubic metre 0.002635 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Max. drying temperature 20 °C Max. ph-value in usage concentration 10.5 pH	Complies with (EC) 1935/2004 on food contact materials ¹	Yes
Complies with UK 2019 No. 704 on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with Halal and Kosher Yes Phthalates and bisphenol A intentionally added No Box Quantity 15 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 1320 Pcs Quantity Per Layer (Pallet) 120 Pcs. Box Length 380 mm Box Width 290 mm Box Height 180 mm Length 310 mm Width 85 mm Height 100 mm Net Weight 0.14 kg Weight cardboard (Recycling symbol "20" PAP) 0.0157 kg Gross Weight 0.0157 kg Gubic metre 0.002635 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (food contact) 100 °C Max usage temperature 20 °C Max. drying temperature 20 °C Max. drying temperature 20 °C Min. pH-value in usage concentration 10.5 pH Max. ph-value in Usage Concentration		Yes
Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with Halal and Kosher Yes Phthalates and bisphenol A intentionally added No Box Quantity 15 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 1320 Pcs Quantity Per Layer (Pallet) 120 Pcs. Box Length 380 mm Box Width 290 mm Box Height 180 mm Length 310 mm Width 85 mm Height 100 mm Net Weight 0.14 kg Weight cardboard (Recycling symbol "20" PAP) 0.0157 kg Gross Weight 0.157 kg Gross Weight 0.02635 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in usage concentration 10.5 pH Metal Detectable Yes Gtin-13 Number 5705025677996	Complies with FDA RegulationI CFR 21 ¹	Yes
Complies with Halal and Kosher Yes Phthalates and bisphenol A intentionally added No Box Quantity 15 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 1320 Pcs Quantity Per Layer (Pallet) 120 Pcs. Box Length 380 mm Box Width 290 mm Box Height 180 mm Length 310 mm Width 85 mm Height 100 mm Net Weight 0.14 kg Weight cardboard (Recycling symbol "20" PAP) 0.0157 kg Gross Weight 0.16 kg Cubic metre 0.002635 M3 Recommended sterillisation temperature (Autoclave) 121 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 2 °C Max. drying temperature 2 °C Max. pH-value in usage concentration 2 °F Max. pH-value in Usage Concentration 10.5 pH Metal Detectable Yes Gtin-13 Number 5705025677996 <th< td=""><td>Complies with UK 2019 No. 704 on food contact materials</td><td>Yes</td></th<>	Complies with UK 2019 No. 704 on food contact materials	Yes
Phthalates and bisphenol A intentionally added No Box Quantity 15 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 1320 Pcs. Quantity Per Layer (Pallet) 120 Pcs. Box Length 380 mm Box Width 290 mm Box Height 180 mm Length 310 mm Width 85 mm Height 100 mm Net Weight 0.0157 kg Weight cardboard (Recycling symbol "20" PAP) 0.0157 kg Tare total 0.0157 kg Gross Weight 0.16 kg Cubic metre 0.002635 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (food contact) 100 °C Min. usage temperature (non food contact) 100 °C Min. usage temperature 20 °C Max. drying temperature 20 °C Max. drying temperature 20 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Metal Detectable Yes Gtin-13	Complies with REACH Regulation (EC) No. 1907/2006	Yes
Box Quantity 15 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 1320 Pcs Quantity Per Layer (Pallet) 120 Pcs. Box Length 380 mm Box Width 290 mm Box Height 180 mm Length 310 mm Width 85 mm Height 100 mm Net Weight 0.14 kg Weight cardboard (Recycling symbol "20" PAP) 0.0157 kg Tare total 0.0157 kg Gross Weight 0.16 kg Cubic metre 0.002635 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 20 °C Max. drying temperature 20 °C Max. ph-value in usage concentration 10.5 pH Metal Detectable Yes Gtin-13 Number 5705025677996 GTIN-14 Number (Box quantity) 15705025677993 Customs Tariff No. 39241000	Complies with Halal and Kosher	Yes
Quantity per Pallet (80 x 120 x 180-200 cm) 1320 Pcs Quantity Per Layer (Pallet) 120 Pcs Box Length 380 mm Box Width 290 mm Box Height 180 mm Length 310 mm Width 85 mm Height 100 mm Net Weight 0.14 kg Weight cardboard (Recycling symbol "20" PAP) 0.0157 kg Gross Weight 0.16 kg Cubic metre 0.002635 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 120 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 10.5 pH Metal Detectable Yes Gtin-13 Number 5705025677996 GTIN-14 Number (Box quantity) 15705025677993 Customs Tariff No. 39241000	Phthalates and bisphenol A intentionally added	No
Quantity Per Layer (Pallet) 120 Pcs. Box Length 380 mm Box Width 290 mm Box Height 180 mm Length 310 mm Width 85 mm Height 100 mm Net Weight 0.14 kg Weight cardboard (Recycling symbol "20" PAP) 0.0157 kg Gross Weight 0.16 kg Cubic metre 0.002635 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 120 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Metal Detectable Yes Gtin-13 Number 5705025677996 GTIN-14 Number (Box quantity) 15705025677993 Customs Tariff No. 39241000	Box Quantity	15 Pcs.
Box Length 380 mm Box Width 290 mm Box Height 180 mm Length 310 mm Width 85 mm Height 100 mm Net Weight cardboard (Recycling symbol "20" PAP) 0.0157 kg Tare total 0.0157 kg Gross Weight 0.16 kg Cubic metre 0.002635 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (food contact) 100 °C Min. usage temperature (non food contact) 100 °C Min. usage temperature 120 °C Max. drying temperature 120 °C Max. pH-value in usage concentration 10.5 pH Metal Detectable Yes Gtin-13 Number 5705025677996 GTIN-14 Number (Box quantity) 15705025677993 Customs Tariff No. 39241000	Quantity per Pallet (80 x 120 x 180-200 cm)	1320 Pcs
Box Width 290 mm Box Height 180 mm Length 310 mm Width 85 mm Height 100 mm Net Weight 0.14 kg Weight cardboard (Recycling symbol "20" PAP) 0.0157 kg Tare total 0.0157 kg Gross Weight 0.16 kg Cubic metre 0.002635 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (food contact) 100 °C Min. usage temperature (non food contact) 100 °C Min. usage temperature 120 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Metal Detectable Yes Gtin-13 Number 5705025677996 GTIN-14 Number (Box quantity) 15705025677993 Customs Tariff No. 39241000	Quantity Per Layer (Pallet)	120 Pcs.
Box Height 180 mm Length 310 mm Width 85 mm Height 100 mm Net Weight 0.14 kg Weight cardboard (Recycling symbol "20" PAP) 0.0157 kg Tare total 0.0157 kg Gross Weight 0.16 kg Cubic metre 0.002635 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (food contact) 100 °C Min. usage temperature (non food contact) 100 °C Min. usage temperature 120 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Metal Detectable Yes Gtin-13 Number 5705025677996 GTIN-14 Number (Box quantity) 15705025677993 Customs Tariff No. 39241000	Box Length	380 mm
Length 310 mm Width 85 mm Height 100 mm Net Weight 0.14 kg Weight cardboard (Recycling symbol "20" PAP) 0.0157 kg Tare total 0.0157 kg Gross Weight 0.16 kg Cubic metre 0.002635 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 20 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Metal Detectable Yes Gtin-13 Number 5705025677996 GTIN-14 Number (Box quantity) 15705025677993 Customs Tariff No. 39241000	Box Width	290 mm
Width 85 mm Height 100 mm Net Weight 0.14 kg Weight cardboard (Recycling symbol "20" PAP) 0.0157 kg Tare total 0.0157 kg Gross Weight 0.16 kg Cubic metre 0.002635 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Metal Detectable Yes Gtin-13 Number 5705025677996 GTIN-14 Number (Box quantity) 15705025677993 Customs Tariff No. 39241000	Box Height	180 mm
Height 100 mm Net Weight 0.14 kg Weight cardboard (Recycling symbol "20" PAP) 0.0157 kg Tare total 0.0157 kg Gross Weight 0.16 kg Cubic metre 0.002635 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (food contact) 100 °C Min. usage temperature (non food contact) 100 °C Min. usage temperature 120 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Metal Detectable Yes Gtin-13 Number 5705025677996 GTIN-14 Number (Box quantity) 15705025677993 Customs Tariff No. 39241000	Length	310 mm
Net Weight 0.14 kg Weight cardboard (Recycling symbol "20" PAP) 0.0157 kg Tare total 0.0157 kg Gross Weight 0.16 kg Cubic metre 0.002635 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature³ -20 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Metal Detectable Yes Gtin-13 Number 5705025677996 GTIN-14 Number (Box quantity) 15705025677993 Customs Tariff No. 39241000	Width	85 mm
Weight cardboard (Recycling symbol "20" PAP) 0.0157 kg Tare total 0.0157 kg Gross Weight 0.16 kg Cubic metre 0.002635 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (food contact) 100 °C Min. usage temperature (non food contact) 100 °C Min. usage temperature 120 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Metal Detectable Yes Gtin-13 Number 5705025677996 GTIN-14 Number (Box quantity) 15705025677993 Customs Tariff No. 39241000	Height	100 mm
Tare total 0.0157 kg Gross Weight 0.16 kg Cubic metre 0.002635 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature³ -20 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Metal Detectable Yes Gtin-13 Number 5705025677996 GTIN-14 Number (Box quantity) 15705025677993 Customs Tariff No. 39241000	Net Weight	0.14 kg
Gross Weight 0.16 kg Cubic metre 0.002635 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature³ -20 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Metal Detectable Yes Gtin-13 Number 5705025677996 GTIN-14 Number (Box quantity) 15705025677993 Customs Tariff No. 39241000	Weight cardboard (Recycling symbol "20" PAP)	0.0157 kg
Cubic metre0.002635M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHMetal DetectableYesGtin-13 Number5705025677996GTIN-14 Number (Box quantity)15705025677993Customs Tariff No.39241000	Tare total	0.0157 kg
Recommended sterilisation temperature (Autoclave) Max usage temperature (food contact) Max usage temperature (non food contact) Min. usage temperature³ -20 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Metal Detectable Yes Gtin-13 Number 5705025677996 GTIN-14 Number (Box quantity) 15705025677993 Customs Tariff No.	Gross Weight	0.16 kg
Max usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHMetal DetectableYesGtin-13 Number5705025677996GTIN-14 Number (Box quantity)15705025677993Customs Tariff No.39241000	Cubic metre	0.002635 M3
Max usage temperature (non food contact)100 °CMin. usage temperature3-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHMetal DetectableYesGtin-13 Number5705025677996GTIN-14 Number (Box quantity)15705025677993Customs Tariff No.39241000	Recommended sterilisation temperature (Autoclave)	121 °C
Min. usage temperature	Max usage temperature (food contact)	100 °C
Max. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHMetal DetectableYesGtin-13 Number5705025677996GTIN-14 Number (Box quantity)15705025677993Customs Tariff No.39241000	Max usage temperature (non food contact)	100 °C
Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Metal Detectable Yes Gtin-13 Number 5705025677996 GTIN-14 Number (Box quantity) 15705025677993 Customs Tariff No. 39241000	Min. usage temperature ³	-20 °C
Max. pH-value in Usage Concentration10.5 pHMetal DetectableYesGtin-13 Number5705025677996GTIN-14 Number (Box quantity)15705025677993Customs Tariff No.39241000	Max. drying temperature	120 °C
Metal Detectable Yes Gtin-13 Number 5705025677996 GTIN-14 Number (Box quantity) 15705025677993 Customs Tariff No. 39241000	Min. pH-value in usage concentration	2 pH
Gtin-13 Number 5705025677996 GTIN-14 Number (Box quantity) 15705025677993 Customs Tariff No. 39241000	Max. pH-value in Usage Concentration	10.5 pH
GTIN-14 Number (Box quantity) 15705025677993 Customs Tariff No. 39241000	Metal Detectable	Yes
Customs Tariff No. 39241000	Gtin-13 Number	5705025677996
	GTIN-14 Number (Box quantity)	15705025677993
Country of origin Denmark	Customs Tariff No.	39241000
	Country of origin	Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

- 1. See Declaration of Compliance for further details on food contact
- 3. Do not store the product below 0° Celsius.