## Round Bowl Scoop, 2 Litre, Red





Lightweight and durable, this ergonomically designed Round Bowl Scoop features a pouring spout on two sides to enable both left and right-handed users to pour from the scoop. One-piece construction eliminates areas where bacteria can be harboured, and a smooth surface allows for easy cleaning. Ideal for use in food production areas to move food ingredients, liquids, etc. The scoop's interior contains a measuring scale.

## **Technical Data**

Material Polypropylene Recycling Symbol "5", Polypropylene (PP) Yes Complies with (EC) 1935/2004 on food contact materials¹ Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Complies with FDA Regulation I CFR 21¹ Yes Complies with HUK 2019 No. 704 on food contact materials Complies with HEACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added Box Quantity 10 Pcs. Quantity Per Pallet (80 x 120 x 180-200 cm) 420 Pcs Quantity Per Layer (Pallet) 11 Pcs. Box Length Box Width 300 mm Box Width 195 mm Width 195 mm Width 195 mm Width 195 mm Wet Weight 10 C26 kg Weight Cardboard (Recycling symbol "20" PAP) 0.03 kg Gross Weight 0.029 kg Cubic metre 0.0074 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max. usage temperature (food contact) Min. usage temperature Min. pH-value in usage concentration 10.5 pH Gtin-13 Number 5705022000537	Item Number	56824
Recycling Symbol "5", Polypropylene (PP)  Complies with (EC) 1935/2004 on food contact materials'  Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice  Complies with FDA Regulation I CFR 21'  Complies with HEAR Regulation (EC) No. 1907/2006  Complies with REACH Regulation (EC) No. 1907/2006  Complies with California Proposition 65  Yes  Complies with Halal and Kosher  PFAS, Phthalates and BPA intentionally added  Box Quantity  10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm)  Quantity Per Layer (Pallet)  Box Width  Box Width  Box Width  Box Width  Box Width  Box Width  195 mm  Width  Height  115 mm  Net Weight Cardboard (Recycling symbol "20" PAP)  Cubic metre  Max. cleaning temperature (Dishwasher)  Max usage temperature (food contact)  Min. usage temperature  Min. upH-value in usage concentration  Max. pH-value in Usage Concentration	Content	2 Litre
Complies with (EC) 1935/2004 on food contact materials¹  Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice  Complies with EU Regulation CFR 21¹  Yes Complies with UK 2019 No. 704 on food contact materials  Complies with UK 2019 No. 704 on food contact materials  Complies with REACH Regulation (EC) No. 1907/2006  Yes Complies with California Proposition 65  Yes Complies with Halal and Kosher  Yes PFAS, Phthalates and BPA intentionally added  No. Quantity per Pallet (80 x 120 x 180-200 cm)  420 Pcs Quantity Per Layer (Pallet)  Box Length  Box Length  Box Height  Length  Box Height  Length  Note Weight  Note Weight  Cubic metre  Quantity  Max usage temperature (Dishwasher)  Max usage temperature (non food contact)  Min. usage temperature  Min. pH-value in usage concentration  Max. pH-value in Usage Concentration  To Complies with ED Regulation (EC) No. 1907/2006  Yes Complies with ED Regulation (EC) No. 1907/2006  Yes Complies with ED Regulation (EC) No. 1907/2006  Yes Complies with UK 2019 No. 704 on food contact)  Max pH-value in Usage Concentration  To Complies with IL Regulation (EC) No. 1907/2006  Yes Yes Complies with IL Regulation (EC) No. 1907/2006  Yes Yes Comp	Material	Polypropylene
Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Complies with FDA Regulation (ER 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added No Box Quantity per Pallet (80 x 120 x 180-200 cm) 420 Pcs Quantity per Pallet (80 x 120 x 180-200 cm) 420 Pcs Quantity Per Layer (Pallet) 1 Pcs. Box Length 330 mm Box Height 250 mm Width 195 mm Width 195 mm Weight Net Weight 0.26 kg Weight cardboard (Recycling symbol "20" PAP) 0.03 kg Gross Weight 0.29 kg Cubic metre 0.0074 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature 100 °C Max usage temperature 100 °C Max usage temperature 101 °C Max. drying temperature 102 °C Min. usage temperature 103 °C Min. usage concentration 2 pH Max. pH-value in usage concentration 10.5 pH Gtin-13 Number 5705022000537	Recycling Symbol "5", Polypropylene (PP)	Yes
Manufacturing Practice Complies with FDA Regulation CFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No. Box Quantity Quantity per Pallet (80 x 120 x 180-200 cm) 420 Pcs Quantity Per Layer (Pallet) 1 Pcs. Box Length 300 mm Box Width 300 mm Box Width 300 mm Width 195 mm Height 115 mm Net Weight Net Weight Quantity Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (non food contact) Min. usage temperature Max. drying temperature Max. drying temperature Max. drying temperature Max. pH-value in usage concentration	Complies with (EC) 1935/2004 on food contact materials <sup>1</sup>	Yes
Complies with UK 2019 No. 704 on food contact materials  Complies with REACH Regulation (EC) No. 1907/2006  Complies with California Proposition 65  Complies with Halal and Kosher  PFAS, Phthalates and BPA intentionally added  Box Quantity  Quantity per Pallet (80 x 120 x 180-200 cm)  Quantity Per Layer (Pallet)  Box Length  Box Width  Box Height  Length  A30 mm  Width  Height  Height  Net Weight  Weight cardboard (Recycling symbol "20" PAP)  Cubic metre  Quantity Cubic metre  Quantity  Max. cleaning temperature (Dishwasher)  Max usage temperature (Food contact)  Min. usage temperature  Min. pH-value in usage Concentration  Max. pH-value in Usage Concentration	Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice	Yes
Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added Box Quantity Quantity Quantity per Pallet (80 x 120 x 180-200 cm) Accumpted to the permanent of the perm	Complies with FDA RegulationI CFR 21 <sup>1</sup>	Yes
Complies with California Proposition 65  Complies with Halal and Kosher  PFAS, Phthalates and BPA intentionally added  Box Quantity  Quantity per Pallet (80 x 120 x 180-200 cm)  Quantity per Pallet (80 x 120 x 180-200 cm)  Quantity Per Layer (Pallet)  Box Length  Box Length  Box Width  Box Width  Box Height  Length  Length  Box Height  Length  Leng	Complies with UK 2019 No. 704 on food contact materials	Yes
Complies with Halal and Kosher  PFAS, Phthalates and BPA intentionally added  Box Quantity  Quantity per Pallet (80 x 120 x 180-200 cm)  Quantity per Pallet (80 x 120 x 180-200 cm)  Quantity Per Layer (Pallet)  1 Pcs.  Box Length  430 mm  Box Width  300 mm  Box Height  250 mm  Length  330 mm  Width  195 mm  Height  115 mm  Net Weight  0.26 kg  Weight cardboard (Recycling symbol "20" PAP)  10.03 kg  Gross Weight  0.29 kg  Cubic metre  0.0074 M3  Recommended sterilisation temperature (Autoclave)  Max. cleaning temperature (Dishwasher)  Max usage temperature (food contact)  Min. usage temperature  100 °C  Max usage temperature  100 °C  Max usage temperature  100 °C  Max. drying temperature  120 °C  Min. pH-value in usage concentration  2 pH  Max. pH-value in Usage Concentration  10.5 pH  Gtin-13 Number	Complies with REACH Regulation (EC) No. 1907/2006	Yes
PFAS, Phthalates and BPA intentionally added Box Quantity Quantity per Pallet (80 x 120 x 180-200 cm) Quantity per Pallet (80 x 120 x 180-200 cm) Quantity Per Layer (Pallet) 1 Pcs. Box Length 430 mm Box Width 300 mm Box Height 250 mm Length 330 mm Width 195 mm Net Weight 115 mm Net Weight 0.26 kg Weight cardboard (Recycling symbol "20" PAP) 0.03 kg Gross Weight 0.29 kg Cubic metre 0.0074 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Min. usage temperature 120 °C Min. usage temperature 120 °C Min. pH-value in usage concentration 10.5 pH Gtin-13 Number 5705022000537	Complies with California Proposition 65	Yes
Box Quantity Per Pallet (80 x 120 x 180-200 cm) 420 Pcs Quantity Per Layer (Pallet) 1 Pcs. Box Length 430 mm Box Width 300 mm Box Height 250 mm Length 330 mm Width 195 mm Height 115 mm Net Weight 20.26 kg Weight cardboard (Recycling symbol "20" PAP) 0.03 kg Gross Weight 0.29 kg Cubic metre 0.0074 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Min. usage temperature Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin. 13 Number 5705022000537	Complies with Halal and Kosher	Yes
Quantity per Pallet (80 x 120 x 180-200 cm)  Quantity Per Layer (Pallet)  1 Pcs.  Box Length  430 mm  Box Width  300 mm  Box Height  250 mm  Width  195 mm  Width  195 mm  Net Weight  0.26 kg  Weight cardboard (Recycling symbol "20" PAP)  0.03 kg  Gross Weight  0.29 kg  Cubic metre  0.0074 M3  Recommended sterilisation temperature (Autoclave)  Max. cleaning temperature (Dishwasher)  Max usage temperature (food contact)  Min. usage temperature  Min. pH-value in usage concentration  Max. pH-value in usage Concentration  10.5 pH  Gtin. 13 Number  5705022000537	PFAS, Phthalates and BPA intentionally added	No
Quantity Per Layer (Pallet)  Box Length  Box Width  Box Width  Box Height  Length  Clength  C	Box Quantity	10 Pcs.
Box Length Box Width Box Width Box Height Length Box Height Box	Quantity per Pallet (80 x 120 x 180-200 cm)	420 Pcs
Box Width         300 mm           Box Height         250 mm           Length         330 mm           Width         195 mm           Height         115 mm           Net Weight         0.26 kg           Weight cardboard (Recycling symbol "20" PAP)         0.03 kg           Tare total         0.03 kg           Gross Weight         0.29 kg           Cubic metre         0.0074 M3           Recommended sterilisation temperature (Autoclave)         121 °C           Max. cleaning temperature (Dishwasher)         93 °C           Max usage temperature (food contact)         100 °C           Max usage temperature (non food contact)         100 °C           Min. usage temperature         120 °C           Max. drying temperature         120 °C           Min. pH-value in usage concentration         2 pH           Max. pH-value in Usage Concentration         10.5 pH           Gtin-13 Number         5705022000537	Quantity Per Layer (Pallet)	1 Pcs.
Box Height         250 mm           Length         330 mm           Width         195 mm           Height         115 mm           Net Weight         0.26 kg           Weight cardboard (Recycling symbol "20" PAP)         0.03 kg           Tare total         0.03 kg           Gross Weight         0.29 kg           Cubic metre         0.0074 M3           Recommended sterilisation temperature (Autoclave)         121 °C           Max. cleaning temperature (Dishwasher)         93 °C           Max usage temperature (food contact)         100 °C           Max usage temperature (non food contact)         100 °C           Min. usage temperature         120 °C           Max. drying temperature         120 °C           Min. pH-value in usage concentration         2 pH           Max. pH-value in Usage Concentration         10.5 pH           Gtin-13 Number         5705022000537	Box Length	430 mm
Length 330 mm Width 195 mm Height 115 mm Net Weight 0.26 kg Weight cardboard (Recycling symbol "20" PAP) 0.03 kg Tare total 0.03 kg Gross Weight 0.29 kg Cubic metre 0.0074 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature (120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705022000537	Box Width	300 mm
Width 195 mm Height 115 mm Net Weight 0.26 kg Weight cardboard (Recycling symbol "20" PAP) 0.03 kg Tare total 0.03 kg Gross Weight 0.29 kg Cubic metre 0.0074 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature (120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705022000537	Box Height	250 mm
Net Weight 0.26 kg Weight cardboard (Recycling symbol "20" PAP) 0.03 kg Tare total 0.03 kg Gross Weight 0.29 kg Cubic metre 0.0074 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature (120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705022000537	Length	330 mm
Net Weight  Weight cardboard (Recycling symbol "20" PAP)  0.03 kg  Gross Weight  0.29 kg  Cubic metre  0.0074 M3  Recommended sterilisation temperature (Autoclave)  Max. cleaning temperature (Dishwasher)  Max usage temperature (food contact)  Max usage temperature (non food contact)  Min. usage temperature  120 °C  Max. drying temperature  120 °C  Min. pH-value in usage concentration  2 pH  Max. pH-value in Usage Concentration  10.5 pH  Gtin-13 Number	Width	195 mm
Weight cardboard (Recycling symbol "20" PAP)  7. Tare total  8. Cubic metre  9. 0.074 M3  Recommended sterilisation temperature (Autoclave)  7. Max. cleaning temperature (Dishwasher)  8. Max usage temperature (food contact)  8. Max usage temperature (non food contact)  9. Cubic metre  9. 0.0074 M3  9. 0.0074	Height	115 mm
Tare total 0.03 kg Gross Weight 0.29 kg Cubic metre 0.0074 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 3 -20 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705022000537	Net Weight	0.26 kg
Gross Weight  Cubic metre  0.0074 M3  Recommended sterilisation temperature (Autoclave)  Max. cleaning temperature (Dishwasher)  Max usage temperature (food contact)  Max usage temperature (non food contact)  Min. usage temperature³  -20 °C  Max. drying temperature  120 °C  Min. pH-value in usage concentration  2 pH  Max. pH-value in Usage Concentration  5705022000537	Weight cardboard (Recycling symbol "20" PAP)	0.03 kg
Cubic metre 0.0074 M3  Recommended sterilisation temperature (Autoclave) 121 °C  Max. cleaning temperature (Dishwasher) 93 °C  Max usage temperature (food contact) 100 °C  Max usage temperature (non food contact) 100 °C  Min. usage temperature (non food contact) 120 °C  Max. drying temperature 120 °C  Min. pH-value in usage concentration 2 pH  Max. pH-value in Usage Concentration 10.5 pH  Gtin-13 Number 5705022000537	Tare total	0.03 kg
Recommended sterilisation temperature (Autoclave)  Max. cleaning temperature (Dishwasher)  Max usage temperature (food contact)  Max usage temperature (non food contact)  Min. usage temperature³  -20 °C  Max. drying temperature  120 °C  Min. pH-value in usage concentration  2 pH  Max. pH-value in Usage Concentration  5705022000537	Gross Weight	0.29 kg
Max. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705022000537	Cubic metre	0.0074 M3
Max usage temperature (food contact)  Max usage temperature (non food contact)  Min. usage temperature  Max. drying temperature  120 °C  Min. pH-value in usage concentration  2 pH  Max. pH-value in Usage Concentration  10.5 pH  Gtin-13 Number	Recommended sterilisation temperature (Autoclave)	121 °C
Max usage temperature (non food contact)  Min. usage temperature  Max. drying temperature  120 °C  Min. pH-value in usage concentration  2 pH  Max. pH-value in Usage Concentration  10.5 pH  Gtin-13 Number  5705022000537	Max. cleaning temperature (Dishwasher)	93 °C
Min. usage temperature <sup>3</sup> Max. drying temperature  Min. pH-value in usage concentration  Max. pH-value in Usage Concentration  Ctin-13 Number  -20 °C  120 °C	Max usage temperature (food contact)	100 °C
Max. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705022000537	Max usage temperature (non food contact)	100 °C
Min. pH-value in usage concentration 2 pH  Max. pH-value in Usage Concentration 10.5 pH  Gtin-13 Number 5705022000537	Min. usage temperature <sup>3</sup>	-20 °C
Max. pH-value in Usage Concentration10.5 pHGtin-13 Number5705022000537	Max. drying temperature	120 °C
Gtin-13 Number 5705022000537	Min. pH-value in usage concentration	2 pH
	Max. pH-value in Usage Concentration	10.5 pH
GTIN-14 Number (Box quantity) 15705028000545	Gtin-13 Number	5705022000537
	GTIN-14 Number (Box quantity)	15705028000545

Customs Tariff No. 39241000

Country of origin Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

- 1. See Declaration of Compliance for further details on food contact
- 3. Do not store the product below 0° Celsius.