Round Bowl Scoop, 2 Litre, Yellow







Lightweight and durable, this ergonomically designed Round Bowl Scoop features a pouring spout on two sides to enable both left and right-handed users to pour from the scoop. One-piece construction eliminates areas where bacteria can be harboured, and a smooth surface allows for easy cleaning. Ideal for use in food production areas to move food ingredients, liquids, etc. The scoop's interior contains a measuring scale.

Technical Data

Material Polypropylene Recycling Symbol "5", Polypropylene (PP) Complies with (EC) 1935/2004 on food contact materials' Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Complies with FDA Regulation I CFR 21' Complies with FDA Regulation (EC) No. 1907/2006 Complies with REACH Regulation (EC) No. 1907/2006 Complies with REACH Regulation (EC) No. 1907/2006 Complies with California Proposition 65 Yes Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added No Box Quantity 10 Pcs. Quantity Per Pallet (80 x 120 x 180-200 cm) 420 Pcs Quantity Per Layer (Pallet) 11 Pcs. Box Length 430 mm Box Width 300 mm Box Width 300 mm Width 195 mm Width 195 mm Width 195 mm Net Weight 0.26 kg Weight cardboard (Recycling symbol "20" PAP) 0.03 kg Gross Weight 0.29 kg Cubic metre 0.0074 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 100 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705022000575	Item Number	56826
Recycling Symbol "5", Polypropylene (PP) Complies with (EC) 1935/2004 on food contact materials' Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Complies with FDA Regulation I CFR 21' Complies with HEACH Regulation (EC) No. 1907/2006 Complies with REACH Regulation (EC) No. 1907/2006 Complies with California Proposition 65 Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 420 Pcs Quantity Per Layer (Pallet) Box Width 300 mm Box Width 300 mm Box Width 195 mm Width 195 mm Net Weight 10 C26 kg Weight cardboard (Recycling symbol "20" PAP) Cubic metre Cubic metre 0.0074 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (food contact) Min. usage temperature (food contact) Max. drying temperature Min. pH-value in usage concentration 10.5 pH Gtin-13 Number 7000 Yes Ass Complies with EU Regulation 25/9502000000000000000000000000000000000	Content	2 Litre
Complies with (EC) 1935/2004 on food contact materials¹ Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Complies with FDA Regulation CFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with REAIdfornia Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 420 Pcs Quantity Per Layer (Pallet) 1 Pcs. Box Length Box Width 300 mm Box Width 300 mm Box Height 15 mm Net Weight 10 Pcs. Weight cardboard (Recycling symbol "20" PAP) Cubic metre 0.0074 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (Ino food contact) Min. usage temperature Min. usage temperature Min. pH-value in usage concentration Max. pH-value in Usage Concentration Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number Yes Pes Assumber Yes Yes Yes Yes Yes Yes Yes Y	Material	Polypropylene
Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Complies with FDA Regulation CFR 211 Yes Complies with UK 2019 No. 704 on food contact materials Complies with UK 2019 No. 704 on food contact materials Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with REACH Regulation 65 Yes Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added No Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 420 Pcs Quantity Per Layer (Pallet) 1 Pcs. Box Length 330 mm Box Height 250 mm Width 195 mm Width 195 mm Net Weight 10 26 kg Weight cardboard (Recycling symbol "20" PAP) 10 30 kg Gross Weight 10 20 kg Cubic metre 10 0.0074 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (Dishwasher) 10 °C Max usage temperature (Ino food contact) 100 °C Max usage temperature 10 °C Max drying temperature 110 °C Max drying temperature 110 °C Max drying temperature 110 °C Max pH-value in usage concentration 10 5 pH Max. pH-value in Usage Concentration 10 5 pH Max. pH-value in Usage Concentration 10 5 pH Gtin-13 Number 10 7000	Recycling Symbol "5", Polypropylene (PP)	Yes
Manufacturing Practice Complies with FDA Regulation I CFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 420 Pcs Quantity Per Layer (Pallet) 11 Pcs. Box Length 430 mm Box Width 300 mm Box Width 300 mm Box Height 250 mm Width 195 mm Height 115 mm Net Weight 10 Pcs. Weight cardboard (Recycling symbol "20" PAP) 10 0.03 kg Gross Weight 10 Pcs Quantity Per Layer (Pallet) 10 Pcs Wax. cleaning temperature (Dishwasher) 10 Pcs Max usage temperature (food contact) 100 °C Max usage temperature 100 °C Max. drying temperature 100 °C Max. drying temperature 100 °C Max. drying temperature 100 °C Max. pH-value in Usage Concentration 10 5 pH Max. pH-value in Usage Concentration 10 5 pH Max. pH-value in Usage Concentration 10 5 pH Gtin-13 Number 10 700	Complies with (EC) 1935/2004 on food contact materials ¹	Yes
Complies with UK 2019 No. 704 on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 420 Pcs Quantity Per Layer (Pallet) Box Length Box Width Box Height Length 330 mm Width 195 mm Net Weight Net Weight Questify Recycling symbol "20" PAP) Cubic metre 0.0074 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (Inon food contact) Min. usage temperature Min. usage temperature Min. usage temperature Min. usage temperature Min. pH-value in usage Concentration Max. pH-value in usage Concentration To Pcs. Yes Yes Yes Yes Yes Yes Yes Yes Yes Ye	Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice	Yes
Complies with REACH Regulation (EC) No. 1907/2006 Complies with California Proposition 65 Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added Box Quantity Quantity per Pallet (80 x 120 x 180-200 cm) Accumality Per Layer (Pallet) Box Length Box Width Box Width Box Height Length Width 195 mm Width 195 mm Net Weight Weight cardboard (Recycling symbol "20" PAP) Cubic metre Quable (Dishwasher) Max. cleaning temperature (Dishwasher) Max. cleaning temperature (Dishwasher) Max usage temperature (non food contact) Min. usage temperature Min. pH-value in usage Concentration Max. pH-value in usage Concentration Complies with California Person 10 PCS PAS PST PAS PC PCS PCS PCS PCS PCS PCS PCS PCS PCS	Complies with FDA RegulationI CFR 21 ¹	Yes
Complies with California Proposition 65 Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added Box Quantity Quantity per Pallet (80 x 120 x 180-200 cm) Quantity per Pallet (80 x 120 x 180-200 cm) Quantity Per Layer (Pallet) Box Length Box Length Box Width Box Width Box Height Length Box Height Length Box Height Length Box Weight Cubic metre	Complies with UK 2019 No. 704 on food contact materials	Yes
Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 420 Pcs Quantity Per Layer (Pallet) 1 Pcs. Box Length 430 mm Box Width 300 mm Box Height 250 mm Length 330 mm Width 195 mm Height 115 mm Net Weight 0.26 kg Weight cardboard (Recycling symbol "20" PAP) 10 03 kg Gross Weight 0.29 kg Cubic metre 0.0074 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Min. usage temperature 100 °C Max. dying temperature 110 °C Max. dying temperature Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin. 13 Number 5705022000575	Complies with REACH Regulation (EC) No. 1907/2006	Yes
PFAS, Phthalates and BPA intentionally added Box Quantity Quantity per Pallet (80 x 120 x 180-200 cm) Quantity per Pallet (80 x 120 x 180-200 cm) Quantity Per Layer (Pallet) 1 Pcs. Box Length 430 mm Box Width 300 mm Box Height 250 mm Length 330 mm Width 195 mm Net Weight 115 mm Net Weight 0.26 kg Weight cardboard (Recycling symbol "20" PAP) 0.03 kg Gross Weight 0.29 kg Cubic metre 0.0074 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Min. usage temperature 120 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 10.5 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705022000575	Complies with California Proposition 65	Yes
Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 420 Pcs Quantity Per Layer (Pallet) 1 Pcs. Box Length 430 mm Box Width 300 mm Box Height 250 mm Length 330 mm Width 195 mm Height 115 mm Net Weight 0.26 kg Weight cardboard (Recycling symbol "20" PAP) 0.03 kg Gross Weight 0.29 kg Cubic metre 0.0074 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Max. drying temperature 120 °C Max. drying temperature 2 pH Max. pH-value in usage concentration 10.5 pH Gtin-13 Number 5705022000575	Complies with Halal and Kosher	Yes
Quantity per Pallet (80 x 120 x 180-200 cm) Quantity Per Layer (Pallet) 1 Pcs. Box Length 430 mm Box Width 300 mm Box Height 250 mm Length 330 mm Width 195 mm Height 115 mm Net Weight 0.26 kg Weight cardboard (Recycling symbol "20" PAP) 0.03 kg Gross Weight 0.29 kg Cubic metre 0.0074 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) Min. usage temperature 100 °C Min. usage temperature 110 °C Min. usage temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number	PFAS, Phthalates and BPA intentionally added	No
Quantity Per Layer (Pallet) Box Length Box Width Box Width Box Height Length Some Height Length Width Height Height Net Weight Net Weight Outlook Recycling symbol "20" PAP) Cubic metre	Box Quantity	10 Pcs.
Box Length Box Width 300 mm Box Height 250 mm Length 330 mm Width 195 mm Width 195 mm Height 115 mm Net Weight 0.26 kg Weight cardboard (Recycling symbol "20" PAP) 0.03 kg Gross Weight 0.29 kg Cubic metre 0.0074 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 100 °C Max. usage temperature 120 °C Max. drying temperature 120 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number	Quantity per Pallet (80 x 120 x 180-200 cm)	420 Pcs
Box Width 300 mm Box Height 250 mm Length 330 mm Width 195 mm Height 115 mm Net Weight 0.26 kg Weight cardboard (Recycling symbol "20" PAP) 0.03 kg Tare total 0.03 kg Gross Weight 0.29 kg Cubic metre 0.0074 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 120 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705022000575	Quantity Per Layer (Pallet)	1 Pcs.
Box Height 250 mm Length 330 mm Width 195 mm Height 115 mm Net Weight 0.26 kg Weight cardboard (Recycling symbol "20" PAP) 0.03 kg Tare total 0.03 kg Gross Weight 0.29 kg Cubic metre 0.0074 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 120 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705022000575	Box Length	430 mm
Length330 mmWidth195 mmHeight115 mmNet Weight0.26 kgWeight cardboard (Recycling symbol "20" PAP)0.03 kgTare total0.03 kgGross Weight0.29 kgCubic metre0.0074 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature120 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705022000575	Box Width	300 mm
Width 195 mm Height 115 mm Net Weight 0.26 kg Weight cardboard (Recycling symbol "20" PAP) 0.03 kg Tare total 0.03 kg Gross Weight 0.29 kg Cubic metre 0.0074 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature (120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705022000575	Box Height	250 mm
Net Weight 0.26 kg Weight cardboard (Recycling symbol "20" PAP) 0.03 kg Tare total 0.03 kg Gross Weight 0.29 kg Cubic metre 0.0074 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature (120 °C Min. usage temperature (120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705022000575	Length	330 mm
Net Weight 0.26 kg Weight cardboard (Recycling symbol "20" PAP) 0.03 kg Tare total 0.03 kg Gross Weight 0.29 kg Cubic metre 0.0074 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature (120 °C Min. usage temperature (120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705022000575	Width	195 mm
Weight cardboard (Recycling symbol "20" PAP) 7. Tare total 8. Cubic metre 9. 0.074 M3 Recommended sterilisation temperature (Autoclave) 7. Max. cleaning temperature (Dishwasher) 8. Max usage temperature (food contact) 8. Max usage temperature (non food contact) 9. Cubic metre 1. Cubic metre	Height	115 mm
Tare total 0.03 kg Gross Weight 0.29 kg Cubic metre 0.0074 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 3 -20 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705022000575	Net Weight	0.26 kg
Gross Weight Cubic metre 0.0074 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Max usage temperature (non food contact) Min. usage temperature Max. drying temperature 120 °C Max. drying temperature 120 °C Max. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 5705022000575	Weight cardboard (Recycling symbol "20" PAP)	0.03 kg
Cubic metre0.0074 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705022000575	Tare total	0.03 kg
Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Max usage temperature (non food contact) Min. usage temperature³ -20 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number	Gross Weight	0.29 kg
Max. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705022000575	Cubic metre	0.0074 M3
Max usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705022000575	Recommended sterilisation temperature (Autoclave)	121 °C
Max usage temperature (non food contact) Min. usage temperature Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705022000575	Max. cleaning temperature (Dishwasher)	93 °C
Min. usage temperature ³ Max. drying temperature Min. pH-value in usage concentration Max. pH-value in Usage Concentration Ctin-13 Number -20 °C 120 °C	Max usage temperature (food contact)	100 °C
Max. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705022000575	Max usage temperature (non food contact)	100 °C
Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705022000575	Min. usage temperature ³	-20 °C
Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705022000575	Max. drying temperature	120 °C
Gtin-13 Number 5705022000575	Min. pH-value in usage concentration	2 pH
	Max. pH-value in Usage Concentration	10.5 pH
GTIN-14 Number (Box quantity) 15705028000583	Gtin-13 Number	5705022000575
	GTIN-14 Number (Box quantity)	15705028000583

Customs Tariff No. 39241000

Country of origin Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

- 1. See Declaration of Compliance for further details on food contact
- 3. Do not store the product below 0° Celsius.