70075 Mixer, Small Blade, 35", Ø1.2", White







Mescola gli ingredienti alimentari in grandi contenitori e vasche con questa pala a manico corto. Resistente al calore, fino a 170°C.

Non lasciare il mixer nella pentola/vasca quando non si mescola.

## **Technical Data**

MaterialPolyamideRecycling Symbol "7", Miscellaneous PlasticsYesComplies with EC) 1935/2004 on food contact materials'YesComplies with EDA Regulation 2023/2006/EC of GoodYesComplies with EDA Regulation ICR 21'YesComplies with EDA Regulation (EC) No. 1907/2006YesComplies with California Proposition 65YesComplies with California Proposition 65YesComplies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoBox Quantity1 Pcs.Quantity Per Pallet (80 x 120 x 180-200 cm)275 Pcs.Quantity Per Layer (Pallet)0 Pcs.Box Leight1.3"Product diameter1.2"Length.35"Box Kleight1.3"Product diameter1.2"Length.36"Width6.3"Height1.3"Net Weight.0.4 lbsCipPE.0.04 lbsCipP	Item Number	70075
Complies with (EC) 1935/2004 on food contact materials'YesComplies with EU Regulation 2023/2006/EC of Good Manufacturing PracticeYesComplies with EU Regulation CFR 21'YesComplies with UK 2019 No. 704 on food contact materialsYesMeets the REACH Regulation (EC) No. 1907/2006YesComplies with California Proposition 65YesComplies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoBox Quantity1 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)275 Pcs.Quantity Per Layer (Pallet)0 Pcs.Box Klifth5.9 "Box Width5.9 "Box Height1.3 "Product diameter1.2 "Length35 "Width6.3 "Height1.3 "Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.04 lbsWeight cardboard (Recycling symbol "20" PAP)0.07 lbsCaustry of Origin20824 lbsCoustors Tariff No.39241000Country of OriginDenmarkRecommended sterilisation temperature (Autoclave)249.8 "FMax usage temperature (food contact)347 "FMax usage temperature (non food contact)347 "F	Material	Polyamide
Complies with EU Regulation 2023/2006/EC of Good Manufacturing PracticeYesComplies with FDA RegulationI CFR 21'YesComplies with UK 2019 No. 704 on food contact materialsYesMeets the REACH Regulation (EC) No. 1907/2006YesComplies with California Proposition 65YesComplies with California Proposition 65YesComplies with Halal and KosherYesPFAS, Phthalates and BPA Intentionally addedNoBox Quantity1 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)275 Pcs.Quantity Per Layer (Pallet)0 Pcs.Box Length35 "Box Width5.9 "Box Height1.3 "Product diameter1.2 "Length35 "Width6.3 "Height1.3 "Net Weight2.0282 lbsWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.04 lbsCubic Feet0.166 ft3GTIN-13 Number5705020700750Customs Tariff No.39241000Country of OriginDenmarkRecommended sterilisation temperature (Autoclave)249.8 "FMax usage temperature (tood contact)347 "FMax usage temperature (no food contact)347 "F	Recycling Symbol "7", Miscellaneous Plastics	Yes
Manufacturing Practice       Complies with FDA Regulation (FR 21'     Yes       Complies with UK 2019 No. 704 on food contact materials     Yes       Meets the REACH Regulation (EC) No. 1907/2006     Yes       Complies with California Proposition 65     Yes       Complies with Halal and Kosher     Yes       PFAS, Phthalates and BPA Intentionally added     No       Box Quantity     1 Pcs.       Quantity per Pallet (80 x 120 x 180-200 cm)     275 Pcs.       Quantity Per Layer (Pallet)     0 Pcs.       Box Length     35 "       Box Width     6.9 "       Box Height     1.3 "       Product diameter     1.2 "       Length     35 "       Width     6.3 "       Height     1.3 "       Net Weight     2.0282 lbs       Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)     0.04 lbs       Cubic Feet     0.16 ft3       GTIN-13 Number     5705020700750       Customs Tariff No.     39241000       Country of Origin     Denmark       Recommended sterilisation temperature (Autoclave)     249.8 "F       Max usage temperature (food contact)     347 "F </th <td>Complies with (EC) 1935/2004 on food contact materials<sup>1</sup></td> <td>Yes</td>	Complies with (EC) 1935/2004 on food contact materials <sup>1</sup>	Yes
Complies with UK 2019 No. 704 on food contact materialsYesMeets the REACH Regulation (EC) No. 1907/2006YesComplies with California Proposition 65YesComplies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoBox Quantity1 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)275 Pcs.Quantity Per Layer (Pallet)0 Pcs.Box Length35"Box Width5.9"Box Kleight1.3"Product diameter1.2"Length35"Width6.3"Height1.3"Net Weight2.0282 lbsWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.04 lbsCustoms Tariff No.32241000Country of OriginDenmarkRecommended sterilisation temperature (Autoclave)347 "FMax usage temperature (non food contact)347 "FMax usage temperature (non food contact)347 "F		Yes
Meets the REACH Regulation (EC) No. 1907/2006YesComplies with California Proposition 65YesComplies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoBox Quantity1 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)275 Pcs.Quantity Per Layer (Pallet)0 Pcs.Box Length35 "Box Width5.9 "Box Kleight1.3 "Product diameter1.2 "Length35 "Width6.3 "Height1.3 "Net Weight2.0282 lbsWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.04 lbsGorss Weight2.0644 lbsCubic Feet0.166 ft3GTIN-13 Number5705020700750Customs Tariff No.32241000Country of OriginDenmarkRecommended sterilisation temperature (Autoclave)249.8 "FMax usage temperature (food contact)347 "FMax usage temperature (non food contact)347 "F	Complies with FDA RegulationI CFR 21 <sup>1</sup>	Yes
Complies with California Proposition 65YesComplies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoBox Quantity1 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)275 Pcs.Quantity Per Layer (Pallet)0 Pcs.Box Length35 "Box Width5.9 "Box Height1.3 "Product diameter1.2 "Length35 "Width6.3 "Height1.3 "Net Weight2.0282 lbsWidth0.04 lbs(LDPE)0.07 lbsTare Total0.04 lbsGuito Feet0.166 ft3GTIN-13 Number5705020700750Custorns Tariff No.39241000Country of OriginDenmarkRecommended sterilisation temperature (Autoclave)249.8 "FMax usage temperature (food contact)347 "FMax usage temperature (non food contact)347 "F	Complies with UK 2019 No. 704 on food contact materials	Yes
Complies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoBox Quantity1 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)275 Pcs.Quantity Per Layer (Pallet)0 Pcs.Box Length35 "Box Width5.9 "Box Height1.3 "Product diameter1.2 "Length35 "Width6.3 "Height1.3 "Net Weight2.0282 lbsWidth0.04 lbs(LDPE)0.07 lbsTare Total0.04 lbsGuis Feet0.166 ft3GTIN-13 Number5705020700750Customs Tariff No.39241000Country of OriginDenmarkRecommended sterilisation temperature (Autoclave)249.8 "FMax usage temperature (food contact)347 "FMax usage temperature (non food contact)347 "F	Meets the REACH Regulation (EC) No. 1907/2006	Yes
PFAS, Phthalates and BPA intentionally addedNoBox Quantity1 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)275 Pcs.Quantity Per Layer (Pallet)0 Pcs.Box Length35 °Box Width5.9 °Box Height1.3 °Product diameter1.2 °Length35 °Width6.3 °Height1.3 °Product diameter1.2 °Length35 °Width6.3 °Height1.3 °Net Weight2.0282 lbsWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.04 lbsGross Weight2.0644 lbsCubic Feet0.166 ft3GTIN-13 Number5705020700750Customs Tariff No.39241000Country of OriginDenmarkRecommended sterilisation temperature (Autoclave)249.8 °FMax. cleaning temperature (food contact)347 °FMax usage temperature (non food contact)347 °F	Complies with California Proposition 65	Yes
Box Quantity1 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)275 Pcs.Quantity Per Layer (Pallet)0 Pcs.Box Length35 "Box Width5.9 "Box Height1.3 "Product diameter1.2 "Length35 "Width6.3 "Height1.3 "Net Weight2.0282 lbsWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.04 lbsGross Weight2.0644 lbsCubic Feet0.166 ft3GTIN-13 Number5705020700750Customs Tariff No.39241000Country of OriginDenmarkRecommended sterilisation temperature (Autoclave)249.8 "FMax. cleaning temperature (fod contact)347 "FMax usage temperature (non food contact)347 "F	Complies with Halal and Kosher	Yes
Quantity per Pallet (80 x 120 x 180-200 cm)275 Pcs.Quantity Per Layer (Pallet)0 Pcs.Box Length35 "Box Width5.9 "Box Height1.3 "Product diameter1.2 "Length35 "Width6.3 "Height1.3 "Net Weight2.0282 lbsWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.07 lbsTare Total0.04 lbsGross Weight2.0644 lbsGuibe Feet0.166 ft3GTIN-13 Number5705020700750Customs Tariff No.39241000Country of OriginDenmarkRecommended sterilisation temperature (Autoclave)249.8 "FMax usage temperature (food contact)347 "FMax usage temperature (non food contact)347 "F	PFAS, Phthalates and BPA intentionally added	No
Quantity Per Layer (Pallet)0 Pcs.Box Length35 "Box Width5.9 "Box Height1.3 "Product diameter1.2 "Length35 "Width6.3 "Height1.3 "Net Weight2.0282 lbsWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.04 lbsWeight cardboard (Recycling symbol "20" PAP)0.07 lbsTare Total0.04 lbsGustoms Tariff No.39241000Country of OriginDenmarkRecommended sterilisation temperature (Autoclave)249.8 "FMax usage temperature (food contact)347 "FMax usage temperature (non food contact)347 "F	Box Quantity	1 Pcs.
Box Length35 "Box Width5.9 "Box Height1.3 "Product diameter1.2 "Length35 "Width6.3 "Height1.3 "Net Weight2.0282 lbsWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.04 lbsWeight cardboard (Recycling symbol "20" PAP)0.07 lbsTare Total0.04 lbsGross Weight2.0644 lbsCubic Feet0.166 ft3GTIN-13 Number5705020700750Customs Tariff No.39241000Country of OriginDenmarkRecommended sterilisation temperature (Autoclave)249.8 "FMax usage temperature (food contact)347 "FMax usage temperature (non food contact)347 "F	Quantity per Pallet (80 x 120 x 180-200 cm)	275 Pcs.
Box Width5.9 "Box Height1.3 "Product diameter1.2 "Length35 "Width6.3 "Height1.3 "Net Weight2.0282 lbsWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.04 lbsWeight cardboard (Recycling symbol "20" PAP)0.07 lbsTare Total0.04 lbsGross Weight2.0644 lbsCubic Feet0.166 ft3GTIN-13 Number5705020700750Customs Tariff No.39241000Country of OriginDenmarkRecommended sterilisation temperature (Autoclave)249.8 "FMax usage temperature (food contact)347 "FMax usage temperature (non food contact)347 "F	Quantity Per Layer (Pallet)	0 Pcs.
Box Height1.3 "Product diameter1.2 "Length35 "Width6.3 "Height1.3 "Net Weight2.0282 lbsWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.04 lbsWeight cardboard (Recycling symbol "20" PAP)0.07 lbsTare Total0.04 lbsGross Weight2.0644 lbsCubic Feet0.166 ft3GTIN-13 Number5705020700750Customs Tariff No.39241000Country of OriginDenmarkRecommended sterilisation temperature (Autoclave)249.8 °FMax. cleaning temperature (food contact)347 °FMax usage temperature (non food contact)347 °F	Box Length	35 "
Product diameter1.2 "Length35 "Width6.3 "Height1.3 "Net Weight2.0282 lbsWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.04 lbsWeight cardboard (Recycling symbol "20" PAP)0.07 lbsTare Total0.04 lbsGross Weight2.0644 lbsCubic Feet0.166 ft3GTIN-13 Number5705020700750Customs Tariff No.39241000Country of OriginDenmarkRecommended sterilisation temperature (Autoclave)249.8 °FMax. cleaning temperature (Dishwasher)199.4 °FMax usage temperature (food contact)347 °F	Box Width	5.9 "
Length35 "Width6.3 "Height1.3 "Net Weight2.0282 lbsWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.04 lbsWeight cardboard (Recycling symbol "20" PAP)0.07 lbsTare Total0.04 lbsGross Weight2.0644 lbsCubic Feet0.166 ft3GTIN-13 Number5705020700750Customs Tariff No.39241000Country of OriginDenmarkRecommended sterilisation temperature (Autoclave)249.8 °FMax. cleaning temperature (Dishwasher)199.4 °FMax usage temperature (food contact)347 °FMax usage temperature (non food contact)347 °F	Box Height	1.3 "
Vidth6.3 "Height1.3 "Net Weight2.0282 lbsWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.04 lbsWeight cardboard (Recycling symbol "20" PAP)0.07 lbsTare Total0.04 lbsGross Weight2.0644 lbsCubic Feet0.166 ft3GTIN-13 Number5705020700750Customs Tariff No.39241000Country of OriginDenmarkRecommended sterilisation temperature (Autoclave)249.8 °FMax. cleaning temperature (Dishwasher)199.4 °FMax usage temperature (food contact)347 °FMax usage temperature (non food contact)347 °F	Product diameter	1.2 "
Height1.3 "Net Weight2.0282 lbsWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.04 lbsWeight cardboard (Recycling symbol "20" PAP)0.07 lbsTare Total0.04 lbsGross Weight2.0644 lbsCubic Feet0.166 ft3GTIN-13 Number5705020700750Customs Tariff No.39241000Country of OriginDenmarkRecommended sterilisation temperature (Autoclave)249.8 °FMax. cleaning temperature (Dishwasher)199.4 °FMax usage temperature (non food contact)347 °F	Length	35 "
Net Weight2.0282 lbsWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.04 lbsWeight cardboard (Recycling symbol "20" PAP)0.07 lbsTare Total0.04 lbsGross Weight2.0644 lbsCubic Feet0.166 ft3GTIN-13 Number5705020700750Customs Tariff No.39241000Country of OriginDenmarkRecommended sterilisation temperature (Autoclave)249.8 °FMax. cleaning temperature (Dishwasher)199.4 °FMax usage temperature (non food contact)347 °F	Width	6.3 "
Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.04 lbsWeight cardboard (Recycling symbol "20" PAP)0.07 lbsTare Total0.04 lbsGross Weight2.0644 lbsCubic Feet0.166 ft3GTIN-13 Number5705020700750Customs Tariff No.39241000Country of OriginDenmarkRecommended sterilisation temperature (Autoclave)249.8 °FMax usage temperature (food contact)347 °FMax usage temperature (non food contact)347 °F	Height	1.3 "
(LDPE)Weight cardboard (Recycling symbol "20" PAP)0.07 lbsTare Total0.04 lbsGross Weight2.0644 lbsCubic Feet0.166 ft3GTIN-13 Number5705020700750Customs Tariff No.Country of OriginDenmarkRecommended sterilisation temperature (Autoclave)249.8 °FMax. cleaning temperature (Dishwasher)199.4 °FMax usage temperature (food contact)347 °FMax usage temperature (non food contact)347 °F	Net Weight	2.0282 lbs
Tare Total0.04 lbsGross Weight2.0644 lbsCubic Feet0.166 ft3GTIN-13 Number5705020700750Customs Tariff No.39241000Country of OriginDenmarkRecommended sterilisation temperature (Autoclave)249.8 °FMax. cleaning temperature (Dishwasher)199.4 °FMax usage temperature (food contact)347 °FMax usage temperature (non food contact)347 °F		0.04 lbs
Gross Weight2.0644 lbsCubic Feet0.166 ft3GTIN-13 Number5705020700750Customs Tariff No.39241000Country of OriginDenmarkRecommended sterilisation temperature (Autoclave)249.8 °FMax. cleaning temperature (Dishwasher)199.4 °FMax usage temperature (food contact)347 °FMax usage temperature (non food contact)347 °F	Weight cardboard (Recycling symbol "20" PAP)	0.07 lbs
Cubic Feet0.166 ft3GTIN-13 Number5705020700750Customs Tariff No.39241000Country of OriginDenmarkRecommended sterilisation temperature (Autoclave)249.8 °FMax. cleaning temperature (Dishwasher)199.4 °FMax usage temperature (food contact)347 °FMax usage temperature (non food contact)347 °F	Tare Total	0.04 lbs
GTIN-13 Number5705020700750Customs Tariff No.39241000Country of OriginDenmarkRecommended sterilisation temperature (Autoclave)249.8 °FMax. cleaning temperature (Dishwasher)199.4 °FMax usage temperature (food contact)347 °FMax usage temperature (non food contact)347 °F	Gross Weight	2.0644 lbs
Customs Tariff No.39241000Country of OriginDenmarkRecommended sterilisation temperature (Autoclave)249.8 °FMax. cleaning temperature (Dishwasher)199.4 °FMax usage temperature (food contact)347 °FMax usage temperature (non food contact)347 °F	Cubic Feet	0.166 ft3
Country of OriginDenmarkRecommended sterilisation temperature (Autoclave)249.8 °FMax. cleaning temperature (Dishwasher)199.4 °FMax usage temperature (food contact)347 °FMax usage temperature (non food contact)347 °F	GTIN-13 Number	5705020700750
Recommended sterilisation temperature (Autoclave)249.8 °FMax. cleaning temperature (Dishwasher)199.4 °FMax usage temperature (food contact)347 °FMax usage temperature (non food contact)347 °F	Customs Tariff No.	39241000
Max. cleaning temperature (Dishwasher)199.4 °FMax usage temperature (food contact)347 °FMax usage temperature (non food contact)347 °F	Country of Origin	Denmark
Max usage temperature (food contact)347 °FMax usage temperature (non food contact)347 °F	Recommended sterilisation temperature (Autoclave)	249.8 °F
Max usage temperature (non food contact)347 °F	Max. cleaning temperature (Dishwasher)	199.4 °F
	Max usage temperature (food contact)	347 °F
Min. usage temperature -4 °F	Max usage temperature (non food contact)	347 °F
	Min. usage temperature	-4 °F

Max. drying temperature	248 °F
Min. pH-value in usage concentration	2 pH
Max. pH-value in Usage Concentration	10.5 pH

New equipment should be cleaned, disinfected, sterilized, and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

- 1. See Declaration of Compliance for further details on food contact
- 3. Do not store the product below 32 °Fahrenheit.