⁷⁰³⁷³ Tank Brush, 205 mm, Hard, Blue







Clean tanks, vats and drain gulleys with this Tank Brush, which can be used with any Vikan handle.

Technical Data

| Bristle stiffness Hard Visible bristle length 40 mm Material Polypropylene Polyester Stainless Steel (AISI 304) Complies with (EC) 1935/2004 on food contact materials' Yes Complies with FDA Regulation 2023/2006/EC of Good Manufacturing Practice Yes Complies with FDA Regulation 1CFR 21' Yes Complies with FDA Regulation (EC) No. 1907/2006 Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with Alal and Kosher Yes Phthalates and bisphenol A intentionally added No Box Quantity 10 Pcs. Quantity Per Layer (Pallet) 60 Pcs. Box Length 545 mm Box With 205 mm Width 130 mm Height 0007 kg Quippit bag (Recycling Symbol "4" Low Density Polyethylene (LOPE) 0.0228 kg Gross Weight 0.417 vg Weight bag (Recycling symbol "20" PAP) 0.0228 kg Gross Weight 0.54 sg Cubic metre 0.002665 M3 Recommended sterilisation temperature (Autoclave) 0.0228 kg Gross Weight 0.54 kg Qubic metre <th>Item Number</th> <th>70373</th> | Item Number | 70373 |
|--|---|-----------------------|
| Material Polypropylene Polyester Stainless Steel (AISI 304) Complies with (EC) 1935/2004 on food contact materials' Yes Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes Complies with FDA Regulation 1CFR 21' Yes Complies with KACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes Phthalates and bisphenol A intentionally added No Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 480 Pcs Quantity Per Layer (Pallet) 60 Pcs. Box Length 545 mm Box Width 220 mm Length 205 mm Width 130 mm Height 0.0078 kg (LDPE) 0.022 kg Gross Weight 0.54 Sm Quantity 0.022 kg Gross Keight 0.54 Sm Weight cardboard (Recycling symbol "20" PAP) 0.022 kg Gross Weight 0.54 Sm Cubic metre 0.002265 M3 Recommended sterilisa | Bristle stiffness | Hard |
| Stainless Steel (AISI 304) Complies with (EC) 1935/2004 on food contact materials ¹ Yes Complies with EU Regulation 2023/2006/EC of Good Yes Complies with FDA Regulation CFR 21 ¹ Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes Phthalates and bisphenol A intentionally added No Box Quantity 10 Pcs. Quantity Per Layer (Pallet) 60 Pcs. Box Length 645 mm Box With 275 mm Box Klight 220 mm Length 00 Pcs. Width 275 mm Box Klight 00 Pcs. Width 00 Pcs. Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0028 kg Weight cardboard (Recycling symbol "20" PAP) 0.022 kg Gross Weight 0.5 kg Cubic metre 0.002865 M3 Recommended sterillisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dod contact) 80 °C Max. usage temperature (non food contact) 80 °C | Visible bristle length | 40 mm |
| Complies with EU Regulation 2023/2006/EC of Good Manufacturing PracticeYesComplies with FDA RegulationI CFR 211YesComplies with WK 2019 No. 704 on food contact materialsYesComplies with REACH Regulation (EC) No. 1907/2006YesComplies with California Proposition 65YesComplies with Halal and KosherYesPhthalates and bisphenol A intentionally addedNoBox Quantity10 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)480 PcsQuantity Per Layer (Pallet)60 Pcs.Box Length545 mmBox Width275 mmBox Height200 mmLength000 mmWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0028 kgGross Weight0.5 kgCubic metre0.002665 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMax. drying temperature000 °C | Material | Stainless Steel (AISI |
| Manufacturing Practice Complies with FDA Regulation CFR 21' Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes Phthalates and bisphenol A intentionally added No Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 480 Pcs Quantity Per Layer (Pallet) 60 Pcs. Box Length 545 mm Box Width 275 mm Box Height 220 mm Length 205 mm Width 130 mm Height 0.010 mm Net Weight 0.47 kg Weight cardboard (Recycling Symbol "20" PAP) 0.022 kg Gross Weight 0.5 kg Cubic metre 0.002665 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (Ioishwasher) 33 °C Max usage temperature (non food contact) 000 °C Max usage temperature? -20 °C Max. drying temperature -20 °C <th>Complies with (EC) 1935/2004 on food contact materials¹</th> <th>Yes</th> | Complies with (EC) 1935/2004 on food contact materials ¹ | Yes |
| Complies with UK 2019 No. 704 on food contact materialsYesComplies with REACH Regulation (EC) No. 1907/2006YesComplies with California Proposition 65YesComplies with California Proposition 65YesComplies with Halal and KosherYesPhthalates and bisphenol A intentionally addedNoBox Quantity10 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)480 PcsQuantity Per Layer (Pallet)60 Pcs.Box Length545 mmBox Width275 mmBox Height200 mmLength205 mmWidth130 mmHeight0.078 kg(LDPE)0.0078 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0078 kgWeight cardboard (Recycling symbol "20" PAP)0.022 kgTare total0.0298 kgGross Weight0.5 kgCubic metre0.002665 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMax. drying temperature-20 °C | | Yes |
| Complies with REACH Regulation (EC) No. 1907/2006YesComplies with California Proposition 65YesComplies with California Proposition 65YesComplies with Halal and KosherYesPhthalates and bisphenol A intentionally addedNoBox Quantity10 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)480 PcsQuantity Per Layer (Pallet)60 Pcs.Box Length545 mmBox Width275 mmBox Height200 mmLength200 mmWidth130 mmHeight0.017 mgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0028 kgGross Weight0.54 kgCubic metre0.002865 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMax. drying temperature0.00 °C | Complies with FDA RegulationI CFR 21 ¹ | Yes |
| Complies with California Proposition 65YesComplies with Halal and KosherYesPhthalates and bisphenol A intentionally addedNoBox Quantity10 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)480 PcsQuantity Per Layer (Pallet)60 Pcs.Box Length545 mmBox Width275 mmBox Height220 mmLength205 mmWidth130 mmHeight0.017 kgWidth0.47 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene0.0028 kgGross Weight0.5 kgCubic metre0.002865 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMax. drying temperature100 °CMax. drying temperature100 °C | Complies with UK 2019 No. 704 on food contact materials | Yes |
| Complies with Halal and KosherYesPhthalates and bisphenol A intentionally addedNoBox Quantity10 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)480 PcsQuantity Per Layer (Pallet)60 Pcs.Box Length545 mmBox Width275 mmBox Height220 mmLength205 mmWidth130 mmHeight0.017 kgWidth130 mmHeight0.078 kg(LDPE)0.022 kgTare total0.0298 kgGross Weight0.5 kgCubic metre0.002665 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMax. drying temperature100 °CMax. drying temperature100 °C | Complies with REACH Regulation (EC) No. 1907/2006 | Yes |
| Phthalates and bisphenol A intentionally addedNoBox Quantity10 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)480 PcsQuantity Per Layer (Pallet)60 Pcs.Box Length545 mmBox Width275 mmBox Height220 mmLength205 mmWidth130 mmHeight0.47 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0028 kgGross Weight0.5 kgCubic metre0.002865 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMax. drying temperature100 °CMax. drying temperature100 °C | Complies with California Proposition 65 | Yes |
| Box Quantity10 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)480 PcsQuantity Per Layer (Pallet)60 Pcs.Box Length545 mmBox Width275 mmBox Height220 mmLength205 mmWidth130 mmHeight100 mmNet Weight0.47 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0078 kgGross Weight0.5 kgCubic metre0.002665 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMax. drying temperature100 °CMax. drying temperature100 °C | Complies with Halal and Kosher | Yes |
| Quantity per Pallet (80 x 120 x 180-200 cm)480 PcsQuantity Per Layer (Pallet)60 Pcs.Box Length545 mmBox Width275 mmBox Height220 mmLength205 mmWidth130 mmHeight100 mmNet Weight0.47 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0078 kgWeight cardboard (Recycling symbol "20" PAP)0.022 kgTare total0.0298 kgGross Weight0.5 kgCubic metre0.002665 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMax. drying temperature100 °CMax. drying temperature100 °C | Phthalates and bisphenol A intentionally added | No |
| Quantity Per Layer (Pallet)60 Pcs.Box Length545 mmBox Width275 mmBox Height220 mmLength205 mmWidth130 mmHeight0.00 mmNet Weight0.47 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0078 kgWeight cardboard (Recycling symbol "20" PAP)0.022 kgTare total0.0298 kgGross Weight0.5 kgCubic metre0.002665 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature100 °CMax. drying temperature100 °C | Box Quantity | 10 Pcs. |
| Box Length545 mmBox Width275 mmBox Height220 mmLength205 mmWidth130 mmHeight100 mmNet Weight0.47 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0078 kgWeight cardboard (Recycling symbol "20" PAP)0.022 kgTare total0.0298 kgGross Weight0.5 kgCubic metre0.002665 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMin. usage temperature100 °CMax. drying temperature100 °C | Quantity per Pallet (80 x 120 x 180-200 cm) | 480 Pcs |
| Box Width275 mmBox Height220 mmLength205 mmWidth130 mmHeight100 mmNet Weight0.47 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0078 kgWeight cardboard (Recycling symbol "20" PAP)0.022 kgTare total0.0298 kgGross Weight0.5 kgCubic metre0.002665 M3Recommended sterillisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMin. usage temperature3-20 °CMax. drying temperature100 °C | Quantity Per Layer (Pallet) | 60 Pcs. |
| Box Height220 mmLength205 mmWidth130 mmHeight100 mmNet Weight0.47 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0078 kgWeight cardboard (Recycling symbol "20" PAP)0.022 kgTare total0.0298 kgGross Weight0.5 kgCubic metre0.002665 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °CMax. drying temperature100 °C | Box Length | 545 mm |
| Length205 mmWidth130 mmHeight100 mmNet Weight0.47 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0078 kgWeight cardboard (Recycling symbol "20" PAP)0.022 kgTare total0.0298 kgGross Weight0.5 kgCubic metre0.002665 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °CMax. drying temperature100 °C | Box Width | 275 mm |
| Vidth130 mmHeight100 mmNet Weight0.47 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0078 kgWeight cardboard (Recycling symbol "20" PAP)0.022 kgTare total0.0298 kgGross Weight0.5 kgCubic metre0.002665 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °CMax. drying temperature100 °C | Box Height | 220 mm |
| Height100 mmNet Weight0.47 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0078 kgWeight cardboard (Recycling symbol "20" PAP)0.022 kgTare total0.0298 kgGross Weight0.5 kgCubic metre0.002665 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMin. usage temperature a-20 °CMax. drying temperature100 °C | Length | 205 mm |
| Net Weight0.47 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0078 kgWeight cardboard (Recycling symbol "20" PAP)0.022 kgTare total0.0298 kgGross Weight0.5 kgCubic metre0.002665 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature100 °CMax. drying temperature100 °C | Width | 130 mm |
| Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0078 kgWeight cardboard (Recycling symbol "20" PAP)0.022 kgTare total0.0298 kgGross Weight0.5 kgCubic metre0.002665 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °CMax. drying temperature100 °C | Height | 100 mm |
| (LDPE)0.021 kgWeight cardboard (Recycling symbol "20" PAP)0.022 kgTare total0.0298 kgGross Weight0.5 kgCubic metre0.002665 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °CMax. drying temperature100 °C | Net Weight | 0.47 kg |
| Tare total0.0298 kgGross Weight0.5 kgCubic metre0.002665 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °CMax. drying temperature100 °C | | 0.0078 kg |
| Gross Weight0.5 kgCubic metre0.002665 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °CMax. drying temperature100 °C | Weight cardboard (Recycling symbol "20" PAP) | 0.022 kg |
| Cubic metre0.002665 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °C | Tare total | 0.0298 kg |
| Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °C | Gross Weight | 0.5 kg |
| Max. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °C | Cubic metre | 0.002665 M3 |
| Max usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °C | Recommended sterilisation temperature (Autoclave) | 121 °C |
| Max usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °C | Max. cleaning temperature (Dishwasher) | 93 °C |
| Min. usage temperature³-20 °CMax. drying temperature100 °C | Max usage temperature (food contact) | 80 °C |
| Max. drying temperature 100 °C | Max usage temperature (non food contact) | 100 °C |
| | Min. usage temperature ³ | -20 °C |
| Min. pH-value in usage concentration2 pH | Max. drying temperature | 100 °C |
| | Min. pH-value in usage concentration | 2 pH |

| Max. pH-value in Usage Concentration | 10.5 pH |
|--------------------------------------|----------------|
| Gtin-13 Number | 5705020703737 |
| GTIN-14 Number (Box quantity) | 15705020703734 |
| Customs Tariff No. | 96039099 |
| Country of origin | Denmark |

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

3. Do not store the product below 0° Celsius.