<sup>70375</sup> Tank Brush, 205 mm, Hard, White







Clean tanks, vats and drain gulleys with this Tank Brush, which can be used with any Vikan handle.

## **Technical Data**

Bristle stiffness Hard   Visible bristle length 40 mm   Material Polypropylene Polyester Stainless Steel (AISI 304)   Complies with (EC) 1935/2004 on food contact materials' Yes   Complies with FDA Regulation 2023/2006/EC of Good Manufacturing Practice Yes   Complies with FDA Regulation 1CFR 21' Yes   Complies with FDA Regulation (EC) No. 1907/2006 Yes   Complies with California Proposition 65 Yes   Complies with Halal and Kosher Yes   Phthalates and bisphenol A intentionally added No   Box Quantity 10 Pcs.   Quantity Per Layer (Pallet) 60 Pcs.   Box Length 545 mm   Box With 205 mm   Width 215 mm   Box Height 0.078 kg   (LDPE) 0.078 kg   Questify bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0228 kg   Gross Weight 0.47 kg   Weight bag (Recycling symbol "20" PAP) 0.0228 kg   Gross Weight 0.5 kg   Cubic metre 0.002665 M3   Recommended sterilisation temperature (Autoclave) 121 °C   Max usage temperature (Dishw	Item Number	70375
Material   Polypropylene Polyester Stainless Steel (AISI 304)     Complies with (EC) 1935/2004 on food contact materials'   Yes     Complies with EU Regulation 2023/2006/EC of Good   Yes     Complies with ED Regulation 1 CFR 21'   Yes     Complies with REACH Regulation (EC) No. 1907/2006   Yes     Complies with California Proposition 65   Yes     Complies with Halal and Kosher   Yes     Phthalates and bisphenol A intentionally added   No     Box Quantity   10 Pcs.     Quantity Per Layer (Pallet)   60 Pcs.     Box Length   545 mm     Box Length   545 mm     Box Klidth   275 mm     Box Klidth   205 mm     Width   130 mm     Height   100 mm     Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)   0.0028 kg     Gross Weight   0.54 kg     Cubic metre   0.002665 M3     Recommended sterilisation temperature (Autoclave)   121 °C     Max. cleaning temperature (non food contact)   80 °C     May seg temperature   0.002 cg	Bristle stiffness	Hard
Stainless Steel (AlSI 304)   Complies with (EC) 1935/2004 on food contact materials' Yes   Complies with EU Regulation 2023/2006/EC of Good Yes   Complies with FDA Regulation CFR 21' Yes   Complies with REACH Regulation (EC) No. 1907/2006 Yes   Complies with California Proposition 65 Yes   Complies with California Proposition 65 Yes   Complies with Halal and Kosher Yes   Phthalates and bisphenol A intentionally added No   Box Quantity 10 Pcs.   Quantity Per Layer (Pallet) 60 Pcs.   Box Length 545 mm   Box Klight 205 mm   Width 275 mm   Box Kleight 200 mm   Length 00078 kg   (LDPE) 0.022 kg   Gross Weight cardboard (Recycling symbol "20" PAP) 0.022 kg   Gross Weight 0.54 kg   Cubic metre 0.002665 M3   Recommended sterillisation temperature (Autoclave) 121 °C   Max usage temperature (non food contact) 80 °C   Max usage temperature (non food contact) 80 °C	Visible bristle length	40 mm
Complies with EU Regulation 2023/2006/EC of Good Manufacturing PracticeYesComplies with FDA RegulationI CFR 211YesComplies with UK 2019 No. 704 on food contact materialsYesComplies with REACH Regulation (EC) No. 1907/2006YesComplies with California Proposition 65YesComplies with Halal and KosherYesPhthalates and bisphenol A intentionally addedNoBox Quantity10 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)480 PcsQuantity Per Layer (Pallet)60 Pcs.Box Klight275 mmBox Height220 mmLength205 mmWidth130 mmHeight0.0078 kg(LDPE)0.028 kgGross Weight0.5 kgCubic metre0.00286 kgGross Weight0.5 kgCubic metre0.002665 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (food contact)80 °CMax. drying temperature0.002 °CMax. drying temperature0.002 °C	Material	Stainless Steel (AISI
Manufacturing Practice   Complies with FDA RegulationI CFR 211 Yes   Complies with UK 2019 No. 704 on food contact materials Yes   Complies with REACH Regulation (EC) No. 1907/2006 Yes   Complies with California Proposition 65 Yes   Complies with Halal and Kosher Yes   Phthalates and bisphenol A intentionally added No   Box Quantity 10 Pcs.   Quantity per Pallet (80 x 120 x 180-200 cm) 480 Pcs   Quantity Per Layer (Pallet) 60 Pcs.   Box Length 545 mm   Box Width 275 mm   Box Height 220 mm   Length 205 mm   Width 130 mm   Height 0.0078 kg   (LDPE) 0.022 kg   Tare total 0.0298 kg   Gross Weight 0.5 kg   Cubic metre 0.002665 M3   Recommended sterilisation temperature (Autoclave) 121 °C   Max usage temperature (IOs contact) 80 °C   Max usage temperature (non food contact) 60 °C   Max. drying temperature -20 °C	Complies with (EC) 1935/2004 on food contact materials <sup>1</sup>	Yes
Complies with UK 2019 No. 704 on food contact materialsYesComplies with REACH Regulation (EC) No. 1907/2006YesComplies with California Proposition 65YesComplies with Halal and KosherYesPhthalates and bisphenol A intentionally addedNoBox Quantity10 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)480 PcsQuantity Per Layer (Pallet)60 Pcs.Box Length545 mmBox Width275 mmBox Height200 mmLength205 mmWidth130 mmHeight0.078 kg(LDPE)0.022 kgTare total0.0298 kgGross Weight0.5 kgCubic metre0.002665 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (food contact)80 °CMax usage temperature (food contact)80 °CMax. drying temperature-20 °CMax. drying temperature100 °C		Yes
Complies with REACH Regulation (EC) No. 1907/2006YesComplies with California Proposition 65YesComplies with California Proposition 65YesComplies with Halal and KosherYesPhthalates and bisphenol A intentionally addedNoBox Quantity10 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)480 PcsQuantity Per Layer (Pallet)60 Pcs.Box Length545 mmBox Width275 mmBox Height200 mmLength205 mmWidth130 mmHeight0.078 kg(LDPE)0.022 kgTare total0.0298 kgGross Weight0.5 kgCubic metre0.002665 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Doshwasher)93 °CMax usage temperature (food contact)80 °CMax. drying temperature-20 °CMax. drying temperature-20 °CMax. drying temperature100 °C	Complies with FDA RegulationI CFR 21 <sup>1</sup>	Yes
Complies with California Proposition 65YesComplies with Halal and KosherYesPhthalates and bisphenol A intentionally addedNoBox Quantity10 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)480 PcsQuantity Per Layer (Pallet)60 Pcs.Box Length545 mmBox Width275 mmBox Height200 mmLength205 mmWidth130 mmHeight0.0078 kg(LDPE)0.022 kgTare total0.0298 kgGross Weight0.5 kgCubic metre0.002665 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMax. drying temperature0.00 °C	Complies with UK 2019 No. 704 on food contact materials	Yes
Complies with Halal and KosherYesPhthalates and bisphenol A intentionally addedNoBox Quantity10 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)480 PcsQuantity Per Layer (Pallet)60 Pcs.Box Length545 mmBox Width275 mmBox Height220 mmLength205 mmWidth130 mmHeight0.0078 kgWidth0.47 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.022 kgTare total0.0298 kgGross Weight0.5 kgCubic metre0.002665 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMax. drying temperature-20 °CMax. drying temperature100 °C	Complies with REACH Regulation (EC) No. 1907/2006	Yes
Phthalates and bisphenol A intentionally addedNoBox Quantity10 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)480 PcsQuantity Per Layer (Pallet)60 Pcs.Box Length545 mmBox Width275 mmBox Height220 mmLength205 mmWidth130 mmHeight0.47 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0028 kgGross Weight0.5 kgCubic metre0.002865 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMax. drying temperature100 °CMax. drying temperature100 °C	Complies with California Proposition 65	Yes
Box Quantity10 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)480 PcsQuantity Per Layer (Pallet)60 Pcs.Box Length545 mmBox Width275 mmBox Height220 mmLength205 mmWidth130 mmHeight0.078 kg(LDPE)0.0078 kgGubit cardboard (Recycling symbol "20" PAP)0.022 kgTare total0.0298 kgGross Weight0.5 kgCubic metre0.002665 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMax. drying temperature100 °CMax. drying temperature100 °C	Complies with Halal and Kosher	Yes
Quantity per Pallet (80 x 120 x 180-200 cm)480 PcsQuantity Per Layer (Pallet)60 Pcs.Box Length545 mmBox Width275 mmBox Height220 mmLength205 mmWidth130 mmHeight100 mmNet Weight0.47 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0078 kgGross Weight0.5 kgCubic metre0.0028 kgGross Weight0.5 kgCubic metre0.002665 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMax. drying temperature100 °CMax. drying temperature100 °C	Phthalates and bisphenol A intentionally added	No
Quantity Per Layer (Pallet)60 Pcs.Box Length545 mmBox Width275 mmBox Height220 mmLength205 mmWidth130 mmHeight0.00 mmNet Weight0.47 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0078 kgWeight cardboard (Recycling symbol "20" PAP)0.022 kgTare total0.0298 kgGross Weight0.5 kgCubic metre0.002665 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °CMax. drying temperature100 °C	Box Quantity	10 Pcs.
Box Length545 mmBox Width275 mmBox Height220 mmLength205 mmWidth130 mmHeight100 mmNet Weight0.47 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0078 kgWeight cardboard (Recycling symbol "20" PAP)0.022 kgTare total0.0298 kgGross Weight0.5 kgCubic metre0.002665 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °CMax. drying temperature100 °C	Quantity per Pallet (80 x 120 x 180-200 cm)	480 Pcs
Box Width275 mmBox Height220 mmLength205 mmWidth130 mmHeight100 mmNet Weight0.47 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0078 kgWeight cardboard (Recycling symbol "20" PAP)0.022 kgTare total0.0298 kgGross Weight0.5 kgCubic metre0.002665 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMin. usage temperature3-20 °CMax. drying temperature100 °C	Quantity Per Layer (Pallet)	60 Pcs.
Box Height220 mmLength205 mmWidth130 mmHeight100 mmNet Weight0.47 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0078 kgWeight cardboard (Recycling symbol "20" PAP)0.022 kgTare total0.0298 kgGross Weight0.5 kgCubic metre0.002665 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °CMax. drying temperature100 °C	Box Length	545 mm
Length205 mmWidth130 mmHeight100 mmNet Weight0.47 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene0.0078 kg(LDPE)0.022 kgTare total0.0228 kgGross Weight0.5 kgCubic metre0.002665 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °CMax. drying temperature100 °C	Box Width	275 mm
Vidth130 mmHeight100 mmNet Weight0.47 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0078 kgWeight cardboard (Recycling symbol "20" PAP)0.022 kgTare total0.0298 kgGross Weight0.5 kgCubic metre0.002665 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)80 °CMin. usage temperature a-20 °CMax. drying temperature100 °C	Box Height	220 mm
Height100 mmNet Weight0.47 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0078 kgWeight cardboard (Recycling symbol "20" PAP)0.022 kgTare total0.0298 kgGross Weight0.5 kgCubic metre0.002665 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMin. usage temperature3-20 °CMax. drying temperature100 °C	Length	205 mm
Net Weight0.47 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene0.0078 kg(LDPE)0.022 kgWeight cardboard (Recycling symbol "20" PAP)0.022 kgTare total0.0298 kgGross Weight0.5 kgCubic metre0.002665 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °CMax. drying temperature100 °C	Width	130 mm
Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0078 kgWeight cardboard (Recycling symbol "20" PAP)0.022 kgTare total0.0298 kgGross Weight0.5 kgCubic metre0.002665 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °CMax. drying temperature100 °C	Height	100 mm
(LDPE)0.022 kgWeight cardboard (Recycling symbol "20" PAP)0.022 kgTare total0.0298 kgGross Weight0.5 kgCubic metre0.002665 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °CMax. drying temperature100 °C	Net Weight	0.47 kg
Tare total0.0298 kgGross Weight0.5 kgCubic metre0.002665 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °CMax. drying temperature100 °C		0.0078 kg
Gross Weight0.5 kgCubic metre0.002665 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °CMax. drying temperature100 °C	Weight cardboard (Recycling symbol "20" PAP)	0.022 kg
Cubic metre0.002665 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °C	Tare total	0.0298 kg
Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °C	Gross Weight	0.5 kg
Max. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °C	Cubic metre	0.002665 M3
Max usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °C	Recommended sterilisation temperature (Autoclave)	121 °C
Max usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °C	Max. cleaning temperature (Dishwasher)	93 °C
Min. usage temperature³-20 °CMax. drying temperature100 °C	Max usage temperature (food contact)	3° 08
Max. drying temperature 100 °C	Max usage temperature (non food contact)	100 °C
	Min. usage temperature <sup>3</sup>	-20 °C
Min. pH-value in usage concentration2 pH	Max. drying temperature	100 °C
	Min. pH-value in usage concentration	2 pH

Max. pH-value in Usage Concentration	10.5 pH
Gtin-13 Number	5705020703751
GTIN-14 Number (Box quantity)	15705020703758
Customs Tariff No.	96039099
Country of origin	Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

3. Do not store the product below 0° Celsius.