70403

Crevice Scrub, 225 mm, Very hard, Blue





Effectively clean beneath and between machines and equipment with an angleadjustable Crevice Scrub that can even be used with the handle parallel to the floor. The arrow-shaped filaments reach into small cracks and crevices, while a middle row of stiff filaments provides high scrubbing efficacy.

Technical Data

Bristle stiffness Very hard Visible bristle length 40 mm Material Polypropyiene Polyester Stainless Steel (AISI 304) Complies with (EC) 1935/2004 on food contact materials' Yes Complies with EU Regulation 2023/2006/EC of Good Yes Manufacturing Practice Yes Complies with FDA Regulation 1CFR 21' Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Hall and Kosher Yes PFAS, Phthalates and BPA intentionally added No Design Registration No. EU 003168616.0001 US D786685, GB 9003168610001 Stop Box Quantity 100 Pcs. Quantity Per Layer (Pallet) 100 Pcs. Quantity Per Layer (Pallet) 100 Pcs. Box Height 160 mm Length 225 mm Width 35 mm Height bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.026 kg Weight bag (Recycling Symbol "20" PAP) 0.022 kg Weight cardboard (Recycling symbol "20" PAP) 0.025 kg Cubic metre 0.000709 M3	Item Number	70403
Material Polypropylene Polyester Stainless Steel (AISI 304) Complies with (EC) 1935/2004 on food contact materials' Yes Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes Complies with FDA Regulation 1 CFR 21' Yes Complies with KACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Design Registration No. EU 003168616-0001, US D786685, GB 90031686160001 Box Quantity 100 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 100 Pcs. Quantity Per Layer (Pallet) 100 Pcs. Box Length 220 mm Box Klidth 230 mm Box Klidth 230 mm Box Klight 000 Pcs. Weight 0.22 kg Weight 0.22 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0056 kg Weight cardboard (Recycling symbol "20" PAP) 0.02 kg Tare total 0.025 kg Gross Weight 0.25 kg	Bristle stiffness	Very hard
Stamless Steel (AÍSI 304) Complies with (EC) 1935/2004 on food contact materials' Yes Complies with EU Regulation 2023/2006/EC of Good Yes Complies with FDA Regulation 1 CFR 21' Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Design Registration No. EU 003168618-0001, US D786565, GB 9003168618-0001 Box Quantity 10 Pcs. Quantity Per Pallet (80 x 120 x 180-200 cm) 700 Pcs. Box Length 320 mm Box Klidth 230 mm Box Klight 010 Pcs. Quantity Per Layer (Pallet) 100 Pcs. Box Length 320 mm Box Klight 0.32 mm Netight 0.02 kg Tare total 0.02 kg Grass Weight 0.22 kg Weight cardboard (Recycling symbol "20" PAP) 0.02 kg Care total 0.025 kg Cubic metre 0.000709 M3 Recommended ster	Visible bristle length	40 mm
Complies with EU Regulation 2023/2006/EC of Good Manufacturing PracticeYesComplies with FDA RegulationI CFR 211YesComplies with WX 2019 No. 704 on food contact materialsYesComplies with REACH Regulation (EC) No. 1907/2006YesComplies with REACH Regulation (EC) No. 1907/2006YesComplies with Atala and KosherYesComplies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoDesign Registration No.EU 003168616-0001, US D786565, GB 90031686160001Box Quantity10 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)700 Pcs.Quantity Per Layer (Pallet)100 Pcs.Box Length320 mmBox Height160 mmLength225 mmWidth35 mmHeight90 mmNet Weight0.22 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0056 kgGross Weight0.25 kgGross Weight0.25 kgCubic metre0.000709 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °C	Material	Stainless Steel (AISI
Manufacturing Practice Complies with FDA RegulationI CFR 21' Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Design Registration No. EU 003168616-0001, US D786856, GB 90031686160001 Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 700 Pcs Quantity Per Layer (Pallet) 100 Pcs. Box Length 320 mm Box Klight 160 mm Length 225 mm Width 35 mm Height 00 0mm Net Weight 0.22 kg Weight cardboard (Recycling Symbol "20" PAP) 0.02 kg Tare total 0.0256 kg Gross Weight 0.25 kg Cubic metre 0.000709 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (food contact) 100 °C	Complies with (EC) 1935/2004 on food contact materials ¹	Yes
Complies with UK 2019 No. 704 on food contact materialsYesComplies with REACH Regulation (EC) No. 1907/2006YesComplies with California Proposition 65YesComplies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoDesign Registration No.EU 003168616-0001, US D786565, GB 90031686160001Box Quantity10 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)700 Pcs.Quantity Per Layer (Pallet)100 Pcs.Box Length320 mmBox Width233 mmBox Height160 mmLength225 mmWidth35 mmHeight0.022 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0256 kgGross Weight0.22 kgCubic metre0.000709 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °C		Yes
Complies with REACH Regulation (EC) No. 1907/2006YesComplies with California Proposition 65YesComplies with California Proposition 65YesComplies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoDesign Registration No.EU 003168616-0001, US D786565, GB 90031686160001Box Quantity10 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)700 Pcs.Quantity Per Layer (Pallet)100 Pcs.Box Length320 mmBox Width233 mmBox Height160 mmLength225 mmWidth35 mmHeight0.022 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0256 kgGross Weight0.25 kgCubic metre0.000709 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °C	Complies with FDA RegulationI CFR 21 ¹	Yes
Complies with California Proposition 65YesComplies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoDesign Registration No.EU 003168616-0001, US D786565, GB 90031686160001Box Quantity10 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)700 PcsQuantity Per Layer (Pallet)100 Pcs.Box Length320 mmBox Kidth230 mmBox Width230 mmBox Height160 mmLength325 mmWidth35 mmHeight90 mmNet Weight0.22 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0056 kgGross Weight0.25 kgGubic metre0.000709 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (food contact)100 °CMax usage temperature (non food contact)100 °C	Complies with UK 2019 No. 704 on food contact materials	Yes
Complies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoDesign Registration No.EU 003168616-0001, US D786565, GB 90031686160001Box Quantity10 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)700 PcsQuantity Per Layer (Pallet)100 Pcs.Box Length320 mmBox Width230 mmBox Height160 mmLength225 mmWidth35 mmHeight90 mmNet Weight0.22 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0056 kgGross Weight0.25 kgGubic metre0.000709 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (food contact)100 °CMax usage temperature (non food contact)100 °C	Complies with REACH Regulation (EC) No. 1907/2006	Yes
PFAS, Phthalates and BPA intentionally addedNoDesign Registration No.EU 003168616-0001, US D786565, GB 90031686160001Box Quantity10 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)700 PcsQuantity Per Layer (Pallet)100 Pcs.Box Length320 mmBox Width230 mmBox Height160 mmLength225 mmWidth35 mmHeight0.00 mmNet Weight0.22 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0056 kgGross Weight0.25 kgCubic metre0.000709 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMax usage temperature (non food contact)100 °C	Complies with California Proposition 65	Yes
Design Registration No.EU 003168616-0001, US D786565, GB 90031686160001Box Quantity10 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)700 PcsQuantity Per Layer (Pallet)100 Pcs.Box Length320 mmBox Width230 mmBox Height160 mmLength225 mmWidth35 mmHeight0.22 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0056 kgGross Weight0.25 kgCubic metre0.000709 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °C	Complies with Halal and Kosher	Yes
US D786565, GB 90031686160001Box Quantity10 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)700 PcsQuantity Per Layer (Pallet)100 Pcs.Box Length320 mmBox Kidth230 mmBox Height160 mmLength225 mmWidth35 mmHeight90 mmNet Weight0.22 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0056 kgWeight cardboard (Recycling symbol "20" PAP)0.02 kgTare total0.0256 kgGross Weight0.25 kgCubic metre0.000709 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °C	PFAS, Phthalates and BPA intentionally added	No
Quantity per Pallet (80 x 120 x 180-200 cm)700 PcsQuantity Per Layer (Pallet)100 Pcs.Box Length320 mmBox Width230 mmBox Height160 mmLength225 mmWidth35 mmHeight00 mmNet Weight0.22 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0056 kgGross Weight0.25 kgCubic metre0.000709 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °C	Design Registration No.	US D786565, GB
Quantity Per Layer (Pallet)100 Pcs.Box Length320 mmBox Width230 mmBox Width230 mmBox Height160 mmLength225 mmWidth35 mmHeight90 mmNet Weight0.22 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0056 kgWeight cardboard (Recycling symbol "20" PAP)0.02 kgGross Weight0.25 kgGross Weight0.25 kgCubic metre0.000709 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °C	Box Quantity	10 Pcs.
Box Length320 mmBox Width230 mmBox Height160 mmLength225 mmWidth35 mmHeight90 mmNet Weight0.22 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0056 kgWeight cardboard (Recycling symbol "20" PAP)0.02 kgTare total0.0256 kgGross Weight0.25 kgCubic metre0.000709 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °C	Quantity per Pallet (80 x 120 x 180-200 cm)	700 Pcs
Box Width230 mmBox Height160 mmLength225 mmWidth35 mmHeight90 mmNet Weight0.22 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0056 kgWeight cardboard (Recycling symbol "20" PAP)0.02 kgTare total0.0256 kgGross Weight0.25 kgCubic metre0.000709 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMax usage temperature (non food contact)100 °C	Quantity Per Layer (Pallet)	100 Pcs.
Box Height160 mmLength225 mmWidth35 mmHeight90 mmNet Weight0.22 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0056 kgWeight cardboard (Recycling symbol "20" PAP)0.02 kgTare total0.0256 kgGross Weight0.25 kgCubic metre0.000709 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °C	Box Length	320 mm
Length225 mmWidth35 mmHeight90 mmNet Weight0.22 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0056 kgWeight cardboard (Recycling symbol "20" PAP)0.02 kgTare total0.0256 kgGross Weight0.25 kgCubic metre0.000709 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °C	Box Width	230 mm
Vidth35 mmHeight90 mmNet Weight0.22 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0056 kgWeight cardboard (Recycling symbol "20" PAP)0.02 kgTare total0.0256 kgGross Weight0.25 kgCubic metre0.000709 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °C	Box Height	160 mm
Height90 mmNet Weight0.22 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0056 kgWeight cardboard (Recycling symbol "20" PAP)0.02 kgTare total0.0256 kgGross Weight0.25 kgCubic metre0.000709 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °C	Length	225 mm
Net Weight0.22 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0056 kgWeight cardboard (Recycling symbol "20" PAP)0.02 kgTare total0.0256 kgGross Weight0.25 kgCubic metre0.000709 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °C	Width	35 mm
Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0056 kgWeight cardboard (Recycling symbol "20" PAP)0.02 kgTare total0.0256 kgGross Weight0.25 kgCubic metre0.000709 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °C	Height	90 mm
(LDPE)Weight cardboard (Recycling symbol "20" PAP)0.02 kgTare total0.0256 kgGross Weight0.25 kgCubic metre0.000709 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °C	Net Weight	0.22 kg
Tare total0.0256 kgGross Weight0.25 kgCubic metre0.000709 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °C		0.0056 kg
Gross Weight0.25 kgCubic metre0.000709 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °C	Weight cardboard (Recycling symbol "20" PAP)	0.02 kg
Cubic metre0.000709 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °C	Tare total	0.0256 kg
Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °C	Gross Weight	0.25 kg
Max. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °C	Cubic metre	0.000709 M3
Max usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °C	Recommended sterilisation temperature (Autoclave)	121 °C
Max usage temperature (non food contact)100 °C	Max. cleaning temperature (Dishwasher)	93 °C
	Max usage temperature (food contact)	100 °C
Min. usage temperature³-20 °C	Max usage temperature (non food contact)	100 °C
	Min. usage temperature ³	-20 °C

Max. drying temperature	100 °C
Min. pH-value in usage concentration	2 pH
Max. pH-value in Usage Concentration	10.5 pH
Gtin-13 Number	5705022001374
GTIN-14 Number (Box quantity)	15705028001382
Customs Tariff No.	96039099
Country of origin	Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

1. See Declaration of Compliance for further details on food contact

3. Do not store the product below 0° Celsius.