Crevice Scrub, 225 mm, Very hard, Red





Effectively clean beneath and between machines and equipment with an angle-adjustable Crevice Scrub that can even be used with the handle parallel to the floor. The arrow-shaped filaments reach into small cracks and crevices, while a middle row of stiff filaments provides high scrubbing efficacy.

Technical Data

Bristle stiffness Very hard Visible bristle length 40 mm Material Polypropylene Polyvester Stainies Steel (AlSS) 304) Complies with (EC) 1935/2004 on food contact materials¹ Yes Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes Complies with FDA Regulation ICFR 21¹ Yes Complies with FDA Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Design Registration No. EU 003168816-0001 Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 10 Pcs. Box Length 320 mm Box Width 320 mm Box Width 320 mm Box Width 35 mm Height 90 mm Weight bag (Recycling Symbol "4" Low Density Polyethylene 0.025 kg Weight cardboard (Recycling symbol "20" PAP) 0.02 kg Tact total 0.25 kg Cubre meter 0.000708 M3 Weight cardboard (Recyc	Item Number	70404
Material Polypropylene Polyester Stainless Steel (AISI 304) Complies with (EC) 1935/2004 on food contact materials¹ Yes Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Complies with FDA Regulation CFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with California Proposition 65 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Design Registration No. EU 003168616-0001, US D786565, GB 9003168616-0001, US D786565, GB 9003168616-0001 Box Quantity Box Quantity per Pallet (80 x 120 x 180-200 cm) 700 Pcs. Box Length 320 mm Box Height 160 mm Length 225 mm Width 35 mm Height 90 mm Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight cardboard (Recycling symbol "20" PAP) 0.02 kg Gross Weight 0.25 kg Gross Weight 0.000709 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (food contact) 100 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Max usage temperature (non food contact) 100 °C	Bristle stiffness	Very hard
Complies with (EC) 1935/2004 on food contact materials¹ Yes Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Complies with FDA Regulation I CFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Design Registration No. EU 003168616-0001, US D786565, GB 90031686160001 Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) Tox Pcs Quantity Per Layer (Pallet) 100 Pcs. Box Length 320 mm Box Width 230 mm Box Height 160 mm Length 225 mm Width 35 mm Height 90 mm Net Weight 10.025 kg Weight Lardboard (Recycling symbol "4" Low Density Polyethylene (LDPE) Weight cardboard (Recycling symbol "20" PAP) 10.02 kg Gross Weight 10.25 kg Cubic metre 10.000709 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (Dishwasher) 80 xg usage temperature (non food contact) 100 °C Max usage temperature (non food contact) 100 °C Max usage temperature (non food contact) 100 °C	Visible bristle length	40 mm
Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes Complies with FDA Regulation CFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Design Registration No. EU 003168616-0001, US 0786565, GB 90031686160001 Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 700 Pcs Quantity Per Layer (Pallet) 100 Pcs. Box Length 320 mm Box Width 230 mm Box Width 230 mm Box Height 160 mm Length 35 mm Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0056 kg Weight cardboard (Recycling symbol "20" PAP) 0.02 kg Tare total 0.0256 kg Gross Weight 0.25 kg Cubic metre 0.000709 M3 Recommended sterilisation temperature (Autoclave) 121 °C	Material	Stainless Steel (AISI
Manufacturing Practice Complies with FDA RegulationI CFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Design Registration No. EU 003168616-0001, US D786565, Bod US D900316861600001 Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 700 Pcs Quantity Per Layer (Pallet) 100 Pcs. Box Length 320 mm Box Width 230 mm Box Height 160 mm Length 225 mm Width 35 mm Height 90 mm Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0256 kg Weight cardboard (Recycling symbol "20" PAP) 0.02 kg Tare total 0.0256 kg Gross Weight 0.25 kg Cubic metre 0.000709 M3 Recommended sterilisation temperature (Autoclave) 121 °C <t< th=""><th>Complies with (EC) 1935/2004 on food contact materials¹</th><th>Yes</th></t<>	Complies with (EC) 1935/2004 on food contact materials ¹	Yes
Complies with UK 2019 No. 704 on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Design Registration No. EU 003168616-0001, US D786565, GB 90031686160001 Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 700 Pcs Quantity Per Layer (Pallet) 100 Pcs. Box Length 320 mm Box Width 230 mm Box Height 160 mm Length 225 mm Width 35 mm Height 90 mm Net Weight 0.22 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.056 kg Weight cardboard (Recycling symbol "20" PAP) 0.02 kg Tare total 0.0256 kg Gross Weight 0.25 kg Cubic metre 0.000709 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C <	· · · · · · · · · · · · · · · · · · ·	Yes
Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Design Registration No. EU 003168616-0001, US D786565, GB 90031686160001 Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 700 Pcs Quantity Per Layer (Pallet) 100 Pcs. Box Length 320 mm Box Width 230 mm Box Height 160 mm Length 225 mm Width 35 mm Height 90 mm Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.026 kg Weight cardboard (Recycling symbol "20" PAP) 0.02 kg Tare total 0.0256 kg Gross Weight 0.25 kg Cubic metre 0.000709 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 100 °C Max usage temperature (non food contact) 100 °C	Complies with FDA RegulationI CFR 21 ¹	Yes
Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Design Registration No. EU 003168616-0001, US D786565, GB 90031686160001 Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 700 Pcs Quantity Per Layer (Pallet) 100 Pcs. Box Length 320 mm Box Width 230 mm Box Height 160 mm Length 35 mm Height 90 mm Net Weight 0.22 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0056 kg Weight cardboard (Recycling symbol "20" PAP) 0.02 kg Tare total 0.0256 kg Gross Weight 0.25 kg Cubic metre 0.000709 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 100 °C	Complies with UK 2019 No. 704 on food contact materials	Yes
Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Design Registration No. EU 003168616-0001, US D786565, GB 90031686160001 Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 700 Pcs Quantity Per Layer (Pallet) 100 Pcs. Box Length 320 mm Box Width 230 mm Box Height 160 mm Length 225 mm Width 35 mm Height 90 mm Net Weight 0.22 kg Weight pag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0056 kg Weight cardboard (Recycling symbol "20" PAP) 0.02 kg Tare total 0.0256 kg Gross Weight 0.25 kg Cubic metre 0.000709 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C	Complies with REACH Regulation (EC) No. 1907/2006	Yes
PFAS, Phthalates and BPA intentionally added Design Registration No. EU 003168616-0001, US D786565, GB 90031686160001 Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 700 Pcs Quantity Per Layer (Pallet) 100 Pcs. Box Length 320 mm Box Width 230 mm Box Width 230 mm Box Height 160 mm Length 225 mm Width 35 mm Height 90 mm Net Weight 0.22 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight cardboard (Recycling symbol "20" PAP) 70.02 kg Tare total 70.025 kg Cubic metre 70.00709 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact)	Complies with California Proposition 65	Yes
Design Registration No. EU 003168616-0001, US D786565, GB 90031686160001 Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 700 Pcs Quantity Per Layer (Pallet) 100 Pcs. Box Length 320 mm Box Width 230 mm Box Height 160 mm Length 225 mm Width 35 mm Height 90 mm Net Weight 0.22 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0056 kg Weight cardboard (Recycling symbol "20" PAP) 0.02 kg Tare total 0.0256 kg Gross Weight 0.25 kg Cubic metre 0.000709 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C	Complies with Halal and Kosher	Yes
DIS D786565, GB 90031686160001	PFAS, Phthalates and BPA intentionally added	No
Quantity per Pallet (80 x 120 x 180-200 cm)700 PcsQuantity Per Layer (Pallet)100 Pcs.Box Length320 mmBox Width230 mmBox Height160 mmLength225 mmWidth35 mmHeight90 mmNet Weight weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0056 kgWeight cardboard (Recycling symbol "20" PAP)0.02 kgTare total0.0256 kgGross Weight0.25 kgCubic metre0.000709 M3Recommended sterilisation temperature (Autoclave)121 °CMax cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °C	Design Registration No.	US D786565, GB
Quantity Per Layer (Pallet) 100 Pcs. Box Length 320 mm Box Width 230 mm Box Height 160 mm Length 225 mm Width 35 mm Height 90 mm Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0056 kg Weight cardboard (Recycling symbol "20" PAP) 0.02 kg Tare total 0.0256 kg Gross Weight 0.25 kg Cubic metre 0.000709 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C	Box Quantity	10 Pcs.
Box Length320 mmBox Width230 mmBox Height160 mmLength225 mmWidth35 mmHeight90 mmNet Weight0.22 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0056 kgWeight cardboard (Recycling symbol "20" PAP)0.02 kgTare total0.0256 kgGross Weight0.25 kgCubic metre0.000709 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °C	Quantity per Pallet (80 x 120 x 180-200 cm)	700 Pcs
Box Width230 mmBox Height160 mmLength225 mmWidth35 mmHeight90 mmNet Weight0.22 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0056 kgWeight cardboard (Recycling symbol "20" PAP)0.02 kgTare total0.0256 kgGross Weight0.25 kgCubic metre0.000709 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °C	Quantity Per Layer (Pallet)	100 Pcs.
Box Height 160 mm Length 225 mm Width 35 mm Height 90 mm Net Weight 0.22 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight cardboard (Recycling symbol "20" PAP) 0.02 kg Tare total 0.0256 kg Gross Weight 0.25 kg Cubic metre 0.000709 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C	Box Length	320 mm
Length225 mmWidth35 mmHeight90 mmNet Weight0.22 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0056 kgWeight cardboard (Recycling symbol "20" PAP)0.02 kgTare total0.0256 kgGross Weight0.25 kgCubic metre0.000709 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °C	Box Width	230 mm
Width35 mmHeight90 mmNet Weight0.22 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0056 kgWeight cardboard (Recycling symbol "20" PAP)0.02 kgTare total0.0256 kgGross Weight0.25 kgCubic metre0.000709 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °C	Box Height	160 mm
Height90 mmNet Weight0.22 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0056 kgWeight cardboard (Recycling symbol "20" PAP)0.02 kgTare total0.0256 kgGross Weight0.25 kgCubic metre0.000709 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °C	Length	225 mm
Net Weight0.22 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0056 kgWeight cardboard (Recycling symbol "20" PAP)0.02 kgTare total0.0256 kgGross Weight0.25 kgCubic metre0.000709 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °C	Width	35 mm
Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight cardboard (Recycling symbol "20" PAP) Tare total Gross Weight Cubic metre 0.000709 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Max usage temperature (non food contact) 100 °C	Height	90 mm
Weight cardboard (Recycling symbol "20" PAP)0.02 kgTare total0.0256 kgGross Weight0.25 kgCubic metre0.000709 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °C	Net Weight	0.22 kg
Tare total 0.0256 kg Gross Weight 0.25 kg Cubic metre 0.000709 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C		0.0056 kg
Gross Weight Cubic metre 0.000709 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Max usage temperature (non food contact) 100 °C	Weight cardboard (Recycling symbol "20" PAP)	0.02 kg
Cubic metre0.000709 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °C	Tare total	0.0256 kg
Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °C	Gross Weight	0.25 kg
Max. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °C	Cubic metre	0.000709 M3
Max usage temperature (food contact) Max usage temperature (non food contact) 100 °C 100 °C	Recommended sterilisation temperature (Autoclave)	121 °C
Max usage temperature (non food contact) 100 °C	Max. cleaning temperature (Dishwasher)	93 °C
	Max usage temperature (food contact)	100 °C
Min. usage temperature ³ -20 °C	Max usage temperature (non food contact)	100 °C
	Min. usage temperature ³	-20 °C

Max. drying temperature	100 °C
Min. pH-value in usage concentration	2 pH
Max. pH-value in Usage Concentration	10.5 pH
Gtin-13 Number	5705022001398
GTIN-14 Number (Box quantity)	15705028001429
Customs Tariff No.	96039099
Country of origin	Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

- 1. See Declaration of Compliance for further details on food contact
- 3. Do not store the product below 0° Celsius.