Crevice Scrub, 225 mm, Very hard, Yellow







Effectively clean beneath and between machines and equipment with an angle-adjustable Crevice Scrub that can even be used with the handle parallel to the floor. The arrow-shaped filaments reach into small cracks and crevices, while a middle row of stiff filaments provides high scrubbing efficacy.

Technical Data

| Bristle stiffness | Item Number | 70406 |
|--|---|-----------------------|
| Material Polypropylene Polyester Stainless Steel (AISI 304) Complies with (EC) 1935/2004 on food contact materials¹ Yes Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Complies with FDA Regulation ICFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with Galfornia Proposition 65 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Design Registration No. Box Quantity Box Quantity per Pallet (80 x 120 x 180-200 cm) 700 Pcs. Quantity Per Layer (Pallet) 100 Pcs. Box Length 320 mm Box Width 230 mm Box Height 160 mm Length 225 mm Width 35 mm Height 90 mm Net Weight cardboard (Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight cardboard (Recycling symbol "20" PAP) 0.02 kg Gross Weight 0.25 kg Gross Weight 0.00709 M3 Recommended sterilisation temperature (Autoclave) 120 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C | Bristle stiffness | Very hard |
| Complies with (EC) 1935/2004 on food contact materials¹ Yes Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Complies with FDA Regulation I CFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with Halal and Kosher Yes Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added No Design Registration No. EU 003168616-0001, US D786565, GB 90031686160001 Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) Tox Pcs Quantity Per Layer (Pallet) Tox Pcs Box Length Sox Width 230 mm Box Width 230 mm Box Height 160 mm Length 225 mm Width 35 mm Height Petyper Weight Cardboard (Recycling symbol "4" Low Density Polyethylene (LDPE) Weight Cardboard (Recycling symbol "20" PAP) 0.02 kg Gross Weight 0.25 kg Cubic metre 0.000709 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (Dishwasher) 39 °C Max usage temperature (non food contact) 100 °C | Visible bristle length | 40 mm |
| Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes Complies with FDA Regulation CFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Design Registration No. EU 003168616-0001, US 0786565, GB 90031686160001 Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 700 Pcs Quantity Per Layer (Pallet) 100 Pcs. Box Length 320 mm Box Width 230 mm Box Height 160 mm Length 225 mm Width 35 mm Height 90 mm Not Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.025 kg Weight cardboard (Recycling symbol "20" PAP) 0.02 kg Tare total 0.0256 kg Gross Weight 0.25 kg Cubic metre 0.000709 M3 Recommended sterilisation t | Material | Stainless Steel (AISI |
| Manufacturing Practice Complies with FDA RegulationI CFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Design Registration No. EU 003168616-0001, US D786565, Bod 99003168616-0001, US D7865665, Bod 99003168616-0001 Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 700 Pcs Quantity Per Layer (Pallet) 100 Pcs. Box Length 320 mm Box Width 230 mm Box Height 160 mm Length 225 mm Width 35 mm Height 90 mm Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.02 kg Weight cardboard (Recycling symbol "20" PAP) 0.02 kg Tare total 0.0256 kg Gross Weight 0.25 kg Cubic metre 0.000709 M3 Recommended sterilisation temperature (Autoclave) 121 °C | Complies with (EC) 1935/2004 on food contact materials ¹ | Yes |
| Complies with UK 2019 No. 704 on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Design Registration No. EU 003168616-0001, US D786565, GB 90031686160001 Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 700 Pcs Quantity Per Layer (Pallet) 100 Pcs. Box Length 320 mm Box Width 230 mm Box Height 160 mm Length 225 mm Width 35 mm Height 90 mm Net Weight 0.22 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.056 kg Weight cardboard (Recycling symbol "20" PAP) 0.02 kg Tare total 0.0256 kg Gross Weight 0.25 kg Cubic metre 0.000709 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C < | · · · · · · · · · · · · · · · · · · · | Yes |
| Complies with REACH Regulation (EC) No. 1907/2006 Complies with California Proposition 65 Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added Design Registration No. EU 003168616-0001, US D786565, CB 90031686160001 Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) Too Pcs Quantity Per Layer (Pallet) Box Length Box Width 230 mm Box Width 225 mm Width 35 mm Height Length Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight cardboard (Recycling symbol "20" PAP) Tare total Gross Weight Quick metre 0.0056 kg Cubic metre 0.000709 M3 Recommended sterilisation temperature (Autoclave) Max usage temperature (food contact) Mood Complement of the complement of the contact | Complies with FDA RegulationI CFR 21 ¹ | Yes |
| Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Design Registration No. EU 003168616-0001, US D786565, GB 90031686160001 Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 700 Pcs Quantity Per Layer (Pallet) 100 Pcs. Box Length 320 mm Box Width 230 mm Box Height 160 mm Length 35 mm Height 90 mm Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0056 kg Weight cardboard (Recycling symbol "20" PAP) 0.02 kg Tare total 0.0256 kg Gross Weight 0.25 kg Cubic metre 0.000709 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 100 °C | Complies with UK 2019 No. 704 on food contact materials | Yes |
| Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Design Registration No. EU 003168616-0001, US D786565, GB 90031686160001 Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 700 Pcs Quantity Per Layer (Pallet) 100 Pcs. Box Length 320 mm Box Width 230 mm Box Height 160 mm Length 225 mm Width 35 mm Height 90 mm Net Weight 0.22 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0056 kg Weight cardboard (Recycling symbol "20" PAP) 0.02 kg Tare total 0.0256 kg Gross Weight 0.25 kg Cubic metre 0.000709 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C | Complies with REACH Regulation (EC) No. 1907/2006 | Yes |
| PFAS, Phthalates and BPA intentionally added No Design Registration No. EU 003168616-0001, US D786565, GB 90031686160001 Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 700 Pcs Quantity Per Layer (Pallet) 100 Pcs. Box Length 320 mm Box Width 230 mm Box Height 160 mm Length 225 mm Width 35 mm Height 90 mm Net Weight 0.22 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0056 kg Weight cardboard (Recycling symbol "20" PAP) 0.02 kg Tare total 0.0256 kg Gross Weight 0.25 kg Cubic metre 0.000709 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (not contact) 100 °C Max usage temperature (non food contact) 100 °C | Complies with California Proposition 65 | Yes |
| Design Registration No. EU 003168616-0001, US D786565, GB 90031686160001 Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 700 Pcs Quantity Per Layer (Pallet) 100 Pcs. Box Length 320 mm Box Width 230 mm Box Height 160 mm Length 225 mm Width 35 mm Height 90 mm Net Weight 0.22 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0056 kg Weight cardboard (Recycling symbol "20" PAP) 0.02 kg Tare total 0.0256 kg Gross Weight 0.25 kg Cubic metre 0.000709 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C | Complies with Halal and Kosher | Yes |
| Box Quantity | PFAS, Phthalates and BPA intentionally added | No |
| Quantity per Pallet (80 x 120 x 180-200 cm) 700 Pcs Quantity Per Layer (Pallet) 100 Pcs. Box Length 320 mm Box Width 230 mm Box Height 160 mm Length 225 mm Width 35 mm Height 90 mm Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0056 kg Weight cardboard (Recycling symbol "20" PAP) 0.02 kg Tare total 0.0256 kg Gross Weight 0.25 kg Cubic metre 0.000709 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C | Design Registration No. | US D786565, GB |
| Quantity Per Layer (Pallet) 100 Pcs. Box Length 320 mm Box Width 230 mm Box Height 160 mm Length 225 mm Width 35 mm Height 90 mm Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.025 kg Weight cardboard (Recycling symbol "20" PAP) 0.02 kg Tare total 0.0256 kg Gross Weight 0.25 kg Cubic metre 0.000709 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C | Box Quantity | 10 Pcs. |
| Box Length320 mmBox Width230 mmBox Height160 mmLength225 mmWidth35 mmHeight90 mmNet Weight0.22 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0056 kgWeight cardboard (Recycling symbol "20" PAP)0.02 kgTare total0.0256 kgGross Weight0.25 kgCubic metre0.000709 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °C | Quantity per Pallet (80 x 120 x 180-200 cm) | 700 Pcs |
| Box Width230 mmBox Height160 mmLength225 mmWidth35 mmHeight90 mmNet Weight0.22 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0056 kgWeight cardboard (Recycling symbol "20" PAP)0.02 kgTare total0.0256 kgGross Weight0.25 kgCubic metre0.000709 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °C | Quantity Per Layer (Pallet) | 100 Pcs. |
| Box Height160 mmLength225 mmWidth35 mmHeight90 mmNet Weight0.22 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0056 kgWeight cardboard (Recycling symbol "20" PAP)0.02 kgTare total0.0256 kgGross Weight0.25 kgCubic metre0.000709 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °C | Box Length | 320 mm |
| Length225 mmWidth35 mmHeight90 mmNet Weight0.22 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0056 kgWeight cardboard (Recycling symbol "20" PAP)0.02 kgTare total0.0256 kgGross Weight0.25 kgCubic metre0.000709 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °C | Box Width | 230 mm |
| Width35 mmHeight90 mmNet Weight0.22 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0056 kgWeight cardboard (Recycling symbol "20" PAP)0.02 kgTare total0.0256 kgGross Weight0.25 kgCubic metre0.000709 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °C | Box Height | 160 mm |
| Height90 mmNet Weight0.22 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0056 kgWeight cardboard (Recycling symbol "20" PAP)0.02 kgTare total0.0256 kgGross Weight0.25 kgCubic metre0.000709 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °C | Length | 225 mm |
| Net Weight0.22 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0056 kgWeight cardboard (Recycling symbol "20" PAP)0.02 kgTare total0.0256 kgGross Weight0.25 kgCubic metre0.000709 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °C | Width | 35 mm |
| Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight cardboard (Recycling symbol "20" PAP) Tare total Gross Weight Cubic metre 0.000709 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Max usage temperature (non food contact) 100 °C | Height | 90 mm |
| Weight cardboard (Recycling symbol "20" PAP)0.02 kgTare total0.0256 kgGross Weight0.25 kgCubic metre0.000709 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °C | Net Weight | 0.22 kg |
| Tare total 0.0256 kg Gross Weight 0.25 kg Cubic metre 0.000709 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C | | 0.0056 kg |
| Gross Weight Cubic metre 0.000709 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Max usage temperature (non food contact) 100 °C | Weight cardboard (Recycling symbol "20" PAP) | 0.02 kg |
| Cubic metre0.000709 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °C | Tare total | 0.0256 kg |
| Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) | Gross Weight | 0.25 kg |
| Max. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °C | Cubic metre | 0.000709 M3 |
| Max usage temperature (food contact) Max usage temperature (non food contact) 100 °C 100 °C | Recommended sterilisation temperature (Autoclave) | 121 °C |
| Max usage temperature (non food contact) 100 °C | Max. cleaning temperature (Dishwasher) | 93 °C |
| | Max usage temperature (food contact) | 100 °C |
| Min. usage temperature ³ -20 °C | Max usage temperature (non food contact) | 100 °C |
| | Min. usage temperature ³ | -20 °C |

| Max. drying temperature | 100 °C |
|--------------------------------------|----------------|
| Min. pH-value in usage concentration | 2 pH |
| Max. pH-value in Usage Concentration | 10.5 pH |
| Gtin-13 Number | 5705022001411 |
| GTIN-14 Number (Box quantity) | 15705028001450 |
| Customs Tariff No. | 96039099 |
| Country of origin | Denmark |

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

- 1. See Declaration of Compliance for further details on food contact
- 3. Do not store the product below 0° Celsius.