

70436

Deck Scrub, waterfed, 270 mm, Medium, Yellow



This deck scrub has very effective water distribution and is ideal for use in heavily soiled areas such as abattoirs and meat processing plants.

Technical Data

Item Number	70436
Bristle stiffness	Medium
Visible bristle length	32 mm
Material	Polypropylene Polyester Stainless Steel (AISI 304)
Complies with (EC) 1935/2004 on food contact materials¹	Yes
Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice	Yes
Complies with FDA Regulation I CFR 21¹	Yes
Complies with UK 2019 No. 704 on food contact materials	Yes
Complies with REACH Regulation (EC) No. 1907/2006	Yes
Complies with California Proposition 65	Yes
Complies with Halal and Kosher	Yes
PFAS, Phthalates and BPA intentionally added	No
Design Registration No.	EU 008554125-0005, UK 6139375
Box Quantity	10 Pcs.
Quantity per Pallet (80 x 120 x 180-200 cm)	800 Pcs
Quantity Per Layer (Pallet)	80 Pcs.
Box Length	380 mm
Box Width	290 mm
Box Height	175 mm
Length	270 mm
Width	75 mm
Height	100 mm
Net Weight	0.43 kg
Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE))	0.0087 kg
Weight cardboard (Recycling symbol "20" PAP)	0.022 kg
Tare total	0.0307 kg
Gross Weight	0.46 kg
Cubic metre	0.002025 M3
Recommended sterilisation temperature (Autoclave)	121 °C
Max. cleaning temperature (Dishwasher)	93 °C
Max usage temperature (food contact)	80 °C
Max usage temperature (non food contact)	100 °C
Min. usage temperature³	-20 °C

Max. drying temperature	100 °C
Min. pH-value in usage concentration	2 pH
Max. pH-value in Usage Concentration	10.5 pH
Gtin-13 Number	5705020704369
GTIN-14 Number (Box quantity)	15705020704366
Customs Tariff No.	96039099
Country of origin	Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

3. Do not store the product below 0° Celsius.