⁷⁰⁴⁷⁹ High-Low Brush, 265 mm, Medium, Black







Effectively clean and scrub floor-wall junctions and under machines and equipment with this High-Low Brush, featuring an angled thread that lets you use the brush with the handle positioned parallel to the floor. Also ideal for cleaning drains and gulleys.

Technical Data

Item Number	70479
Bristle stiffness	Medium
Visible bristle length	41 mm
Material	Polypropylene Polyester Stainless Steel (AISI 304)
Complies with (EC) 1935/2004 on food contact materials ¹	Yes
Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice	Yes
Complies with FDA RegulationI CFR 21 ¹	Yes
Complies with UK 2019 No. 704 on food contact materials	Yes
Complies with REACH Regulation (EC) No. 1907/2006	Yes
Complies with California Proposition 65	Yes
Complies with Halal and Kosher	Yes
PFAS, Phthalates and BPA intentionally added	No
Design Registration No.	EU 002533729-1-5, GB 90025337290001-5
Box Quantity	10 Pcs.
Quantity per Pallet (80 x 120 x 180-200 cm)	320 Pcs
Quantity Per Layer (Pallet)	40 Pcs.
Box Length	610 mm
Box Width	290 mm
Box Height	200 mm
Length	265 mm
Width	150 mm
Height	100 mm
Net Weight	0.5 kg
Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)	0.0078 kg
Weight cardboard (Recycling symbol "20" PAP)	0.0522 kg
Tare total	0.06 kg
Gross Weight	0.56 kg
Cubic metre	0.003975 M3
Recommended sterilisation temperature (Autoclave)	121 °C
Max. cleaning temperature (Dishwasher)	93 °C
Max usage temperature (food contact)	80 °C
Max usage temperature (non food contact)	100 °C
Min. usage temperature ³	-20 °C

Max. drying temperature	100 °C
Min. pH-value in usage concentration	2 pH
Max. pH-value in Usage Concentration	10.5 pH
Gtin-13 Number	5705020704796
GTIN-14 Number (Box quantity)	15705020704793
Customs Tariff No.	96039099
Country of origin	Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

1. See Declaration of Compliance for further details on food contact

3. Do not store the product below 0° Celsius.