

70673

# Washing Brush w/Angle adjustment, waterfed, 240 mm, Soft/split, Blue



Easily remove dust and dirt from high level, difficult-to-reach areas with this fully adjustable waterfed Washing Brush, ideal for a variety of cleaning tasks. Features split fibre bristles that retain water to improve cleaning efficacy. Can be used with any Vikan handle.

# Technical Data

<b>Item Number</b>	70673
<b>Bristle stiffness</b>	Soft/split
<b>Visible bristle length</b>	44 mm
<b>Material</b>	Polypropylene Polyester Stainless Steel (AISI 304)
<b>Complies with (EC) 1935/2004 on food contact materials<sup>1</sup></b>	Yes
<b>Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice</b>	Yes
<b>Complies with FDA Regulationl CFR 21<sup>1</sup></b>	Yes
<b>Complies with UK 2019 No. 704 on food contact materials</b>	Yes
<b>Complies with the European Brushware Federation (FEIBP) Charter</b>	No
<b>Complies with REACH Regulation (EC) No. 1907/2006</b>	Yes
<b>Complies with Halal and Kosher</b>	Yes
<b>Phthalates and bisphenol A intentionally added</b>	No
<b>Box Quantity</b>	4 Pcs.
<b>Quantity per Pallet (80 x 120 x 180-200 cm)</b>	416 Pcs
<b>Quantity Per Layer (Pallet)</b>	32 Pcs.
<b>Box Length</b>	385 mm
<b>Box Width</b>	295 mm
<b>Box Height</b>	145 mm
<b>Length</b>	240 mm
<b>Width</b>	130 mm
<b>Height</b>	145 mm
<b>Net Weight</b>	0.43 kg
<b>Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE))</b>	0.0129 kg
<b>Weight cardboard (Recycling symbol "20" PAP)</b>	0.065 kg
<b>Tare total</b>	0.0779 kg
<b>Gross Weight</b>	0.51 kg
<b>Cubic metre</b>	0.004524 M3
<b>Max. cleaning temperature (Dishwasher)</b>	93 °C
<b>Max usage temperature (food contact)</b>	80 °C
<b>Max usage temperature (non food contact)</b>	100 °C
<b>Min. usage temperature<sup>3</sup></b>	-20 °C
<b>Max. drying temperature</b>	100 °C
<b>Min. pH-value in usage concentration</b>	2 pH
<b>Max. pH-value in Usage Concentration</b>	10.5 pH

<b>Gtin-13 Number</b>	5705020706738
<b>GTIN-14 Number (Box quantity)</b>	15705020706735
<b>Customs Tariff No.</b>	96039099
<b>Country of origin</b>	Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

1. See Declaration of Compliance for further details on food contact
3. Do not store the product below 0° Celsius.