Washing Brush w/Angle adjustment, waterfed, 240 mm, Soft/split, Yellow





Easily remove dust and dirt from high level, difficult-to-reach areas with this fully adjustable waterfed Washing Brush, ideal for a variety of cleaning tasks. Features split fibre bristles that retain water to improve cleaning efficacy. Can be used with any Vikan handle.

## **Technical Data**

Bristle stiffness         Soft/split           Visible bristle length         44 mm           Material         Polypropylene Polypester Stainless Steel (AISI 304)           Complies with (EC) 1935/2004 on food contact materials*         Yes           Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice         Yes           Complies with IVE 2019 No. 704 on food contact materials         Yes           Complies with the European Brushware Federation (FEIBP) Charter         No           Complies with REACH Regulation (EC) No. 1907/2006         Yes           Complies with Halal and Kosher         Yes           Phthalates and bisphenol A intentionally added         No           Box Quantity         4 Pcs.           Quantity Per Layer (Pallet)         32 Pcs.           Box Length         35 mm           Box Length         35 mm           Box Width         295 mm           Box Width         145 mm           Height         145 mm           Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)         0.012 kg           Weight cardboard (Recycling symbol "2" PAP)         0.05 kg           Tare total         0.0779 kg           Gross Weight         0.51 kg           Cubic metre         0.004524 M3           Max L	Item Number	70676
Material Polypropylene Polyester Stainless Steel (AISI 304)  Complies with (EC) 1935/2004 on food contact materials' Yes Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Complies with FDA Regulation CFR 21' Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with the European Brushware Federation (FEIBP) No Charter  Complies with Halal and Kosher Yes Phthalates and bisphenol A intentionally added No Box Quantity 4 Pcs.  Quantity Per Pallet (80 x 120 x 180-200 cm) 416 Pcs.  Quantity Per Layer (Pallet) 32 Pcs.  Box Length 385 mm  Box Width 295 mm  Box Width 295 mm  Width 130 mm  Height 145 mm  Net Weight bag (Recycling Symbol "20" PAP) 0.065 kg  Gross Weight 0.51 kg  Cubic metre 0.004524 M3  Max. cleaning temperature (Dishwasher) 93 °C  Max usage temperature (food contact) 100 °C  Min. usage temperature (Inon food contact) 100 °C  Min. pH-value in usage concentration 2 pH	Bristle stiffness	Soft/split
Complies with (EC) 1935/2004 on food contact materials¹  Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice  Complies with FDA Regulation I CFR 21¹  Yes  Complies with FDA Regulation I CFR 21¹  Yes  Complies with UK 2019 No. 704 on food contact materials  Yes  Complies with the European Brushware Federation (FEIBP) Charter  Complies with REACH Regulation (EC) No. 1907/2006  Yes  Complies with Halal and Kosher  Phthalates and bisphenol A intentionally added  No  Box Quantity  4 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 416 Pcs  Quantity Per Layer (Pallet) 32 Pcs.  Box Length 385 mm  Box Width 295 mm  Box Height 145 mm  Net Weight 145 mm  Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)  Weight cardboard (Recycling symbol "20" PAP) 0.065 kg  Tare total 0.0779 kg  Gross Weight 0.51 kg  Cubic metre 0.004524 M3  Max. cleaning temperature (Dishwasher) 38 c	Visible bristle length	44 mm
Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice  Complies with FDA Regulation CFR 21¹ Yes  Complies with UK 2019 No. 704 on food contact materials  Complies with the European Brushware Federation (FEIBP) Complies with REACH Regulation (EC) No. 1907/2006  Yes  Complies with Halal and Kosher Phthalates and bisphenol A intentionally added  Box Quantity  4 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 416 Pcs Quantity Per Layer (Pallet) 32 Pcs. Box Length  Box Height 145 mm  Box Height 145 mm  Net Weight 90 43 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)  Weight cardboard (Recycling symbol "20" PAP) 0.0129 kg Cubic metre 0.004524 M3 Max. cleaning temperature (Dishwasher) 38 °C Max usage temperature (food contact) Min. usage temperature Min. usage temperature Min. usage temperature Min. usage temperature Min. pH-value in usage concentration 2 pH	Material	Stainless Steel (AISI
Manufacturing Practice Complies with FDA RegulationI CFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Complies with the European Brushware Federation (FEIBP) Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with Halal and Kosher Yes Phthalates and bisphenol A intentionally added No Box Quantity 4 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 416 Pcs Quantity Per Layer (Pallet) 32 Pcs. Box Length 385 mm Box Width 295 mm Box Height 145 mm Length 45 mm Length 46 Weight 47 cm Net Weight 40 -43 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight cardboard (Recycling symbol "20" PAP) Cubic metre 0.004524 M3 Max. cleaning temperature (Dishwasher) 38 c °C Max usage temperature (non food contact) Min. usage temperature 100 °C Min. usage temperature 100 °C Min. pH-value in usage concentration	Complies with (EC) 1935/2004 on food contact materials <sup>1</sup>	Yes
Complies with UK 2019 No. 704 on food contact materials       Yes         Complies with the European Brushware Federation (FEIBP)       No         Complies with REACH Regulation (EC) No. 1907/2006       Yes         Complies with Halal and Kosher       Yes         Phthalates and bisphenol A intentionally added       No         Box Quantity       4 Pcs.         Quantity per Pallet (80 x 120 x 180-200 cm)       416 Pcs         Quantity Per Layer (Pallet)       32 Pcs.         Box Length       385 mm         Box Width       295 mm         Box Height       145 mm         Length       240 mm         Width       130 mm         Height       145 mm         Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)       0.0129 kg         Weight cardboard (Recycling symbol "20" PAP)       0.065 kg         Tare total       0.0779 kg         Gross Weight       0.51 kg         Cubic metre       0.004524 M3         Max. cleaning temperature (Dishwasher)       30° C         Max usage temperature (non food contact)       80° C         Min. usage temperature       20° C         Min. usage temperature       20° C         Min. usage temperature       20° C         M		Yes
Complies with the European Brushware Federation (FEIBP) Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with Halal and Kosher Yes Phthalates and bisphenol A intentionally added No Box Quantity 4 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 416 Pcs Quantity Per Layer (Pallet) 32 Pcs. Box Length 385 mm Box Width 295 mm Box Height 145 mm Length Width 130 mm Height 145 mm Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight cardboard (Recycling symbol "20" PAP) Tare total O.0779 kg Gross Weight Cubic metre 0.004524 M3 Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Min. usage temperature Min. usage temperature Min. pt-value in usage concentration 2 pH	Complies with FDA RegulationI CFR 21 <sup>1</sup>	Yes
Charter         Complies with REACH Regulation (EC) No. 1907/2006         Yes           Complies with Halal and Kosher         Yes           Phthalates and bisphenol A intentionally added         No           Box Quantity         4 Pcs.           Quantity per Pallet (80 x 120 x 180-200 cm)         416 Pcs           Quantity Per Layer (Pallet)         32 Pcs.           Box Length         385 mm           Box Width         295 mm           Box Height         145 mm           Length         240 mm           Width         130 mm           Height         145 mm           Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)         0.0129 kg           Weight cardboard (Recycling symbol "20" PAP)         0.065 kg           Tare total         0.0779 kg           Gross Weight         0.51 kg           Cubic metre         0.004524 M3           Max. cleaning temperature (Dishwasher)         93 °C           Max usage temperature (food contact)         80 °C           Min. usage temperatures         -20 °C           Max. drying temperature         100 °C           Min. pl-value in usage concentration         2 pH	Complies with UK 2019 No. 704 on food contact materials	Yes
Complies with Halal and KosherYesPhthalates and bisphenol A intentionally addedNoBox Quantity4 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)416 PcsQuantity Per Layer (Pallet)32 Pcs.Box Length385 mmBox Width295 mmBox Height145 mmLength240 mmWidth130 mmHeight145 mmNet Weight0.43 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0129 kgWeight cardboard (Recycling symbol "20" PAP)0.065 kgTare total0.0779 kgGross Weight0.51 kgCubic metre0.004524 M3Max. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature*-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	·	No
Phthalates and bisphenol A intentionally addedNoBox Quantity4 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)416 PcsQuantity Per Layer (Pallet)32 Pcs.Box Length385 mmBox Width295 mmBox Height145 mmLength240 mmWidth130 mmHeight145 mmNet Weight0.43 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0129 kgWeight cardboard (Recycling symbol "20" PAP)0.065 kgTare total0.0779 kgGross Weight0.51 kgCubic metre0.004524 M3Max. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature100 °CMin. usage temperature100 °CMin. pH-value in usage concentration2 pH	Complies with REACH Regulation (EC) No. 1907/2006	Yes
Box Quantity per Pallet (80 x 120 x 180-200 cm)  Quantity Per Layer (Pallet)  32 Pcs.  Box Length  385 mm  Box Width  295 mm  Box Height  145 mm  Length  240 mm  Width  130 mm  Height  145 mm  Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)  Weight cardboard (Recycling symbol "20" PAP)  7 are total  7 coss Weight  7 coss Weight  8 cond4524 M3  Max. cleaning temperature (Dishwasher)  8 cond5 cond6 contact)  8 cond6 cond6 contact)  Min. usage temperature (non food contact)  Min. usage temperature  100 °C  Min. usage temperature  100 °C  Min. pH-value in usage concentration	Complies with Halal and Kosher	Yes
Quantity per Pallet (80 x 120 x 180-200 cm)         416 Pcs           Quantity Per Layer (Pallet)         32 Pcs.           Box Length         385 mm           Box Width         295 mm           Box Height         145 mm           Length         240 mm           Width         130 mm           Height         145 mm           Net Weight         0.43 kg           Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)         0.0129 kg           Weight cardboard (Recycling symbol "20" PAP)         0.065 kg           Tare total         0.0779 kg           Gross Weight         0.51 kg           Cubic metre         0.004524 M3           Max. cleaning temperature (Dishwasher)         93 °C           Max usage temperature (non food contact)         80 °C           Max usage temperature (non food contact)         100 °C           Min. usage temperature         -20 °C           Max. drying temperature         100 °C           Min. pH-value in usage concentration         2 pH	Phthalates and bisphenol A intentionally added	No
Quantity Per Layer (Pallet)         32 Pcs.           Box Length         385 mm           Box Width         295 mm           Box Height         145 mm           Length         240 mm           Width         130 mm           Height         0.43 kg           Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)         0.0129 kg (LDPE)           Weight cardboard (Recycling symbol "20" PAP)         0.065 kg           Tare total         0.0779 kg           Gross Weight         0.51 kg           Cubic metre         0.004524 M3           Max. cleaning temperature (Dishwasher)         93 °C           Max usage temperature (food contact)         80 °C           Max usage temperature (non food contact)         100 °C           Min. usage temperature         -20 °C           Max. drying temperature         100 °C           Min. pH-value in usage concentration         2 pH	Box Quantity	4 Pcs.
Box Length         385 mm           Box Width         295 mm           Box Height         145 mm           Length         240 mm           Width         130 mm           Height         145 mm           Net Weight         0.43 kg           Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)         0.0129 kg           Weight cardboard (Recycling symbol "20" PAP)         0.065 kg           Tare total         0.0779 kg           Gross Weight         0.51 kg           Cubic metre         0.004524 M3           Max. cleaning temperature (Dishwasher)         93 °C           Max usage temperature (food contact)         80 °C           Max usage temperature (non food contact)         100 °C           Min. usage temperature         -20 °C           Max. drying temperature         100 °C           Min. pH-value in usage concentration         2 pH	Quantity per Pallet (80 x 120 x 180-200 cm)	416 Pcs
Box Width 295 mm Box Height 145 mm Length 240 mm Width 130 mm Height 145 mm Net Weight 0.43 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight cardboard (Recycling symbol "20" PAP) 0.065 kg Tare total 0.0779 kg Gross Weight 0.51 kg Cubic metre 0.004524 M3 Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Min. usage temperature (non food contact) 100 °C Min. usage temperature 100 °C Min. usage temperature 100 °C Min. pH-value in usage concentration 2 pH	Quantity Per Layer (Pallet)	32 Pcs.
Box Height145 mmLength240 mmWidth130 mmHeight145 mmNet Weight0.43 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0129 kgWeight cardboard (Recycling symbol "20" PAP)0.065 kgTare total0.0779 kgGross Weight0.51 kgCubic metre0.004524 M3Max. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature100 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Box Length	385 mm
Length240 mmWidth130 mmHeight145 mmNet Weight0.43 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0129 kgWeight cardboard (Recycling symbol "20" PAP)0.065 kgTare total0.0779 kgGross Weight0.51 kgCubic metre0.004524 M3Max. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Box Width	295 mm
Width130 mmHeight145 mmNet Weight0.43 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0129 kgWeight cardboard (Recycling symbol "20" PAP)0.065 kgTare total0.0779 kgGross Weight0.51 kgCubic metre0.004524 M3Max. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature100 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Box Height	145 mm
Height145 mmNet Weight0.43 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0129 kgWeight cardboard (Recycling symbol "20" PAP)0.065 kgTare total0.0779 kgGross Weight0.51 kgCubic metre0.004524 M3Max. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Length	240 mm
Net Weight0.43 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0129 kgWeight cardboard (Recycling symbol "20" PAP)0.065 kgTare total0.0779 kgGross Weight0.51 kgCubic metre0.004524 M3Max. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature100 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Width	130 mm
Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)  Weight cardboard (Recycling symbol "20" PAP)  Tare total  Gross Weight  Cubic metre  0.004524 M3  Max. cleaning temperature (Dishwasher)  Max usage temperature (food contact)  Max usage temperature (non food contact)  Min. usage temperature  Min. usage temperature  100 °C  Min. pH-value in usage concentration	Height	145 mm
Weight cardboard (Recycling symbol "20" PAP)0.065 kgTare total0.0779 kgGross Weight0.51 kgCubic metre0.004524 M3Max. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Net Weight	0.43 kg
Tare total0.0779 kgGross Weight0.51 kgCubic metre0.004524 M3Max. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH		0.0129 kg
Gross Weight  Cubic metre  0.004524 M3  Max. cleaning temperature (Dishwasher)  93 °C  Max usage temperature (food contact)  Max usage temperature (non food contact)  100 °C  Min. usage temperature  100 °C  Max. drying temperature  100 °C  Min. pH-value in usage concentration  2 pH	Weight cardboard (Recycling symbol "20" PAP)	0.065 kg
Cubic metre 0.004524 M3  Max. cleaning temperature (Dishwasher) 93 °C  Max usage temperature (food contact) 80 °C  Max usage temperature (non food contact) 100 °C  Min. usage temperature -20 °C  Max. drying temperature 100 °C  Min. pH-value in usage concentration 2 pH	Tare total	0.0779 kg
Max. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Gross Weight	0.51 kg
Max usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Cubic metre	0.004524 M3
Max usage temperature (non food contact)100 °CMin. usage temperature3-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Max. cleaning temperature (Dishwasher)	93 °C
Min. usage temperature3-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Max usage temperature (food contact)	80 °C
Max. drying temperature100 °CMin. pH-value in usage concentration2 pH	Max usage temperature (non food contact)	100 °C
Min. pH-value in usage concentration 2 pH	Min. usage temperature <sup>3</sup>	-20 °C
	Max. drying temperature	100 °C
Max. pH-value in Usage Concentration 10.5 pH	Min. pH-value in usage concentration	2 pH
	Max. pH-value in Usage Concentration	10.5 pH

Gtin-13 Number	5/05020/06/69
GTIN-14 Number (Box quantity)	15705020706766
Customs Tariff No.	96039099
Country of origin	Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

- 1. See Declaration of Compliance for further details on food contact
- 3. Do not store the product below 0° Celsius.