77134

Hygienic Floor Squeegee w/replacement cassette, 500 mm, , Red







Designed for areas where both high levels of hygiene and effective water removal are required, this squeegee can be used on all types of surfaces, including tiled and safety flooring. The cassette can be removed easily for cleaning or replacement (Series 7733 for replacement blades).

## **Technical Data**

MaterialPolypropylene TPE RubberRecycling Symbol "7", Miscellaneous PlasticsYesComplies with (EC) 1935/2004 on food contact materials"YesComplies with EU Regulation 2023/2006/EC of GoodYesComplies with FDA Regulation 2023/2006/EC of GoodYesComplies with KEACH Regulation (EC) No. 1907/2006YesComplies with California Proposition 65YesComplies with California Proposition 65YesComplies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoPat. Pending/Patent No.EP2227129 validated in DK, DE, FR and GB.DEBox Quantity10 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)480 PcsQuantity Per Layer (Pallet)60 Pcs.Box Length500 mmBox Height210 mmBox Height000 mmLength000 mmWidth70 mmHeight0.0764 kgWiejht cardboard (Recycling Symbol "4" Low Density Polyethylene0.0764 kgWeight cardboard (Recycling Symbol "20" PAP)0.04 kgGross Weight0.41164 kgGross Weight0.41164 kgComs Weight Contact33 °CMax usage temperature (Dishwasher)33 °CMax usage temperature (food contact)100 °CMax usage temperature (food contact)100 °CMax usage temperature (food contact)70 °CMax usage temperature (food contact)70 °CMax usage temperature (food contact)70 °CMax usage temperature (food contact) <th>Item Number</th> <th>77134</th>	Item Number	77134
Complies with (EC) 1935/2004 on food contact materials'YesComplies with EU Regulation 2023/2006/EC of Good Manufacturing PracticeYesComplies with EU Regulation CFR 21'YesComplies with UK 2019 No. 704 on food contact materialsYesComplies with REACH Regulation (EC) No. 1907/2006YesComplies with California Proposition 65YesComplies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoPat. Pending/Patent No.EP2227129 validated in DK, DE, FR and GB, DE 602008048400.9Box Quantity10 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)480 PcsQuantity Per Layer (Pallet)60 Pcs.Box Length515 mmBox Width295 mmBox Height100 mmLength500 mmWidth70 mmHeight0.0764 kg(LDPE)0.0764 kgWeight cardboard (Recycling symbol "20" PAP)0.04 kgTare total0.1164 kgGross Weight0.41 kgCubic metre0.0035 M3Recommended sterilisation temperature (Autoclave)121 "CMax usage temperature (Iois contact)50 °CMax usage temperature-20 °CMax. drying temperature-20 °CMax. drying temperature-20 °CMax. drying temperature-20 °C	Material	
Complies with EU Regulation 2023/2006/EC of Good Manufacturing PracticeYesComplies with FDA RegulationI CFR 21'YesComplies with UK 2019 No. 704 on food contact materialsYesComplies with California Proposition 65YesComplies with California Proposition 65YesComplies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoPat. Pending/Patent No.EP2227129 validated in DK, DE, FR and GB, DE 602008048400.9Box Quantity10 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)480 PcsBox Leigth515 mmBox Width295 mmBox Height210 mmLength500 mmWidth70 mmHeight100 mmNet Weight0.228 kgWeight cardboard (Recycling symbol "20" PAP)0.04 kgGross Weight0.41 kgCubic metre0.0035 M3Recommended sterillisation temperature (Autoclave)121 °CMax. draying temperature20° CMax. draying temperature20° CMax. draying temperature20° C	Recycling Symbol "7", Miscellaneous Plastics	Yes
Manufacturing Practiče       Complies with FDA RegulationI CFR 211     Yes       Complies with UK 2019 No. 704 on food contact materials     Yes       Complies with REACH Regulation (EC) No. 1907/2006     Yes       Complies with California Proposition 65     Yes       Complies with Halal and Kosher     Yes       PFAS, Phthalates and BPA Intentionally added     No       Pat. Pending/Patent No.     EP2227129 validated in DK, DE, FR and GB. DE 602008048400.9       Box Quantity     10 Pes.       Quantity per Pallet (80 x 120 x 180-200 cm)     480 Pes       Quantity Per Layer (Pallet)     60 Pes.       Box Length     515 mm       Box Width     295 mm       Box Height     210 mm       Length     500 mm       Width     70 mm       Height     0.00764 kg       (LDPE)     0.0764 kg       Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)     0.035 M3       Recommended sterilisation temperature (Autoclave)     121 °C       Max usage temperature (Tood contact)     50 °C       Max usage temperature     50 °C       Max usage temperature <sup>1</sup> (Dod contact)     50 °C	Complies with (EC) 1935/2004 on food contact materials <sup>1</sup>	Yes
Complies with UK 2019 No. 704 on food contact materialsYesComplies with REACH Regulation (EC) No. 1907/2006YesComplies with California Proposition 65YesComplies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoPat. Pending/Patent No.EP2227129 validated in DK, DE, FR and GB. DE 602008048400.9Box Quantity10 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)480 PcsBox Length515 mmBox Kith295 mmBox Height210 mmLength500 mmWidth0.29 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0764 kgWeight cardboard (Recycling symbol "20" PAP)0.04 kgTare total0.1164 kgGross Weight0.41 kgCubic metre0.0035 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (food contact)50 °CMax usage temperature (non food contact)100 °CMin. usage temperature-20 °CMax. drying temperature-20 °CMax. drying temperature120 °C		Yes
Complies with REACH Regulation (EC) No. 1907/2006YesComplies with California Proposition 65YesComplies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoPat. Pending/Patent No.EP2227129 validated in DK, DE, FR and GB. DE 602008048400.9Box Quantity10 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)480 PcsQuantity Per Layer (Pallet)60 Pcs.Box Length515 mmBox Width295 mmBox Height210 mmLength500 mmWidth0.29 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0764 kgWeight cardboard (Recycling symbol "20" PAP)0.04 kgTare total0.1164 kgGross Weight0.41 kgCubic metre0.0035 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMin. usage temperature-20 °CMax. drying temperature-20 °CMax. drying temperature120 °C	Complies with FDA RegulationI CFR 21 <sup>1</sup>	Yes
Complies with California Proposition 65YesComplies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoPat. Pending/Patent No.EP2227129 validated in DK, DE, FR and GB. DE 602008048400.9Box Quantity10 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)480 PcsQuantity Per Layer (Pallet)60 Pcs.Box Length515 mmBox Width295 mmBox Height210 mmLength500 mmWidth0.29 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0764 kgWeight cardboard (Recycling symbol "20" PAP)0.04 kgTare total0.1164 kgGross Weight0.411 kgCubic metre0.0035 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (food contact)50 °CMax usage temperature (non food contact)100 °CMax. drying temperature-20 °CMax. drying temperature120 °C	Complies with UK 2019 No. 704 on food contact materials	Yes
Complies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoPat. Pending/Patent No.EP2227129 validated in DK, DE, FR and GB. DE 602008048400.9Box Quantity10 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)480 PcsQuantity Per Layer (Pallet)60 Pcs.Box Length515 mmBox Width295 mmBox Height210 mmLength500 mmWidth0.29 kgWeight0.29 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.04 kgGross Weight0.41 kgCubic metre0.0035 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMax. drying temperature-20 °CMax. drying temperature120 °C	Complies with REACH Regulation (EC) No. 1907/2006	Yes
PFAS, Phthalates and BPA intentionally addedNoPat. Pending/Patent No.EP2227129 validated in DK, DE, FR and GB. DE 602008048400.9Box Quantity10 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)480 PcsQuantity Per Layer (Pallet)60 Pcs.Box Length515 mmBox Width295 mmBox Height210 mmLength500 mmWidth70 mmHeight100 mmNet Weight0.29 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0764 kgGross Weight0.1164 kgGross Weight0.411 kgCubic metre0.0035 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (food contact)50 °CMax usage temperature (non food contact)100 °CMax. drying temperature-20 °CMax. drying temperature120 °C	Complies with California Proposition 65	Yes
Pat. Pending/Patent No.EP2227129 validated in DK, DE, FR and GB. DE 602008048400.9Box Quantity10 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)480 PcsQuantity Per Layer (Pallet)60 Pcs.Box Length515 mmBox Width295 mmBox Height210 mmLength500 mmWidth70 mmHeight100 mmVidth0.29 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0764 kgGross Weight0.41 kgCubic metre0.0035 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (food contact)50 °CMax usage temperature (non food contact)100 °CMax. drying temperature-20 °CMax. drying temperature120 °C	Complies with Halal and Kosher	Yes
DK, DE, FR and GB. DE 602008048400.9Box Quantity10 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)480 PcsQuantity Per Layer (Pallet)60 Pcs.Box Length515 mmBox Width295 mmBox Height210 mmLength500 mmWidth70 mmHeight100 mmNet Weight0.29 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0764 kgWeight cardboard (Recycling symbol "20" PAP)0.04 kgGross Weight0.41 kgCubic metre0.0035 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (food contact)50 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °CMax. drying temperature120 °C	PFAS, Phthalates and BPA intentionally added	No
Quantity per Pallet (80 x 120 x 180-200 cm)480 PcsQuantity Per Layer (Pallet)60 Pcs.Box Length515 mmBox Width295 mmBox Height210 mmLength500 mmWidth70 mmHeight100 mmNet Weight0.29 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0764 kgWeight cardboard (Recycling symbol "20" PAP)0.04 kgTare total0.1164 kgGross Weight0.41 kgCubic metre0.0035 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (food contact)50 °CMax usage temperature (non food contact)100 °CMin. usage temperature120 °CMax. drying temperature120 °C	Pat. Pending/Patent No.	DK, DE, FR and GB. DE
Quantity Per Layer (Pallet)60 Pcs.Box Length515 mmBox Width295 mmBox Height210 mmLength500 mmWidth70 mmHeight100 mmNet Weight0.29 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0764 kgWeight cardboard (Recycling symbol "20" PAP)0.04 kgTare total0.1164 kgGross Weight0.41 kgCubic metre0.0035 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (food contact)50 °CMax usage temperature (non food contact)100 °CMin. usage temperature120 °CMax. drying temperature120 °C	Box Quantity	10 Pcs.
Box Length515 mmBox Width295 mmBox Height210 mmLength500 mmWidth70 mmHeight100 mmNet Weight0.29 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0764 kgWeight cardboard (Recycling symbol "20" PAP)0.04 kgTare total0.1164 kgGross Weight0.41 kgCubic metre0.0035 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °CMax. drying temperature120 °C	Quantity per Pallet (80 x 120 x 180-200 cm)	480 Pcs
Box Width295 mmBox Height210 mmLength500 mmWidth70 mmHeight100 mmNet Weight0.29 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0764 kgWeight cardboard (Recycling symbol "20" PAP)0.04 kgTare total0.1164 kgGross Weight0.41 kgCubic metre0.0035 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMin. usage temperatures-20 °CMax. drying temperature120 °C	Quantity Per Layer (Pallet)	60 Pcs.
Box Height210 mmLength500 mmWidth70 mmHeight100 mmNet Weight0.29 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0764 kgWeight cardboard (Recycling symbol "20" PAP)0.04 kgTare total0.1164 kgGross Weight0.41 kgCubic metre0.0035 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °CMax. drying temperature120 °C	Box Length	515 mm
Length500 mmWidth70 mmHeight100 mmNet Weight0.29 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0764 kgWeight cardboard (Recycling symbol "20" PAP)0.04 kgTare total0.1164 kgGross Weight0.41 kgCubic metre0.0035 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)50 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °CMax. drying temperature120 °C	Box Width	295 mm
Width70 mmHeight100 mmNet Weight0.29 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0764 kgWeight cardboard (Recycling symbol "20" PAP)0.04 kgTare total0.1164 kgGross Weight0.41 kgCubic metre0.0035 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °CMax. drying temperature120 °C	Box Height	210 mm
Height100 mmNet Weight0.29 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0764 kgWeight cardboard (Recycling symbol "20" PAP)0.04 kgTare total0.1164 kgGross Weight0.41 kgCubic metre0.0035 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °C	Length	500 mm
Net Weight0.29 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0764 kgWeight cardboard (Recycling symbol "20" PAP)0.04 kgTare total0.1164 kgGross Weight0.41 kgCubic metre0.0035 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)50 °CMax usage temperature (non food contact)100 °CMin. usage temperature120 °CMax. drying temperature120 °C	Width	70 mm
Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0764 kgWeight cardboard (Recycling symbol "20" PAP)0.04 kgTare total0.1164 kgGross Weight0.41 kgCubic metre0.0035 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)50 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °CMax. drying temperature120 °C	Height	100 mm
(LDPE)0.04 kgWeight cardboard (Recycling symbol "20" PAP)0.04 kgTare total0.1164 kgGross Weight0.41 kgCubic metre0.0035 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)50 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °C	Net Weight	0.29 kg
Tare total0.1164 kgGross Weight0.41 kgCubic metre0.0035 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)50 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °C		0.0764 kg
Gross Weight0.41 kgCubic metre0.0035 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)50 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °CMax. drying temperature120 °C	Weight cardboard (Recycling symbol "20" PAP)	0.04 kg
Cubic metre0.0035 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)50 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °C	Tare total	0.1164 kg
Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)50 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °C	Gross Weight	0.41 kg
Max. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)50 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °C	Cubic metre	0.0035 M3
Max usage temperature (food contact)50 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °C	Recommended sterilisation temperature (Autoclave)	121 °C
Max usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °C	Max. cleaning temperature (Dishwasher)	93 °C
Min. usage temperature³-20 °CMax. drying temperature120 °C	Max usage temperature (food contact)	50 °C
Max. drying temperature120 °C	Max usage temperature (non food contact)	100 °C
	Min. usage temperature <sup>3</sup>	-20 °C
Min. pH-value in usage concentration2 pH	Max. drying temperature	120 °C
	Min. pH-value in usage concentration	2 pH

Max. pH-value in Usage Concentration	10.5 pH
Gtin-13 Number	5705020771347
GTIN-14 Number (Box quantity)	15705020771344
Customs Tariff No.	96039099
Country of origin	Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

1. See Declaration of Compliance for further details on food contact

3. Do not store the product below 0° Celsius.