77154

Hygienic Floor Squeegee w/replacement cassette, 700 mm, , Red







Designed for areas where both high levels of hygiene and effective water removal are required, this squeegee can be used on all types of surfaces, including tiled and safety flooring. The cassette can be removed easily for cleaning or replacement (Series 7735 for replacement blades).

## **Technical Data**

| Item Number  | 77154   |
|--|---|
| Material   | Polypropylene TPE<br>Rubber                                 |
| Recycling Symbol "7", Miscellaneous Plastics                               | Yes   |
| Complies with (EC) 1935/2004 on food contact materials <sup>1</sup>        | Yes   |
| Complies with EU Regulation 2023/2006/EC of Good<br>Manufacturing Practice | Yes   |
| Complies with FDA RegulationI CFR 21 <sup>1</sup>                          | Yes   |
| Complies with UK 2019 No. 704 on food contact materials                    | Yes   |
| Complies with REACH Regulation (EC) No. 1907/2006                          | Yes   |
| Complies with California Proposition 65                                    | Yes   |
| Complies with Halal and Kosher   | Yes   |
| PFAS, Phthalates and BPA intentionally added                               | No  |
| Pat. Pending/Patent No.  | EP2227129 validated in DK, DE, FR and GB. DE 602008048400.9 |
| Box Quantity   | 10 Pcs.   |
| Quantity per Pallet (80 x 120 x 180-200 cm)                                | 320 Pcs   |
| Quantity Per Layer (Pallet)  | 40 Pcs.   |
| Box Length   | 705 mm  |
| Box Width  | 290 mm  |
| Box Height   | 210 mm  |
| Length   | 700 mm  |
| Width  | 80 mm   |
| Height   | 110 mm  |
| Net Weight   | 0.4 kg  |
| Weight bag (Recycling Symbol "4" Low Density Polyethylene<br>(LDPE)        | 0.0103 kg   |
| Weight cardboard (Recycling symbol "20" PAP)                               | 0.05 kg   |
| Tare total   | 0.0603 kg   |
| Gross Weight   | 0.46 kg   |
| Cubic metre  | 0.00616 M3  |
| Recommended sterilisation temperature (Autoclave)                          | 121 °C  |
| Max. cleaning temperature (Dishwasher)                                     | 93 °C   |
| Max usage temperature (food contact)                                       | 50 °C   |
| Max usage temperature (non food contact)                                   | 100 °C  |
| Min. usage temperature <sup>3</sup>  | -20 °C  |
| Max. drying temperature  | 120 °C  |
| Min. pH-value in usage concentration                                       | 2 pH  |
|  |   |

| Max. pH-value in Usage Concentration | 10.5 pH        |
|--------------------------------------|----------------|
| Gtin-13 Number                       | 5705020771545  |
| GTIN-14 Number (Box quantity)        | 15705020771542 |
| Customs Tariff No.                   | 96039099       |
| Country of origin                    | Denmark        |

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

1. See Declaration of Compliance for further details on food contact

3. Do not store the product below 0° Celsius.