## Foam sprayer incl. jet spray, 1/2"(Q), 1.4 Litre, Green





Easily tackle large-scale cleaning tasks with the Foaming Set. Whether you're cleaning walls in a food processing environment or washing the floors in showers, fitness studios, pools, or more, the Foaming Set gets the job done with a constant chemical dosage (0.4-10%, depending on manufacturer's recommendations). It can handle 6 bars of pressure and can hold 1.4 L of chemicals and has an easy trigger grip that allows for faster cleaning. It comes in 5 colours and has a set of 15 colour-coded nozzles for different chemical concentrations.

Never allow chemicals directly through the foaming gun.

## **Technical Data**

Content  Material  Brass Polyamide Polyethylene (HDF  Complies with (EC) 1935/2004 on food contact materials¹  Complies with UK 2019 No. 704 on food contact materials	
Material  Brass Polyamide Polyethylene (HDF  Complies with (EC) 1935/2004 on food contact materials  Complies with UK 2019 No. 704 on food contact materials	PE) No No es **
Complies with (EC) 1935/2004 on food contact materials  Complies with UK 2019 No. 704 on food contact materials	No No es **
Complies with UK 2019 No. 704 on food contact materials	No es **
•	es **
Complies with REACH Regulation (EC) No. 1907/2006	No
Complies with California Proposition 65	
SCIP number         e0168018-f69a-4e           99c9-e829c26a9d	
Complies with Halal and Kosher	Yes
Phthalates and bisphenol A intentionally added	No
Box Quantity 1 F	Pcs.
Quantity per Pallet (80 x 120 x 180-200 cm) 160 l	Pcs
Quantity Per Layer (Pallet) 1 F	Pcs.
Box Length 290 i	mm
Box Width 190 i	mm
Box Height 175 i	mm
Length 290 i	mm
Width 190 i	mm
Height 175 i	mm
Net Weight 0.72	2 kg
Weight cardboard (Recycling symbol "20" PAP) 0.162	2 kg
Tare total 0.162	2 kg
Gross Weight 0.88	8 kg
Cubic metre         0.009642	M3
Max. cleaning temperature (Dishwasher) 40	0°C
Max usage temperature (non food contact) 40	0°C
Min. usage temperature <sup>3</sup>	5°C
Min. pH-value in usage concentration 2	2 pH
Max. pH-value in Usage Concentration 11	l pH
Min. Bars pressure 2	Bar
Max. bars pressure 6	Bar
<b>Gtin-13 Number</b> 57050209305	522
Customs Tariff No. 848180	099
Country of origin Denm	nark

When the foam application is finalized, it is important to rinse the injector with clean water to avoid blocking of the nozzle. Screw the injector of the container and let it suck clean water through the suction hose to enable hose, filter and nozzle to be rinsed for chemicals.

\*\* Lead (Pb, CAS: 7439-92-1) is on the REACH candidate list as a Substance of Very High Concern (SVHC). This product contains lead (Pb) in a concentration above 0.1% w/w. Consequently the REACH Regulation (EC) No. 1907/2006 require Vikan to notify our customers of the content of lead. This product is registered in the EU SCIP database. Please find SCIP number above.