

10145

# Hygienic Wall Bracket, Double Hook Module, 82 mm, White



The double hook module is designed for hanging 1-2 cleaning tools with a hanging hole, or products with a D- or T-shaped handle. The hooks are slid onto the supplied double-base/spacer from left and right side. The hook module can hold products weighing up to 3 kg.

The hooks are easy to disassemble for cleaning or replacement.

# Technical Data

Item Number	10145
Holds products between	25 - 34 mm
Material	Polypropylene Polyamide
Recycling Symbol "5", Polypropylene (PP)	No
Recycling Symbol "7", Miscellaneous Plastics	Yes
Complies with (EC) 1935/2004 on food contact materials <sup>1</sup>	Yes
Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice	Yes
Complies with FDA Regulation I CFR 21 <sup>1</sup>	Yes
Complies with UK 2019 No. 704 on food contact materials	Yes
Complies with REACH Regulation (EC) No. 1907/2006	Yes
Complies with California Proposition 65	Yes
Complies with Halal and Kosher	Yes
PFAS, Phthalates and BPA intentionally added	No
Design Registration No.	EU 008195606-0006, US D977943
Box Quantity	10 Pcs.
Quantity per Pallet (80 x 120 x approx.180 cm)	3000 Pcs
Quantity Per Layer (Pallet)	150 Pcs.
Box Length/Depth	250 mm
Box Width	220 mm
Box Height	80 mm
Product Length/Depth	82 mm
Product Width	78 mm
Product Height	48 mm
Net Weight	0.0535 kg
Weight bag (Recycling Symbol "4")	0.002 kg
Weight cardboard (Recycling symbol "20" PAP)	0.0134 kg
Total Tare Weight	0.0154 kg
Gross Weight	0.07 kg
Cubic metre	0.000307 M3
Recommended sterilisation temperature (Autoclave)	121 °C
Max. cleaning temperature (Dishwasher)	93 °C
Max usage temperature (food contact)	40 °C
Max usage temperature (non food contact)	80 °C
Min. usage temperature <sup>3</sup>	0 °C
Min. pH-value in usage concentration	2 pH

<b>Max. pH-value in Usage Concentration</b>	10.5 pH
<b>GTIN-13 Number</b>	5705022029583
<b>GTIN-14 Number (Box quantity)</b>	15705028029577
<b>Customs Tariff Number</b>	39241000
<b>Country of Origin ISO Code</b>	DK
<b>Country of Origin</b>	Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

1. See Declaration of Compliance for further details on food contact
3. Do not store the product below 0° Celsius.