Lobby Broom, Angle Cut, 260 mm, Medium, Yellow





The broom head is manufactured with two different bristle diameters to give a smooth and even sweeping effect for both dry and moist debris. The angle cut trimming offers an ergonomic sweeping position.

Technical Data

Item Number	31056
Bristle stiffness	Medium
Visible bristle length	69 mm
Connection	Threaded
Material	Polypropylene Polyester (PBT) Stainless Steel (AISI 304)
Complies with (EC) 1935/2004 on food contact materials ¹	Yes
Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice	Yes
Complies with FDA RegulationI CFR 21 ¹	Yes
Complies with UK 2019 No. 704 on food contact materials	Yes
Complies with California Proposition 65	Yes
Complies with Halal and Kosher	Yes
Box Quantity	10 Pcs.
Quantity per Pallet (80 x 120 x approx.180 cm)	560 Pcs
Quantity Per Layer (Pallet)	80 Pcs.
Box Length/Depth	380 mm
Box Width	285 mm
Box Height	175 mm
Product Length/Depth	260 mm
Product Width	35 mm
Product Height	180 mm
Net Weight	0.32 kg
Weight bag (Recycling Symbol "4")	0.0078 kg
Weight cardboard (Recycling symbol "20" PAP)	0.0183 kg
Total Tare Weight	0.0261 kg
Gross Weight	0.35 kg
Cubic metre	0.001638 M3
Recommended sterilisation temperature (Autoclave)	121 °C
Max. cleaning temperature (Dishwasher)	93 °C
Max usage temperature (food contact)	80 °C
Max usage temperature (non food contact)	100 °C
Min. usage temperature ³	-20 °C
Max. drying temperature	100 °C
Min. pH-value in usage concentration	2 pH
Max. pH-value in Usage Concentration	10.5 pH
GTIN-13 Number	5705022021143

GTIN-14 Number (Box quantity)	15705028021205
Customs Tariff Number	96039099
Country of Origin ISO Code	DK
Country of Origin	Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

- 1. See Declaration of Compliance for further details on food contact
- 3. Do not store the product below 0° Celsius.