UST Detail Brush, 30 mm, Soft, Red







The UST Detail Brush is designed for detail cleaning in dry environments where soft bristles are useful and hygiene is critical, such as when allergens are a risk. Also useful as a pastry or glazing brush in food handling applications, this brush delivers all the advanced benefits of Vikan's other Ultra Safe Technology (UST) cleaning tools.

Technical Data

Bristle stiffness Soft Visible bristle length 57 mm Material Polypropylene Polyester (PBT) Recycling Symbol "7", Miscellaneous Plastics Yes Complies with (EC) 1935/2004 on food contact materials' Yes Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes Complies with FDA Regulation (ER 21' Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with Lalal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Design Registration No. EU 002189654-0001 Pat. Pending/Patent No. EU 2818930 validated in DE, ER, GB and DK. US9204712 Length (Patert No. US9357831) 10 Pcs. Quantity per Pallet (80 x 120 x approx.180 cm) 4800 Pcs. Quantity Per Layer (Pallet) 240 Pcs. Box Length/Depth 260 mm Box Width 150 mm Box Height 75 mm Product Length/Depth 205 mm Product Width 30 mm Product Wigth 0.03 kg	Item Number	5551304
Material Polypropylene Polyester (PBT) Recycling Symbol "7", Miscellaneous Plastics Yes Complies with (EC) 1935/2004 on food contact materials¹ Yes Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes Complies with FDA Regulation CFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Design Registration No. EU 002189654-0001 Pat. Pending/Patent No. EP2816930 validated in DE, FR, GB and DK. US9024712 EP2816932 validated in DE, FR, GB and DK. US9037831 Box Quantity Per Layer (Pallet) 240 Pcs. Box Quantity Per Layer (Pallet) 240 Pcs. Box Length/Depth 260 mm Box Width 150 mm Product Length/Depth 205 mm Box Length/Depth 205 mm Product Width 30 mm Product Width 30 mm Product Width 30 mm Product Wight 0.03 kg We	Bristle stiffness	Soft
Recycling Symbol "7", Miscellaneous Plastics Complies with (EC) 1935/2004 on food contact materials¹ Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Complies with EU Regulation I CFR 21¹ Yes Complies with EUR Regulation (EC) No. 1907/2006 Yes Complies with EACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes Complies with Halal and Kosher FPAS, Phthalates and BPA intentionally added No Design Registration No. EU 002189654-0001 Pat. Pending/Patent No. EP2816939 validated in DE, FR, GB and DK, US9204712 EP2816939 validated in DE, FR, GB and DK, US9357831 Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x approx.180 cm) 4800 Pcs Quantity Per Layer (Pallet) 240 Pcs. Box Length/Depth 260 mm Box Width 150 mm Box Height 75 mm Product Length/Depth 205 mm Product Length/Depth 205 mm Product Height 10 nm Net Weight 0.03 kg Weight bag (Recycling Symbol "4") 0.0017 kg Weight cardboard (Recycling symbol "20" PAP) 0.0083 kg Cubic metre 6.1E-05 M3 Max usage temperature (food contact) 80 °C	Visible bristle length	57 mm
Complies with (EC) 1935/2004 on food contact materials¹ Yes Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes Complies with FDA Regulation (FR 21¹) Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Design Registration No. EU 002189654-0001 Pat. Pending/Patent No. EP2816930 validated in DE, FR, GB and DK. US9204712 EP2816929 validated in DE, FR, GB and DK. US9357831 10 Pcs. Quantity Per Pallet (80 x 120 x approx.180 cm) 4800 Pcs Quantity Per Layer (Pallet) 240 Pcs. Box Length/Depth 260 mm Box Width 150 mm Box Height 75 mm Product Length/Depth 205 mm Product Width 30 mm Product Height 0.03 kg Weight cardboard (Recycling Symbol "4") 0.0017 kg Weight cardboard (Recycling symbol "20" PAP) 0.0083 kg Total Tare Weight 0.04 kg <t< th=""><th>Material</th><th></th></t<>	Material	
Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Complies with FDA Regulation I CFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes FFAS, Phthalates and BPA intentionally added No Design Registration No. EU 002189654-0001 Pat. Pending/Patent No. EP2816930 validated in DE, FR, GB and DK. US9357831 Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x approx.180 cm) 4800 Pcs Quantity Per Layer (Pallet) 240 Pcs. Box Length/Depth 260 mm Box Width 150 mm Box Height 75 mm Product Length/Depth 205 mm Product Length/Depth 205 mm Product Width 30 mm Product Height 10 mm Net Weight 20,003 kg Weight bag (Recycling Symbol "4") 0.0017 kg Weight cardboard (Recycling symbol "20" PAP) 0.0083 kg Cubic metre 6.1E-05 M3 Max usage temperature (food contact) 80 °C	Recycling Symbol "7", Miscellaneous Plastics	Yes
Manufacturing Practice Complies with FDA Regulation CFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Design Registration No. EU 002189654-0001 Pat. Pending/Patent No. EP2816930 validated in DE, FR, GB and DK, US9204712 EP2816929 validated in DE, FR, GB and DK, US9357831 Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x approx.180 cm) 4800 Pcs Quantity Per Layer (Pallet) 240 Pcs. Box Length/Depth 260 mm Box Width 150 mm Box Height 75 mm Product Length/Depth 205 mm Product Width 30 mm Product Height 0.03 kg Weight bag (Recycling Symbol "4") 0.001 kg Weight cardboard (Recycling symbol "20" PAP) 0.0083 kg Total Tare Weight 0.04 kg Cubic metre 6.1E-05 M3 Max usage temperature (food	Complies with (EC) 1935/2004 on food contact materials ¹	Yes
Complies with UK 2019 No. 704 on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Design Registration No. EU 002189654-0001 Pat. Pending/Patent No. EP2816930 validated in DE, FR, GB and DIX. US9204712 EP2816929 validated in DE, FR, GB and DIX. US9357831 Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x approx.180 cm) 4800 Pcs Quantity Per Layer (Pallet) 240 Pcs. Box Length/Depth 260 mm Box Width 150 mm Box Height 75 mm Product Length/Depth 205 mm Product Width 30 mm Product Height 0.03 kg Weight bag (Recycling Symbol "4") 0.017 kg Weight cardboard (Recycling symbol "20" PAP) 0.0083 kg Total Tare Weight 0.04 kg Cubic metre 6.1E-05 M3 Max usage temperature (food contact) 80 °C		Yes
Complies with REACH Regulation (EC) No. 1907/2006 Complies with California Proposition 65 Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added Design Registration No. EU 002189654-0001 Pat. Pending/Patent No. EP2816930 validated in DE, FR, GB and DK. US9204712 EP2816929 validated in DE, FR, GB and DK. US9357831 Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x approx.180 cm) 4800 Pcs Quantity Per Layer (Pallet) 240 Pcs. Box Length/Depth 260 mm Box Width 150 mm Box Height 75 mm Product Length/Depth 205 mm Product Width 30 mm Product Width 30 mm Product Height 10 mm Net Weight 0.03 kg Weight bag (Recycling Symbol "4") 0.0017 kg Weight cardboard (Recycling symbol "20" PAP) Total Tare Weight 0.04 kg Cubic metre 6.1E-05 M3 Max usage temperature (food contact) 80 °C	Complies with FDA RegulationI CFR 21 ¹	Yes
Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Design Registration No. EU 002189654-0001 Pat. Pending/Patent No. EP2816930 validated in DE, FR, GB and DK. US9204712 EP2816929 validated in DE, FR, GB and DK. US9357831 Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x approx.180 cm) 4800 Pcs Quantity Per Layer (Pallet) 240 Pcs. Box Length/Depth 260 mm Box Width 150 mm Box Height 75 mm Product Length/Depth 205 mm Product Width 30 mm Product Height 10 mm Net Weight bag (Recycling Symbol "4") 0.0017 kg Weight cardboard (Recycling symbol "20" PAP) 0.0083 kg Total Tare Weight 0.01 kg Gross Weight 0.04 kg Cubic metre 6.1E-05 M3 Max usage temperature (food contact) 80 °C	Complies with UK 2019 No. 704 on food contact materials	Yes
Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Design Registration No. EU 002189654-0001 Pat. Pending/Patent No. EP2816930 validated in DE, FR, GB and DK. US9204712 EP28169329 validated in DE, FR, GB and DK. US9357831 Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x approx.180 cm) 4800 Pcs Quantity Per Layer (Pallet) 240 Pcs. Box Length/Depth 260 mm Box Width 150 mm Box Height 75 mm Product Length/Depth 205 mm Product Width 30 mm Product Height 10 mm Net Weight 0.03 kg Weight bag (Recycling Symbol "4") 0.0017 kg Weight cardboard (Recycling symbol "20" PAP) 0.0083 kg Total Tare Weight 0.01 kg Gross Weight 0.04 kg Cubic metre 6.1E-05 M3 Max usage temperature (food contact) 80 °C	Complies with REACH Regulation (EC) No. 1907/2006	Yes
PFAS, Phthalates and BPA intentionally added Design Registration No. EU 002189654-0001 Pat. Pending/Patent No. EP2816930 validated in DE, FR, GB and DK. US9204712 EP2816932 validated in DE, FR, GB and DK. US9357831 Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x approx.180 cm) 4800 Pcs Quantity Per Layer (Pallet) 240 Pcs. Box Length/Depth 260 mm Box Width 150 mm Box Height 75 mm Product Length/Depth 205 mm Product Width 30 mm Product Width 10 mm Net Weight 0.03 kg Weight bag (Recycling Symbol "4") Weight cardboard (Recycling symbol "20" PAP) Total Tare Weight 0.01 kg Gross Weight 0.04 kg Cubic metre 6.1E-05 M3 Max usage temperature (food contact) 80 °C	Complies with California Proposition 65	Yes
Design Registration No.EU 002189654-0001Pat. Pending/Patent No.EP2816930 validated in DE, FR, GB and DK. US9204712 EP2816929 validated in DE, FR, GB and DK. US9357831Box Quantity10 Pcs.Quantity per Pallet (80 x 120 x approx.180 cm)4800 PcsQuantity Per Layer (Pallet)240 Pcs.Box Length/Depth260 mmBox Width150 mmBox Height75 mmProduct Length/Depth205 mmProduct Width30 mmProduct Height10 mmNet Weight0.03 kgWeight bag (Recycling Symbol "4")0.0017 kgWeight cardboard (Recycling symbol "20" PAP)0.0083 kgTotal Tare Weight0.01 kgGross Weight0.04 kgCubic metre6.1E-05 M3Max usage temperature (food contact)80 °C	Complies with Halal and Kosher	Yes
Pat. Pending/Patent No. EP2816930 validated in DE, FR, GB and DK. US9204712 EP2816929 validated in DE, FR, GB and DK. US9357831 Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x approx.180 cm) 4800 Pcs Quantity Per Layer (Pallet) 240 Pcs. Box Length/Depth 260 mm Box Width 150 mm Product Length/Depth 205 mm Product Width 30 mm Product Width 30 mm Product Height 10 mm Net Weight 0.03 kg Weight bag (Recycling Symbol "4") Weight cardboard (Recycling symbol "20" PAP) Total Tare Weight 0.04 kg Gross Weight Cubic metre 6.1E-05 M3 Max usage temperature (food contact) 80 °C	PFAS, Phthalates and BPA intentionally added	No
Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x approx.180 cm) 4800 Pcs Quantity Per Layer (Pallet) 240 Pcs. Box Length/Depth 260 mm Box Width 150 mm Box Height 75 mm Product Length/Depth 205 mm Product Width 30 mm Product Width 30 mm Product Height 10 mm Net Weight 20 (Recycling Symbol "4") 0.0017 kg Weight cardboard (Recycling symbol "20" PAP) 0.0083 kg Total Tare Weight 0.04 kg Cubic metre 6.1E-05 M3 Max usage temperature (food contact) 80 °C	Design Registration No.	EU 002189654-0001
Quantity per Pallet (80 x 120 x approx.180 cm)4800 PcsQuantity Per Layer (Pallet)240 Pcs.Box Length/Depth260 mmBox Width150 mmBox Height75 mmProduct Length/Depth205 mmProduct Width30 mmProduct Height10 mmNet Weight0.03 kgWeight bag (Recycling Symbol "4")0.0017 kgWeight cardboard (Recycling symbol "20" PAP)0.0083 kgTotal Tare Weight0.01 kgGross Weight0.04 kgCubic metre6.1E-05 M3Max usage temperature (food contact)80 °C	Pat. Pending/Patent No.	DE, FR, GB and DK. US9204712 EP2816929 validated in DE, FR, GB and DK.
Quantity Per Layer (Pallet)240 Pcs.Box Length/Depth260 mmBox Width150 mmBox Height75 mmProduct Length/Depth205 mmProduct Width30 mmProduct Height10 mmNet Weight0.03 kgWeight bag (Recycling Symbol "4")0.0017 kgWeight cardboard (Recycling symbol "20" PAP)0.0083 kgTotal Tare Weight0.01 kgGross Weight0.04 kgCubic metre6.1E-05 M3Max usage temperature (food contact)80 °C	Box Quantity	10 Pcs.
Box Length/Depth260 mmBox Width150 mmBox Height75 mmProduct Length/Depth205 mmProduct Width30 mmProduct Height10 mmNet Weight0.03 kgWeight bag (Recycling Symbol "4")0.0017 kgWeight cardboard (Recycling symbol "20" PAP)0.0083 kgTotal Tare Weight0.01 kgGross Weight0.04 kgCubic metre6.1E-05 M3Max usage temperature (food contact)80 °C	Quantity per Pallet (80 x 120 x approx.180 cm)	4800 Pcs
Box Width150 mmBox Height75 mmProduct Length/Depth205 mmProduct Width30 mmProduct Height10 mmNet Weight0.03 kgWeight bag (Recycling Symbol "4")0.0017 kgWeight cardboard (Recycling symbol "20" PAP)0.0083 kgTotal Tare Weight0.01 kgGross Weight0.04 kgCubic metre6.1E-05 M3Max usage temperature (food contact)80 °C	Quantity Per Layer (Pallet)	240 Pcs.
Box Height75 mmProduct Length/Depth205 mmProduct Width30 mmProduct Height10 mmNet Weight0.03 kgWeight bag (Recycling Symbol "4")0.0017 kgWeight cardboard (Recycling symbol "20" PAP)0.0083 kgTotal Tare Weight0.01 kgGross Weight0.04 kgCubic metre6.1E-05 M3Max usage temperature (food contact)80 °C	Box Length/Depth	260 mm
Product Length/Depth205 mmProduct Width30 mmProduct Height10 mmNet Weight0.03 kgWeight bag (Recycling Symbol "4")0.0017 kgWeight cardboard (Recycling symbol "20" PAP)0.0083 kgTotal Tare Weight0.01 kgGross Weight0.04 kgCubic metre6.1E-05 M3Max usage temperature (food contact)80 °C	Box Width	150 mm
Product Width30 mmProduct Height10 mmNet Weight0.03 kgWeight bag (Recycling Symbol "4")0.0017 kgWeight cardboard (Recycling symbol "20" PAP)0.0083 kgTotal Tare Weight0.01 kgGross Weight0.04 kgCubic metre6.1E-05 M3Max usage temperature (food contact)80 °C	Box Height	75 mm
Product Height10 mmNet Weight0.03 kgWeight bag (Recycling Symbol "4")0.0017 kgWeight cardboard (Recycling symbol "20" PAP)0.0083 kgTotal Tare Weight0.01 kgGross Weight0.04 kgCubic metre6.1E-05 M3Max usage temperature (food contact)80 °C	Product Length/Depth	205 mm
Net Weight0.03 kgWeight bag (Recycling Symbol "4")0.0017 kgWeight cardboard (Recycling symbol "20" PAP)0.0083 kgTotal Tare Weight0.01 kgGross Weight0.04 kgCubic metre6.1E-05 M3Max usage temperature (food contact)80 °C	Product Width	30 mm
Weight bag (Recycling Symbol "4") Weight cardboard (Recycling symbol "20" PAP) Total Tare Weight Gross Weight Cubic metre Max usage temperature (food contact) 0.0017 kg 0.0083 kg 0.001 kg 0.001 kg	Product Height	10 mm
Weight cardboard (Recycling symbol "20" PAP) Total Tare Weight Gross Weight Cubic metre 6.1E-05 M3 Max usage temperature (food contact)	Net Weight	0.03 kg
Total Tare Weight0.01 kgGross Weight0.04 kgCubic metre6.1E-05 M3Max usage temperature (food contact)80 °C	Weight bag (Recycling Symbol "4")	0.0017 kg
Gross Weight 0.04 kg Cubic metre 6.1E-05 M3 Max usage temperature (food contact) 80 °C	Weight cardboard (Recycling symbol "20" PAP)	0.0083 kg
Cubic metre6.1E-05 M3Max usage temperature (food contact)80 °C	Total Tare Weight	0.01 kg
Max usage temperature (food contact) 80 °C	Gross Weight	0.04 kg
	Cubic metre	6.1E-05 M3
Max usage temperature (non food contact) 100 °C	Max usage temperature (food contact)	80 °C
	Max usage temperature (non food contact)	100 °C

Recommended sterilisation temperature (Autoclave)	121 °C
Max. cleaning temperature (Dishwasher)	93 °C
Max. drying temperature	100 °C
Min. usage temperature ³	-20 °C
Max. pH-value in Usage Concentration	10.5 pH
Min. pH-value in usage concentration	2 pH
GTIN-13 Number	5705022009226
GTIN-14 Number (Box quantity)	15705028009302
Customs Tariff Number	96039099
Country of Origin ISO Code	DK
Country of Origin	Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

- 1. See Declaration of Compliance for further details on food contact
- 3. Do not store the product below 0° Celsius.