56952

Lid f/Bucket 5694; Metal Detectable, 12 Litre, Green







Lid for bucket, 5694x. The bucket lid is useful for preventing spillage and uses a clip system to lightly secure the lid. It is made from metal-detectable material, which can be tested with Vikan test kit, product no. 11113 prior to use.

Technical Data

Item Number	56952
Material	Polypropylene Metal & X -Ray detectable additive
Complies with (EC) 1935/2004 on food contact materials ¹	Yes
Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice	Yes
Complies with FDA RegulationI CFR 21 ¹	Yes
Complies with UK 2019 No. 704 on food contact materials	Yes
Complies with REACH Regulation (EC) No. 1907/2006	Yes
Complies with California Proposition 65	Yes
Complies with Halal and Kosher	Yes
PFAS, Phthalates and BPA intentionally added	No
Box Quantity	6 Pcs.
Quantity per Pallet (80 x 120 x approx.180 cm)	396 Pcs
Quantity Per Layer (Pallet)	36 Pcs.
Box Length/Depth	350 mm
Box Width	325 mm
Box Height	145 mm
Product Length/Depth	365 mm
Product Width	310 mm
Product Height	40 mm
Net Weight	0.295 kg
Weight cardboard (Recycling symbol "20" PAP)	0.048 kg
Total Tare Weight	0.048 kg
Gross Weight	0.34 kg
Cubic metre	0.004526 M3
Recommended sterilisation temperature (Autoclave)	121 °C
Max. cleaning temperature (Dishwasher)	93 °C
Max usage temperature (food contact)	100 °C
Max usage temperature (non food contact)	100 °C
Min. usage temperature ³	-20 °C
Min. pH-value in usage concentration	2 pH
Max. pH-value in Usage Concentration	10.5 pH
Metal Detectable	Yes
GTIN-13 Number	5705022032590
GTIN-14 Number (Box quantity)	15705028032607
Customs Tariff Number	39241000

Country of Origin ISO Code	DK
Country of Origin	Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

- 1. See Declaration of Compliance for further details on food contact
- 3. Do not store the product below 0° Celsius.