70471 High-Low Brush, 265 mm, Medium, Pink







Effectively clean and scrub floor-wall junctions and under machines and equipment with this High-Low Brush, featuring an angled thread that lets you use the brush with the handle positioned parallel to the floor. Also ideal for cleaning drains and gulleys.

Technical Data

Bristle stiffness Medium Visible bristle length 45 mm Material Polypropylene Polypester (PET) Stainless Steet (AISI 304) Complies with (EC) 1935/2004 on food contact materials' Yes Complies with FDA Regulation 2023/2006/EC of Good Manufacturing Practice Yes Complies with FDA Regulation 1CFR 21' Yes Complies with FDA Regulation (EC) No. 1907/2006 Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Design Registration No. EU 002533729-1-5. GB 9002533729-001-5 Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 320 Pcs. Quantity Per Layer (Pallet) 40 Pcs. Box Length 610 mm Box Width 290 mm Box Vidth 200 mm Box Width 100 mm Net Weight 0.5 kg Weight tardboard (Recycling symbol "4") LDPE ≥ PCR 30% 0.0078 kg Weight cardboard (Recycling symbol "20" PAP) 0.55 kg Cubic metre 0.00375 M3 Recommended sterilisation temperature (Autoclav	Item Number	70471
Material Polypropylene Polyester (PBT) Stamless Steel (AISI 304) Complies with (EC) 1935/2004 on food contact materials' Yes Complies with EU Regulation 2023/2006/EC of Good Yes Complies with FDA Regulation 1 CFR 21' Yes Complies with California Proposition 65 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Design Registration No. EU 002533729-15, GB Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 320 Pcs. Quantity Per Layer (Pallet) 40 Pcs. Box Length 610 mm Box Width 290 mm Box Height 200 mm Box Height 000 mm Length/Depth 265 mm Width 150 mm Height 0.0 Kig Weight cardboard (Recycling symbol "4") LDEE ≥ PCR 30% 0.0078 kg Weight cardboard (Recycling symbol "20" PAP) 0.552 kg Tare total 0.06 kg Gross Weight 0.56 kg Cubic metre 0.003975 M3	Bristle stiffness	Medium
(PBT) Stämless Steel (AISI 304) Complies with (EC) 1935/2004 on food contact materials' Yes Complies with EU Regulation 2023/2006/EC of Good Yes Complies with FDA Regulation 1 CFR 21' Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA Intentionally added No Design Registration No. EU 002533729-1-5, GB Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 320 Pcs. Quantity Per Layer (Pallet) 40 Pcs. Box Length 610 mm Box Width 290 mm Box Height 200 mm Box Height 000 mm Length 655 mm Width 150 mm Height 000 mm Length Dopth 0.5 kg Weight cardboard (Recycling symbol "4") LDEE ≥ PCR 30% 0.0078 kg Weight cardboard (Recycling symbol "20" PAP) 0.522 kg Tare total 0.06 kg Gross Weight 0.56 kg Cubic metre 0.003975 M3<	Visible bristle length	45 mm
Complies with EU Regulation 2023/2006/EC of Good Yes Manufacturing Practice Yes Complies with FDA RegulationI CFR 21' Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Design Registration No. EU 002533729-1-5, GB Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 320 Pcs. Quantity Per Layer (Pallet) 40 Pcs. Box Length 610 mm Box Width 290 mm Box Kleight 200 mm Length/Depth 265 mm Width 100 mm Net Weight 0.5 kg Weight cardboard (Recycling Symbol "4") LDPE ≥ PCR 30% 0.0078 kg Weight cardboard (Recycling symbol "20" PAP) 0.0522 kg Tare total 0.06 kg Gross Weight 0.56 kg Cubic metre 0.003975 M3 Recommended sterilisation temperature (Autoclave) 121 °C	Material	(PBT) Stainless Steel
Manufacturing Practice Complies with FDA RegulationI CFR 211 Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Design Registration No. EU 002533729-1-5, GB 9002533729001-5 Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 320 Pcs. Quantity Per Layer (Pallet) 40 Pcs. Box Length 610 mm Box Width 290 mm Box Height 200 mm Length/Depth 265 mm Width 100 mm Height 100 mm Net Weight 0.5 kg Weight cardboard (Recycling Symbol "4") LDPE ≥ PCR 30% 0.0078 kg Weight cardboard (Recycling symbol "20" PAP) 0.0522 kg Tare total 0.06 kg Gross Weight 0.56 kg Cubic metre 0.003975 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. usage temperature	Complies with (EC) 1935/2004 on food contact materials ¹	Yes
Complies with UK 2019 No. 704 on food contact materialsYesComplies with REACH Regulation (EC) No. 1907/2006YesComplies with California Proposition 65YesComplies with California Proposition 65YesComplies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoDesign Registration No.EU 002533729-1-5, GBBox Quantity10 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)320 Pcs.Quantity Per Layer (Pallet)40 Pcs.Box Length610 mmBox Width290 mmBox Kleight200 mmLength/Depth265 mmWidth150 mmHeight0.0078 kgWidth0.5 kgWeight cardboard (Recycling Symbol "4") LDPE ≥ PCR 30%0.0078 kgGross Weight0.56 kgCubic metre0.003975 M3Recommended sterilisation temperature (Autoclave)121 °CMax. usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature ^a -20 °C	• •	Yes
Complies with REACH Regulation (EC) No. 1907/2006YesComplies with California Proposition 65YesComplies with California Proposition 65YesComplies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoDesign Registration No.EU 002533729-1-5, GBBox Quantity10 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)320 Pcs.Quantity Per Layer (Pallet)40 Pcs.Box Length610 mmBox Width290 mmBox Width200 mmLength/Depth265 mmWidth150 mmHeight0.05 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0078 kgWeight0.56 kgCubic metre0.003975 M3Recommended sterilisation temperature (Autoclave)121 °CMax. usage temperature (food contact)80 °CMin. usage temperature³-20 °C	Complies with FDA RegulationI CFR 21 ¹	Yes
Complies with California Proposition 65YesComplies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoDesign Registration No.EU 002533729-1-5, GBBox Quantity10 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)320 Pcs.Quantity Per Layer (Pallet)40 Pcs.Box Length610 mmBox Width290 mmBox Height200 mmLength/Depth265 mmWidth150 mmHeight0.00 mmNet Weight0.5 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0078 kgWeight cardboard (Recycling symbol "20" PAP)0.56 kgCubic metre0.003975 M3Recommended sterilisation temperature (Autoclave)121 °CMax. usage temperature (food contact)80 °CMax usage temperature food contact)100 °CMin. usage temperature³-20 °C	Complies with UK 2019 No. 704 on food contact materials	Yes
Complies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoDesign Registration No.EU 002533729-1-5, GBBox Quantity10 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)320 Pcs.Quantity Per Layer (Pallet)40 Pcs.Box Length610 mmBox Width290 mmBox Height200 mmBox Height200 mmBox Height200 mmBox Height0.00 mmLength/Depth265 mmWidth150 mmHeight0.00 mmRecommended (Recycling Symbol "4") LDPE ≥ PCR 30%0.0078 kgWeight cardboard (Recycling symbol "20" PAP)0.522 kgTare total0.06 kgGross Weight0.56 kgCubic metre0.003975 M3Recommended sterilisation temperature (Autoclave)121 °CMax. usage temperature (Ioishwasher)93 °CMax. usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Complies with REACH Regulation (EC) No. 1907/2006	Yes
PFAS, Phthalates and BPA intentionally addedNoDesign Registration No.EU 002533729-1-5, GB 90025337290001-5Box Quantity10 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)320 Pcs.Quantity Per Layer (Pallet)40 Pcs.Box Length610 mmBox Width290 mmBox Height200 mmLength/Depth265 mmWidth150 mmHeight100 mmNet Weight0.5 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0078 kgWeight cardboard (Recycling symbol "20" PAP)0.522 kgTare total0.06 kgGross Weight0.56 kgCubic metre0.003975 M3Recommended sterilisation temperature (Autoclave)121 °CMax. usage temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Complies with California Proposition 65	Yes
Design Registration No.EU 002533729-1-5, GB 9002533729001-5Box Quantity10 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)320 Pcs.Quantity Per Layer (Pallet)40 Pcs.Box Length610 mmBox Width290 mmBox Height200 mmLength/Depth265 mmWidth150 mmHeight100 mmNet Weight0.5 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0078 kgWeight cardboard (Recycling symbol "20" PAP)0.522 kgTare total0.06 kgGross Weight0.56 kgCubic metre0.003975 M3Recommended sterilisation temperature (Autoclave)121 °CMax. usage temperature (Ioshwasher)93 °CMax usage temperature (food contact)100 °CMin. usage temperature³-20 °C	Complies with Halal and Kosher	Yes
90025337290001-5Box Quantity10 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)320 Pcs.Quantity Per Layer (Pallet)40 Pcs.Box Length610 mmBox Width290 mmBox Height200 mmLength/Depth265 mmWidth150 mmHeight0.00 mmNet Weight0.5 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0078 kgWeight cardboard (Recycling symbol "20" PAP)0.0522 kgTare total0.06 kgGross Weight0.56 kgCubic metre0.003975 M3Recommended sterilisation temperature (Autoclave)121 °CMax. usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	PFAS, Phthalates and BPA intentionally added	No
Quantity per Pallet (80 x 120 x 180-200 cm)320 Pcs.Quantity Per Layer (Pallet)40 Pcs.Box Length610 mmBox Vidth290 mmBox Width200 mmBox Height200 mmLength/Depth265 mmWidth150 mmHeight100 mmNet Weight0.5 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0078 kgWeight cardboard (Recycling symbol "20" PAP)0.522 kgTare total0.06 kgGross Weight0.56 kgCubic metre0.003975 M3Recommended sterilisation temperature (Autoclave)121 °CMax. usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °C	Design Registration No.	
Quantity Per Layer (Pallet)40 Pcs.Box Length610 mmBox Width290 mmBox Height200 mmLength/Depth265 mmWidth150 mmHeight100 mmNet Weight0.5 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0078 kgWeight cardboard (Recycling symbol "20" PAP)0.0522 kgTare total0.06 kgGross Weight0.56 kgCubic metre0.003975 M3Recommended sterilisation temperature (Autoclave)121 °CMax. usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °C	Box Quantity	10 Pcs.
Box Length610 mmBox Width290 mmBox Height200 mmLength/Depth265 mmWidth150 mmHeight100 mmNet Weight0.5 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0078 kgWeight cardboard (Recycling symbol "20" PAP)0.0522 kgTare total0.06 kgGross Weight0.56 kgCubic metre0.003975 M3Recommended sterilisation temperature (Autoclave)121 °CMax. usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Quantity per Pallet (80 x 120 x 180-200 cm)	320 Pcs.
Box Width290 mmBox Height200 mmLength/Depth265 mmWidth150 mmHeight100 mmNet Weight0.5 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0078 kgWeight cardboard (Recycling symbol "20" PAP)0.0522 kgTare total0.06 kgGross Weight0.56 kgCubic metre0.003975 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (non food contact)100 °CMin. usage temperature3-20 °C	Quantity Per Layer (Pallet)	40 Pcs.
Box Height200 mmLength/Depth265 mmWidth150 mmHeight100 mmNet Weight0.5 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0078 kgWeight cardboard (Recycling symbol "20" PAP)0.0522 kgTare total0.06 kgGross Weight0.56 kgCubic metre0.003975 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °C	Box Length	610 mm
Length/Depth265 mmWidth150 mmHeight100 mmNet Weight0.5 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0078 kgWeight cardboard (Recycling symbol "20" PAP)0.0522 kgTare total0.06 kgGross Weight0.56 kgCubic metre0.003975 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °C	Box Width	290 mm
Width150 mmHeight100 mmNet Weight0.5 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0078 kgWeight cardboard (Recycling symbol "20" PAP)0.0522 kgTare total0.06 kgGross Weight0.56 kgCubic metre0.003975 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °C	Box Height	200 mm
Height100 mmNet Weight0.5 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0078 kgWeight cardboard (Recycling symbol "20" PAP)0.0522 kgTare total0.06 kgGross Weight0.56 kgCubic metre0.003975 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °C	Length/Depth	265 mm
Net Weight0.5 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0078 kgWeight cardboard (Recycling symbol "20" PAP)0.0522 kgTare total0.06 kgGross Weight0.56 kgCubic metre0.003975 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °C	Width	150 mm
Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.0078 kg Weight cardboard (Recycling symbol "20" PAP) 0.0522 kg Tare total 0.06 kg Gross Weight 0.56 kg Cubic metre 0.003975 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature³ -20 °C	Height	100 mm
Weight cardboard (Recycling symbol "20" PAP)0.0522 kgTare total0.06 kgGross Weight0.56 kgCubic metre0.003975 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Net Weight	0.5 kg
Tare total0.06 kgGross Weight0.56 kgCubic metre0.003975 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30%	0.0078 kg
Gross Weight0.56 kgCubic metre0.003975 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °C	Weight cardboard (Recycling symbol "20" PAP)	0.0522 kg
Cubic metre0.003975 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Tare total	0.06 kg
Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Gross Weight	0.56 kg
Max. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Cubic metre	0.003975 M3
Max. usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Recommended sterilisation temperature (Autoclave)	121 °C
Max usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Max. cleaning temperature (Dishwasher)	93 °C
Min. usage temperature³-20 °C	Max. usage temperature (food contact)	80 °C
	Max usage temperature (non food contact)	100 °C
Max. drying temperature100 °C	Min. usage temperature ³	-20 °C
	Max. drying temperature	100 °C

Min. pH-value in usage concentration	2 pH
Max. pH-value in Usage Concentration	10.5 pH
GTIN-13 Number	5705020704710
GTIN-14 Number (Box quantity)	15705020704717
Customs Tariff No.	96039099
Country of origin	Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

1. See Declaration of Compliance for further details on food contact

3. Do not store the product below 0° Celsius.